



Tamil Nadu Newsprint and Papers Limited

(A Government of Tamil Nadu Enterprise)

Kagithapuram - 639 136, Pugaiur Taiuk, Karur Dist. Tamil Nadu, India.

Phone: (0091) 04324-277001 to 10 - (10 Lines) Cell : 94860 41341 to 41343

ENV/112/24

November 25, 2024

Addi. Principal Chief Conservator of Forests (C)
Ministry of Env., Forest and Climate Change
Regional Office (SEZ), 1st and 11nd Floor, Handloom Export Promotion Council,
34, Cathedral Garden Road, Nungambakkam,
Chennai - 34

Dear Sir,

Sub: Submission of six monthly compliance reports for the conditions stipulated in the Environmental clearances (EC)-Reg.

Ref: (i) MoEF EC file No.J-11011/710/2007-IA,II (i) dt. 11.02.2013
(ii) MoEF EC file No.J-11011/710/2007-IA II (I) dt. 11.12.2008
(iii) MoEF EC file No.J-11011/375/2005-IA-II (I) dt. 10.04.2006

This refers to the ECs issued for TNPL for the for the implementation of Deinking Pulp plant (DIP) & Upgradation of the Captive co-generation (UCCG), Mill Expansion Plant (MEP) and Mill Development Plan (MDP) vide reference ref (i), ref (ii) and ref (iii) respectively.

In compliance to the general condition stipulated in the respective ECs, the status of six monthly compliance report against the special and general conditions stipulated in the ECs for the period between 01/04/2024 and 30/09/2024 is submitted as detailed below:

Sl No	Project file No./ Date	Name of the project	Status of compliance on EC conditions submission Parivesh portal.	Remarks
01	J-11011/710/2007-IA,II(I) dt. 11.02.2013	Installation of deinking plant and upgradation of captive co-generation plant	Compliance to the conditions along with supporting documents as above were uploaded in Parivesh portal on 25/11/2024.	A copy of the EC compliance report along with relevant annexure downloaded from the Parivesh portal is submitted along with letter.

TNPL Corporate Office

67, Mount Road, Guindy, Chennai, TN, India - 600 032.
Phone: 044-22354415,16,18 22301094 to 97
E - mail: response@tnpl.co.in, Web: www.tnpl.com
Corporate ID No : L 22121 TN 1979 PL C 007799

TNPL Unit - II - Board Plant

Kagitha Nagar, Mondipatti, K.Perlyapatti Post,
Manapparai Taluk, Tiruchirappalli District,
Tamil Nadu, India - 621 306.
Phone: 04332-261600 Cell: 94890 12793



TNPL - MAKER OF BAGASSE BASED ECO - FRIENDLY PAPER


Sl No	Project file No./ Date	Name of the project	Status of compliance on EC conditions submission Parivesh portal.	Remarks
02	J-11011/710/2007-IA II (I) dt. 11.12.2008	The expansion of Pulp and Paper Mill 2,45,000 to 4,00,000 TPA by installation of new Paper Machine 1,55,000 TPA and balancing of Hard wood and bagasse Pulp Mill Pulp Mill 300 to 330 and 500 to 550 TPD.	Compliance to the conditions along with supporting documents as above were uploaded in Parivesh portal on 25/11/2024.	A copy of the EC compliance report along with relevant annexure downloaded from the Parivesh portal is submitted along with letter
03	J-11011/375/2005-IA-II (I) dt. 10.04.2006	Expansion of Paper Production from 2,05,000 MTPA to 2,45,000 MTPA and production of 45,000 MTPA market pulp at TNPL, Kagithapuram, Karur District	Compliance to the conditions along with supporting documents as above were uploaded in Parivesh portal on 25/11/2024.	A copy of the EC compliance report along with relevant annexure downloaded from the Parivesh portal is submitted along with letter.

This is for your kind information and records.

Thanking You.

Yours faithfully,

For Tamilnadu Newsprint and Papers Limited,


Deputy General Manager (ENV)

- CC:
- (1) The Member Secretary, SEIAA, Saidapet, Chennai – 600 005.
 - (2) The Member Secretary, TNPCB, Guindy, Chennai.
 - (3) The Regional Directorate, CPCB, Chennai.
 - (4) The Joint Chief Environmental Engineer, TNPCB, Trichy.
 - (5) The District Environmental Engineer, TNPCB, Karur

Half Yearly Compliance Report**2024****01 Dec(01 Apr - 30 Sep)****Acknowledgement**

Proposal Name	Installation of 300 TPD Deinked Pulp Line (DPL) and up-gradation of Captive Co-generation Plant (CCP) at TNPL, Kagithapuram, Karur District		
Name of Entity / Corporate Office	Tamilnadu Newsprint and Papers Limited		
Village(s)	N/A		
District	KARUR		
Proposal No.	IA/TN/IND/6221/2007	Category	Industrial Projects - 1
Plot / Survey / Khasra No.	N/A	Sub-District	N/A
State	TAMIL NADU	Entity's PAN	*****2935J
MoEF File No.	J-11011/710/2007-IA-II(I)11/02/2013	Entity name as per PAN	Tamil Nadu Newsprint and Papers Limited

Compliance Reporting Details

Reporting Year	2024
Remarks (if any)	Installation of 300 TPD Deinked Pulp Line (DPL) and up-gradation of Captive Co-generation Plant (CCP) at TNPL, Kagithapuram, Karur District
Reporting Period	01 Dec(01 Apr - 30 Sep)

Details of Production and Project Area

Name of Entity / Corporate Office Tamilnadu Newsprint and Papers Limited

	Project Area as per EC Granted	Actual Project Area in Possession
Private	151.76	2.43
Revenue Land	0	0
Forest	0	0
Others	0	0
Total	151.76	2.43

Production Capacity

Sr. no	Product Name	units	Valid Upto	Capacity	Production last year	Capacity as per CTO
1	Writing and Printing Paper	Tons per Annum (TPA)	31/03/2027	480000	422742	480000

Conditions

Specific Conditions

Sr.No.	Condition Type	Condition Details
1	AIR QUALITY MONITORING AND PRESERVATION	ii. The project authority shall install multi cyclones, wet scrubbers with the boilers to achieve the particulate emission below 50 mg/Nm ³ . The emissions from chemical recovery section shall be controlled through primary and secondary venturi scrubbers
<p>PPs Submission: Complied</p> <p>TNPL has installed Electro Static Precipitator (ESP) in the Chemical Recovery Section to mitigate the boiler particulate emission. The stipulate the norms for the boilers in the chemical recovery section are achieved by operating ESPs efficiently with appropriate periodical maintenance. The same is evidenced from the Continues Emission Monitoring Data Connected with care air center of TNPCB and Periodical TNPCB Stack Survey ROA and NABL accredited and MoEFCC recognized Third Party Lab data. The latest TNPCB and NABL accredited and MoEFCC recognized Third Party Lab Stack survey ROA is submitted as Annexure I.</p>		Date: 18/12/2024
2	AIR QUALITY MONITORING AND PRESERVATION	iii. Data on ambient air, stack and fugitive emissions shall be regularly submitted online to Ministrys Regional office at Bangalore, SPCB and CPCB as well as hard copy once in six months and display data on RSPM, SO ₂ and NO _x outside the premises at the appropriate place for the general public.
<p>PPs Submission: Complied</p> <p>The reports are being submitted to relevant authorities along with six monthly EC compliance reports through email and hard copies. Real-time value display available near the main gate. Summary of Ambient and Stack CEMS Data submitted as Annexure II.</p>		Date: 18/12/2024
3	WATER QUALITY MONITORING AND PRESERVATION	v. The total water requirement (including existing) shall not exceed 52,800 m ³ /day. The industry shall ensure the compliance of the standards for discharge of the treated effluent from the unit as stipulated under the EPA rules or SPCB whichever is more stringent. The company shall make efforts to limit the water consumption upto 75 m ³ /tonne of product. Adequate steps including use of modern RO/UF based technologies should be used to increase recycling and reduce water consumption.
<p>PPs Submission: Complied</p> <p>Average total and Sp. water consumption during review period are 32,134 M³/day and 28 M³/T of Product respectively. TNPCB and NABL accredited and MoEFCC recognized Third Party Lab is conducting Effluent water quality analysis once in month and relevant reports are submitted to concerned authorities along with respective EC compliance reports. TNPCB and Latest NABL accredited and MoEFCC recognized Third Party Lab effluent water analysis report ROA is submitted as Annexure III. The value of treated effluent is well within the TNPCB norms</p>		Date: 18/12/2024
4	Statutory compliance	i. Compliance to all the specific and general Conditions stipulated for the existing plant by the Central/State Government shall be ensured and regular reports submitted to the Ministry and its Regional Office at Bangalore

<p>PPs Submission: Complied The requisite compliance reports are being submitted to relevant authorities as part of six monthly EC compliance reports through email as well as hard copies.</p>		<p>Date: 18/12/2024</p>
5	Statutory compliance	iv. In case of treatment process disturbances/failure of pollution control equipment adopted by the unit, the respective unit shall be shut down and shall not be restarted until the control measures are rectified to achieve the desired efficiency.
<p>PPs Submission: Complied TNPL has a dedicated captive power plant. A separate feeder from the TG sets is connected directly to pollution control equipment systems to ensure continuous power supply during emergencies.</p>		<p>Date: 18/12/2024</p>
6	WATER QUALITY MONITORING AND PRESERVATION	vi. Adequate number of influent and effluent quality monitoring stations shall be set up in consultation with the State Pollution Control Board and regular monitoring shall be carried out for all relevant parameters to maintain the effluent treatment efficiency. Online flow meter, pH meter, conductivity meter etc. shall be installed. The report shall be submitted to Ministry's Regional Office at Bangalore SPCB and CPCB.
<p>PPs Submission: Complied Adequate no. of sampling stations available to monitor Treated effluent quality through TNPCB, NABL accredited and MoEFCC recognized Third Party Lab and online water quality station installed and in operation. A summary of online Water Quality Watch (WQW) data is attached as Annexure IV.</p>		<p>Date: 18/12/2024</p>
7	WATER QUALITY MONITORING AND PRESERVATION	vii. Ground water quality study in and around the project area shall be conducted and report submitted to Ministry's Regional Office at Bangalore, SPCB and CPCB.
<p>PPs Submission: Complied TNPCB and NABL accredited and MoEFCC recognized Third Party Lab is conducting groundwater quality analysis once in three months and relevant reports are submitted to concerned authorities along with respective EC compliance reports. TNPCB and Latest NABL accredited and MoEFCC recognized Third Party Lab Ground water analysis report submitted as Annexure V.</p>		<p>Date: 18/12/2024</p>
8	WATER QUALITY MONITORING AND PRESERVATION	viii. The company shall install Oxygen Delignification (ODL) Plant and shall maintain AOX below 1kg/tonne of paper production
<p>PPs Submission: Complied ODL were installed in Hard wood fiber line and chemical bagasse plant in 2008 and 2010 respectively. AOX and TOC are measured once a month through NABL accredited and MoEFCC recognized Third Party Lab. An AOX value varies from 0.04 to 0.11 Kg/T against 1 kg/ton of paper production. Copy of AOX report submitted as Annexure VI.</p>		<p>Date: 18/12/2024</p>
9	WATER QUALITY MONITORING AND PRESERVATION	x. The Company shall submit the comprehensive water management plan along with monitoring plan for the ground water quality and the level, within three months from date of issue of this letter.
<p>PPs Submission: Complied TNPL is periodically submitting its updated comprehensive water management plan along with respective six monthly EC compliance reports. A copy of the latest comprehensive water management plan report is submitted as Annexure VII.</p>		<p>Date: 18/12/2024</p>
10	WASTE MANAGEMENT	xi. The ash generated from the plant shall be disposed of in accordance with the provisions of the Fly Ash Notification, 2009 .

<p>PPs Submission: Complied Fly ash utilized in the TNPL cement plant and balance, if any is being sent to fly ash bricks manufacturing units. Fly ash Quarterly reports are submitted to TNPCB authorities. The latest fly ash submission details is enclosed as Annexure VIII</p>		<p>Date: 18/12/2024</p>
11	Risk Mitigation and Disaster Management	xv. The Company shall make the arrangement for protection of possible fire hazardous during manufacturing process in material handling.
<p>PPs Submission: Complied Necessary arrangements are being made towards the protection of possible fire hazardous during the manufacturing process in material handling. The updated fire protection facilities available in TNPL are submitted as Annexure XI.</p>		<p>Date: 18/12/2024</p>
12	Corporate Environmental Responsibility	xvi. All the recommendations made in the Charter on corporate Responsibility for Environment Protection (CREP) for the pulp and paper sector shall be strictly implemented.
<p>PPs Submission: Complied CREP recommendations are being implemented and a copy of the report for the current review period is submitted as Annexure XII</p>		<p>Date: 18/12/2024</p>
13	PUBLIC HEARING	xvii. All the commitments made to the public during Hearing / Public Consultation meeting held on 18th May, 2012 shall be satisfactorily implemented and a separate budget for implementing the same should be allocated and information submitted to the Ministrys Regional Office at Bangalore.
<p>PPs Submission: Complied All commitments made were implemented during the review period under 19 schemes at a cost of Rs.144.82 Lakhs. A detail of public Hearing implementation is submitted as Annexure XIII</p>		<p>Date: 18/12/2024</p>
14	WASTE MANAGEMENT	ix. ECF technology shall be used and lime kiln shall be installed to manage lime sludge.
<p>PPs Submission: Complied ECF was installed in 2008 and is in operation. Lime Kilns I and II were installed in 1996 and 2008 respectively and are under continuous operation</p>		<p>Date: 18/12/2024</p>
15	WASTE MANAGEMENT	xii. The project authority shall dispose to hazardous waste as per the provision of Hazardous Wastes (Management, Handling and Transboundary Movement) Rules, 2008.
<p>PPs Submission: Complied TNPCB issued Hazardous Wastes Authorization No 22HFC42010886 dated 29/08/2022 with validity 31/03/2027 for Main Plant and No 22HFC42552706 dated 04/11/2022 with validity 31/03/2027 for Captive Power Plant. Hazardous Waste disposal is done as per authorization</p>		<p>Date: 18/12/2024</p>
16	Human Health Environment	xix. Provision shall be made for the housing of construction labour within the site with all necessary infrastructure and facilities such as fuel for cooking, mobile toilets, mobile STP, Safe drinking water, medical health care, creche etc. The housing may be in the form of temporary structures to be removed after the completion of the project.
<p>PPs Submission: Complied Complied during the project execution period. Not applicable -during the review period</p>		<p>Date: 18/12/2024</p>
17	GREENBELT	xiii. The company shall develop green belt in 33 Percentage of the

		total land as per the CPCB guidelines to mitigate the effect of fugitive emissions.
<p>PPs Submission: Complied The unit has developed and maintained a green belt with 38.42 Percent for the paper plant and 42.37 Percent for the Captive Power Plant. A Copy of the Green Belt report for the current review period is submitted as Annexure IX.</p>		<p>Date: 18/12/2024</p>
18	Human Health Environment	xiv. Occupational health surveillance of the workers shall be done on a regular basis and records maintained as per the Factories Act.
<p>PPs Submission: Complied OHC is provided with the required infrastructure and functioning four resident doctors with requisite paramedical staff and maintaining health records as per Factory Act. A Copy of the OHC report for the current review period is submitted as Annexure X.</p>		<p>Date: 18/12/2024</p>
19	Corporate Environmental Responsibility	xviii. At least 5 Percentage of the total cost of the project shall be earmarked towards the Enterprise Social Commitment based on Public Hearing issues and item-wise details along with time bound action plan shall be prepared and submitted to the Ministry's Regional Office at Bangalore. Implementation of such program shall be ensured accordingly in a time bound manner.
<p>PPs Submission: Complied TNPL so far spent Rs. 37.06 Crores against 5 percent of the project cost of Rs.15.5 Cr. The total cost spent under CSR during the review period is Rs. 2.43 Crores. Details are submitted as Annexure XIV.</p>		<p>Date: 18/12/2024</p>
General Conditions		
Sr.No.	Condition Type	Condition Details
1	AIR QUALITY MONITORING AND PRESERVATION	iii. At least four ambient air quality monitoring stations should be established in the downward direction as well as where maximum ground level concentration of PM10, SO2 and NOx are anticipated in consultation with the SPCB. Data on ambient air quality and stack emission shall be regularly submitted to this Ministry including its Regional Office at Bangalore and the SPCB/CPCB once in six months.
<p>PPs Submission: Complied AAQ monitoring is being carried out in eight stations once in six months by TNPCB and once a month by NABL accredited and MoEFCC recognized Third third-party lab in addition to that Online ambient air quality monitoring station has been installed and a real-time data is being transmitted to Care air Centre of Tamil Nadu Pollution Control Board. The reports are submitted regularly along with six monthly EC compliance reports to the respective offices. TNPCB and Latest NABL accredited and MoEFCC recognized Third Party Lab Ambient Air survey report submitted as Annexure XV.</p>		<p>Date: 18/12/2024</p>
2	AIR QUALITY MONITORING AND PRESERVATION	iv. Industrial wastewater shall be properly collected, treated so as to conform to the standards prescribed under GSR 422 (E) dated 19th May, 1993 and 31st December, 1993 or as amended from time to time. The treated wastewater shall be utilized for plantation purpose.
<p>PPs Submission: Complied The unit installed Primary, Secondary, and Tertiary Effluent Treatment facilities to ensure its quality within norms prescribed by the board and entire treated effluent is utilized for On land irrigation</p>		<p>Date: 18/12/2024</p>
3	Statutory compliance	i. The project authorities must strictly adhere to the stipulation

		made by the Tamil Nadu Pollution Control Board and the State Government.
<p>PPs Submission: Complied Strictly complying with TNPCB conditions. The consent to operate for facility is being renewed from time to time</p>		<p>Date: 18/12/2024</p>
4	Statutory compliance	ii. No further expansion or modifications in the plant shall be carried out without prior approval of the Ministry of Environment and Forest.
<p>PPs Submission: Complied TNPCB granted fresh Direct CTO 4.8 Lakh MT/A. The CTO obtained from TNPCB on 01/02/2024 with a validity of 31/03/2027. Further, not done any expansion or modifications during the review period.</p>		<p>Date: 18/12/2024</p>
5	Corporate Environmental Responsibility	viii. The project proponent shall also comply with all the environmental protection measures and safeguards recommended in the EIA/EMP report. Further, the company must undertake socioeconomic development activities in the surrounding villages like community development programmes, educational programmes, drinking water supply and health care etc.
<p>PPs Submission: Complied TNPL so far spent Rs. 37.06 Crores against 5 Percent of the project cost of Rs.15.5 Cr. The total cost spent under CSR during the review period is Rs. 2.43 Crores. Details are submitted as Annexure XIV</p>		<p>Date: 18/12/2024</p>
6	Statutory compliance	x. A copy of clearance letter shall be sent by the proponent to concerned Panchayat, Zlia Parishad/Municipal Corporation, Urban local Body and the local NGO, if any, from whom suggestions/representations, if any, were received while processing the proposal. The clearance letter shall also be put on the web site of the company by the proponent
<p>PPs Submission: Complied A copy of the clearance letter was submitted to Kagithapuram town panchayat on 21/03/2013. A copy of the submission is enclosed as Annexure XVIII.</p>		<p>Date: 18/12/2024</p>
7	Statutory compliance	xiii. The environmental statement for each financial year ending 31st March in Form-V as in mandated to be submitted by the project proponent to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of environmental condition and shall also be sent to the respective Regional Office of the MOEF at Bangalore by e-mail.
<p>PPs Submission: Complied Regularly submitting Form V to the relevant authorities and the latest form V copy along with respective EC Compliance is available on the TNPL website. The latest Form V is attached as Annexure XX.</p>		<p>Date: 18/12/2024</p>
8	Statutory compliance	xiv. The Project proponent shall inform the public that the project has been accorded environmental clearance by the Ministry and copies of the clearance letter are available with the SPCB and may also be seen at Website of the Ministry of Environment and Forests at http://envfor.nic.in . This shall be advertised within seven days from the date of issue of the in the clearance letter, at least in two local newspapers that are widely circulated in the region of which one shall

		be in the vernacular language of the locality concerned and a copy of the same should be forwarded to the Regional office at Bangalore.
PPs Submission: Complied The advertisement was made in Newspapers on 27/02/2013 and a copy of the advertisement was forwarded to MoEF and CC on 4th March 2013. Details are submitted as attached as Annexure XXI.		Date: 18/12/2024
9	Statutory compliance	xv. Project authorities shall inform the regional Office as well as the Ministry, the date of financial closure and final approval of the project by the concerned authorities and the date of commencing the land development work.
PPs Submission: Complied Both DIP and up gradation of Captive Power Plant work were started and completed during 2013 itself		Date: 18/12/2024
10	Human Health Environment	vi. Occupational health surveillance of the workers shall be done on a regular basis and records maintained as per the Factories Act.
PPs Submission: Complied OHC is provided with the required infrastructure and functioning four resident doctors with requisite paramedical staff and maintaining health records as per Factory Act. A Copy of the OHC report for the current review period is submitted as Annexure X.		Date: 18/12/2024
11	Corporate Environmental Responsibility	ix. Requisite funds shall be earmarked towards capital cost and recurring cost/annum for environment pollution control measures to implement the conditions stipulated by the Ministry of Environment and Forests as well as the State Government. An implementation schedule for implementing all the conditions stipulated herein shall be submitted to the Regional Office of the Ministry at Bangalore. The funds so provided shall not be diverted for any other purpose.
PPs Submission: Complied TNPL had spent the funds allocated for the implementation of environment pollution control measures as stipulated by the MoEF and TNPCB. Details are submitted as Annexure XIV.		Date: 18/12/2024
12	Statutory compliance	vii. The Company shall also develop rain water harvesting structures to harvest the rain water for utilization in the lean season besides recharging the ground water table.
PPs Submission: Complied TNPL so far, has implemented rainwater harvesting facilities to recharge ground after covering about 4.52 Lakh Sq. meter area through 627 rainwater pits, 5 ponds, and five reservoirs. Rainwater harvesting details are submitted as Annexure XVII.		Date: 18/12/2024
13	Statutory compliance	xii. The project proponent shall also submit six monthly reports on the status of the compliance of the stipulated environmental conditions including results of monitored data (both in hard copies as well as by e-mail) to the Regional Office of MOEF, the respective Zonal Office of CPCB and the SPCB. The Regional Office of this Ministry at Bangalore / CPCB/SPCB shall monitor the stipulated conditions.
PPs Submission: Complied Hard and soft copies (email) of periodical EC compliance reports including monitoring data are being submitted to respective authorities once in six months. EC Periodical submission details are enclosed as Annexure XIX.		Date: 18/12/2024
14	Noise Monitoring & Prevention	v. The overall noise levels in and around the plant area shall be kept well within the standards (85 dBA) by providing noise control

		measures including acoustic hoods, silencers, enclosures etc. on all sources of noise generation. The ambient noise levels should conform to the standards prescribed under EPA Rules, 1989 viz. 75 dBA (daytime) and 70 dBA (nighttime).
<p>PPs Submission: Complied TNPL installed necessary noise control measures. The Noise survey report by TNPCB and NABL accredited and MoEFCC recognized Third Party Lab reveals that values are with prescribed norms. TNPCB and Latest NABL accredited and MoEFCC recognized Third Party Lab Noise survey report submitted as Annexure XVI.</p>		<p>Date: 18/12/2024</p>
15	Statutory compliance	<p>xi. The project proponent shall upload the status of compliance of the stipulated environment clearance conditions, including results of monitored data on their website and shall update the same periodically. It shall simultaneously be sent to the Regional Office of the MOEF at Bangalore. The respective Zonal Office of CPCB and the SPCB. The criteria pollutant levels namely; PM10, SO2, NOx (ambient levels as well as stack emissions) for critical sectoral parameters, indicated for the projects shall be mentored and displayed at a convenient location near the main gate of the company in the public domain.</p>
<p>PPs Submission: Complied EC compliance reports are updated once in 6 months on the www.tnpl.com website. Hard and soft copies are submitted to respective authorities once in 6 months. Real-time value is available near the main gate.</p>		<p>Date: 18/12/2024</p>
Visit Remarks		
Last Site Visit Report Date:		21/04/2022
Additional Remarks:		
<p>Note: This acknowledgement is as per the details submitted by project proponent. In no way is this document to be considered as conclusion on any action on the compliance of the project. This is strictly for the project proponent's reference purpose.</p>		

Your (Half Yearly Compliance Report) has been Submitted with following details

Proposal No	IA/TN/IND/4608/2005
Compliance ID	115185937
Compliance Number(For Tracking)	EC/M/COMPLIANCE/115185937/2024
Reporting Year	2024
Reporting Period	01 Dec(01 Apr - 30 Sep)
Submission Date	19-12-2024
RO/SRO Name	V Geroge Jenner
RO/SRO Email	tr025@ifs.nic.in
State	TAMIL NADU
RO/SRO Office Address	Integrated Regional Offices, Chennai
Note:- SMS and E-Mail has been sent to V Geroge Jenner, TAMIL NADU with Notification to Project Proponent.	

Half Yearly Compliance Report**2024****01 Dec(01 Apr - 30 Sep)****Acknowledgement**

Proposal Name	Expansion of Pulp and Paper Mill (2,45,000 to 4,00,000 TPA) by installation of new Paper Machine (1,55,000 TPA) and balancing of Hard wood Pulp Mill (300 to 330 TPD) and bagasse based Pulp Mill (500 to 550 TPD) at TNPL, Kagithapuram, Karur District		
Name of Entity / Corporate Office	Tamil Nadu Newsprint and Papers Limited		
Village(s)	N/A		
District	KARUR		
Proposal No.	IA/TN/IND/4608/2005	Category	Industrial Projects - 1
Plot / Survey / Khasra No.	N/A	Sub-District	N/A
State	TAMIL NADU	Entity's PAN	*****2935J
MoEF File No.	J-11011/710/2007-IA-II(I)	Entity name as per PAN	Tamil Nadu Newsprint and Papers Limited

Compliance Reporting Details

Reporting Year	2024
Remarks (if any)	EC Compliance status report pertaining to Expansion of Pulp and Paper Mill (2,45,000 to 4,00,000 TPA) by installation of new Paper Machine (1,55,000 TPA) and balancing of Hard wood Pulp Mill (300 to 330 TPD) and bagasse based Pulp Mill (500 to 550 TPD) and for period ending 30/09/2024
Reporting Period	01 Dec(01 Apr - 30 Sep)

Details of Production and Project Area

Name of Entity / Corporate Office Tamil Nadu Newsprint and Papers Limited

	Project Area as per EC Granted	Actual Project Area in Possession
Private	151.76	1.62
Revenue Land	0	0
Forest	0	0
Others	0	0
Total	151.76	1.62

Production Capacity						
Sr. no	Product Name	units	Valid Upto	Capacity	Production last year	Capacity as per CTO
1	Writing and Pring Paper	Tons per Annum (TPA)	31/03/2027	480000	422742	480000
Conditions						
Specific Conditions						
Sr.No.	Condition Type	Condition Details				
1	WATER QUALITY MONITORING AND PRESERVATION	<p>x. Chemical recovery plant shall be installed for the treatment of black liquor. In order to achieve colour reduction, tertiary treatment system like activated filter, multi-media filter etc. shall be explored. The inorganic compounds shall be recovered in the chemical recovery plant and organic compounds burnt in the recovery boiler. The effluent from bagasse handling and fibre preparation section containing high BOD and SS shall be segregated and treated in a clarifier to reduce the SS. Effluent with low BOD and SS generated from paper machine, pulp mill and soda recovery plant shall be passed through bar screen, mechanical screen, detritor and primary clarifier to remove SS. Anaerobic treatment shall be done to reduce BOD levels. The bio-gas from the bio-methanation plant shall be utilized in lime kiln. The effluent shall be further treated in the aeration system based on activated sludge process to reduce BOD/ COD to the permissible levels. No trade effluent shall be discharged into Pugalur Canal and seepage from TEWLIS area shall be prevented entering the same canal during the monsoon.</p>				
<p>PPs Submission: Complied All the above facilities, viz., chemical recovery plant, ETP tertiary Treatment, Biogas plant with pre-treatment for bagasse wash water, use of biogas in lime kiln, ASL implemented and in continuous operation</p>						<p>Date: 19/12/2024</p>
2	WATER QUALITY MONITORING AND PRESERVATION	<p>iv. AOx levels shall be controlled less than 1 kg/ton of paper manufactured as per E(P) Act. The odours and gases from cooking / stripping column, evaporator hot well and hot condensate tank should be burnt in the incinerator.</p>				
<p>PPs Submission: Complied AOX and TOC are mentioned once a month through NABL accredited and MoEFCC recognized Third Party Lab. AoX varies from 0.04 to 0.11 Kg/T against 1 kg/tonne of paper production. The latest Copy of the AoX report was submitted as Annexure VI.</p>						<p>Date: 19/12/2024</p>
3	WATER QUALITY MONITORING AND PRESERVATION	<p>viii. Adequate number of influent and effluent quality monitoring stations shall be installed in consultation with the TNPCB and controlled within the permissible limits for all the parameters. One of the water quality monitoring station shall be at 100 m downstream of confluence of the treated effluent discharge point in the nearest water body</p>				
<p>PPs Submission: Complied Influent quality at each source of generation and treated effluent quality are monitored once a month by TNPCB and by NABL accredited and MoEFCC recognized laboratory. Summary of online Water Quality Watch (WQW) data attached as Annexure IV.</p>						<p>Date: 19/12/2024</p>

4	WASTE MANAGEMENT	ix. Efforts shall be made to reduce total dissolved solids (TDS) in the effluent and effluent discharged shall not exceed 80 m3/T of paper produced as per the norms prescribed in the E(P) Act.
PPs Submission: Complied The average wastewater discharge was 21 M3/per MT of paper production for the review period. Efforts taken to reduce TDS in treated effluent are enclosed as Annexure XXIII.		Date: 19/12/2024
5	WATER QUALITY MONITORING AND PRESERVATION	xii. Action plan shall be prepared for further colour removal from the effluent and submitted to the Ministry, its Regional Office at Bangalore, TNPCB and CPCB and implemented.
PPs Submission: Complied TNPL has implemented tertiary treatment to reduce color in the treated effluent by Ozonation since from the year 2010.		Date: 19/12/2024
6	AIR QUALITY MONITORING AND PRESERVATION	ii. Continuous stack monitoring facilities for all the stacks. Sufficient air pollution control devices viz. Electrostatic precipitator (ESP) and bag filters etc. shall be provided to control gaseous emissions below 100 mg/Nm3. Monitoring of H2S and Mercaptan along with other parameters shall be ensured and report submitted to Ministry's Regional Office at Bangalore, TNPCB and CPCB regularly. The gaseous emissions (SPM, SO2, NOX, H2S and Mercaptan) from various process units shall conform to the standards prescribed from time to time. The State Board may specify more stringent standards for the relevant parameters keeping in view the nature of the industry, its size and location. At no time, the emission level shall go beyond the prescribed standards. In the event of failure of any pollution control systems(s) adopted by the unit, the respective unit should not be restarted until the control measures are rectified to achieve the desired efficiency.
PPs Submission: Complied TNPL has installed Electro Static Precipitator (ESP) in the Chemical Recovery Section to mitigate the boiler particulate emission. The stipulated norms for the boilers in the chemical recovery section are being achieved by operating the ESPs effectively and efficiently. The same is evidenced by the Continues Emission Monitoring Analyser Data Connected with Care Air Centre of TNPCB. Moreover the same is evident from the periodical-biannual TNPCB Stack Survey ROA, monthly NABL accredited and MoEFCC recognized Third Party Lab analysis data. The latest TNPCB and NABL accredited and MoEFCC recognized Third Party Lab Stack survey ROA is submitted as Annexure I. H2S and Mercaptans are monitored once a month through NABL accredited and MoEFCC recognized Third Party Lab. TNPL has a dedicated captive power plant. A separate feeder from the TG sets is connected directly to pollution control equipment systems to ensure continuous power supply during emergencies.		Date: 19/12/2024
7	AIR QUALITY MONITORING AND PRESERVATION	iii. Secondary fugitive emissions from all the sources shall be controlled within the latest permissible limits issued by the Ministry and regularly monitored. Guidelines / Code of Practice issued by the CPCB shall be followed. Fugitive emissions shall be controlled by providing dust collectors and water spraying system at material transfer points. Monitoring of H2S and mercaptans shall be carried out once in a month in the work environment
PPs Submission: Complied Secondary fugitive emissions control measures installed viz., Closed conveyors, water sprinklers, dust collectors, wind barriers, greenery development, telescopic chute, etc., are installed to control the Secondary fugitive emissions. H2S and Mercaptans are monitored once a month through NABL accredited and MoEFCC recognized Third Party Lab. Copy of latest H2S and Mercaptans report enclosed as Annexure XXII		Date: 19/12/2024
8	WATER QUALITY	xi. Permission for the drawal of 75,750 M3/day from River Cauvery

	MONITORING AND PRESERVATION	water shall be obtained from the concerned department.
PPs Submission: Complied Permission for drawl of 16 MGD water from River Cauvery from Govt. of TamilNadu is available and enclosed as Annexure XXIV		Date: 19/12/2024
9	WATER QUALITY MONITORING AND PRESERVATION	xiii. Regular ground water monitoring shall be carried out for all the relevant parameters where effluent is discharged.
PPs Submission: Complied Groundwater quality analysis is being conducted once in three months through TNPCB and NABL accredited and MoEFCC recognized Third Party Lab. Copies of those reports are submitted to concerned authorities along with respective EC compliance reports. The copy of the latest report is submitted as Annexure V.		Date: 19/12/2024
10	WATER QUALITY MONITORING AND PRESERVATION	xiv. Apart from other parameters, TOC and AOx levels in the treated effluent shall be measured once in a month. The AOx levels shall not 1.5kg/tonne of paper as per the norms prescribed in E(P) Act..
PPs Submission: Complied AOX and TOC are measured once a month through NABL accredited and MoEFCC recognized Third Party Lab. An AoX value varies from 0.04 to 0.11 Kg/T against 1 kg/ton of paper production. Copy of AOX report submitted as Annexure VI		Date: 19/12/2024
11	GREENBELT	xix. Green belt shall be developed in 33 Percentage area to mitigate the effects of fugitive emissions all around the plant in as per the CPCB guidelines and in consultation with local DFO. Green belt already developed shall be properly maintained.
PPs Submission: Complied The unit has developed and maintained a green belt with 38.42 percent for the paper plant and 42.37 percent for the Captive Power Plant. A Copy of the Green Belt report for the current review period is submitted as Annexure IX.		Date: 19/12/2024
12	Human Health Environment	xxii. The company shall provide housing for construction labour within the site with all necessary infrastructure and facilities such as fuel for cooking, mobile toilets, mobile STP, safe drinking water, medical health care, creche etc. The housing may be in the form of temporary structures to be removed after the completion of the project.
PPs Submission: Complied Complied during the project execution period. Not applicable -during the review period		Date: 19/12/2024
13	Statutory compliance	i. As proposed, Elemental Chlorine Free (ECF) bleaching technology shall be adopted in hardwood pulp mill, bagasse pulp mill and paper machine.
PPs Submission: Complied Implementation status: ECF bleaching technology was adopted in the year 2008 for both hardwood pulp and bagasse pulp mills, and the same are currently under operation. ECF bleaching technology does not apply to the Paper machines section.		Date: 19/12/2024
14	WATER QUALITY MONITORING AND PRESERVATION	v. Total water consumption shall not exceed as mentioned in the Corporate Responsibility for Environment Protection (CREP) guidelines.

<p>PPs Submission: Complied The average total water consumption is only 32,134 M3/day. Average fresh water consumption and treated effluent discharge are 28 M3/T and 21 M3/T of Product respectively. A copy of the CREP report for the current review period is submitted as Annexure XII</p>		<p>Date: 19/12/2024</p>
15	<p>WATER QUALITY MONITORING AND PRESERVATION</p>	<p>vi. Total water requirement from River Cauvery shall not exceed 72,000 M3/day as per the permission accorded by the Public Works Department. Efforts shall be made to reduce the quantity of water intake and maximize use of recycled water.</p>
<p>PPs Submission: Complied As per MoEF Environment Clearance No. F.No.J-11011/710/2007-IA-II (i) dated 11th February 2013, the freshwater requirement is 52,800 m3/day. However, the average freshwater consumption during the review period is about 32,134 M3/day excluding domestic consumption is well within the approved quantity</p>		<p>Date: 19/12/2024</p>
16	<p>WATER QUALITY MONITORING AND PRESERVATION</p>	<p>vii. The process effluent shall be treated in Effluent Treatment Plant (ETP) through primary, secondary and tertiary treatment methods. Spill liquor from paper mill and chemical recovery areas shall also be collected and properly treated. Effort shall be made to reduce the colour in the effluent discharged. Treated effluent (filtrate) shall be used for the green belt development and discharge to the nearby drain only after conforming to the standards prescribed by the TNPCB and under E(P) Act, whichever are more stringent. The quality of the treated effluent shall conform to the prescribed standards and used for irrigation. AOX and TOC levels are to be monitored.</p>
<p>PPs Submission: Complied The unit installed Primary, Secondary, and Tertiary Effluent Treatment facilities to ensure its quality within norms prescribed by the board and entire treated effluent is utilized for On land irrigation</p>		<p>Date: 19/12/2024</p>
17	<p>WASTE MANAGEMENT</p>	<p>xv. Sludge dewatering system shall be installed. ETP sludge shall be used as manure Chip dust and pith shall be used as fuel in the existing boilers of TNPL. Lime mud reburning kilns shall be installed to recycle lime sludge and to regenerate burnt lime required for the causticizing process. Efforts shall be made for the utilisation of lime sludge and mud in the cement plants.</p>
<p>PPs Submission: Complied The dewatering system of the Vacuum filter and decanters is installed ETP. ETP Sec. Sludge is used as manure. Chip dust and pith are used as fuel. Two lime kilns are in continuous operation to recycle the lime sludge. The rest of the Lime sludge and mud (Lime Grit) is being used in the TNPL Cement Plant as Raw material.</p>		<p>Date: 19/12/2024</p>
18	<p>WATER QUALITY MONITORING AND PRESERVATION</p>	<p>xvi. Action plan for the disposal of Reverse Osmosis (RO) rejects shall be prepared and submitted to the Ministry's Regional Office at Bangalore, TNPCB and CPCB within three months of issue of this letter.</p>
<p>PPs Submission: Complied TNPL carried out a pilot plant study through the Tamil Nadu Water investment company and concluded that the implementation of RO in Effluent recycling is economically not feasible. However, TNPL continuously seeking, economically feasible technology availability in the market, to implement.</p>		<p>Date: 19/12/2024</p>
19	<p>Corporate Environmental Responsibility</p>	<p>xviii. As per the recommendations made in the Charter on Corporate Responsibility for Environmental Protection (CREP), the company shall undertake measures for discharge of within two years and 1.0 kg/ton of paper in 5 years.</p>

<p>PPs Submission: Complied TNPL is periodically submitting the compliance against the CREP conditions as part of six monthly Compliance reports on conditions, as stipulated in the ECs. A copy of the report for the current review period is submitted as Annexure XII.</p>		<p>Date: 19/12/2024</p>
20	PUBLIC HEARING	xx. All the commitments made to the public during public hearing shall be satisfactorily implemented.
<p>PPs Submission: Complied All the commitments made in the public hearing were satisfactorily implemented. Details are enclosed as Annexure XXV</p>		<p>Date: 19/12/2024</p>
21	WASTE MANAGEMENT	xvii. Proper utilization of fly ash shall be ensured as per Fly ash Notification, 1999 and subsequent amendment in 2003. .
<p>PPs Submission: Complied Fly ash is being utilized in the TNPL cement plant and the balance, if any is being sent to fly ash bricks manufacturing units. Fly ash Quarterly reports are being submitted to the TNPCB authorities. The latest fly ash submission details are enclosed as Annexure VIII.</p>		<p>Date: 19/12/2024</p>
22	Corporate Environmental Responsibility	xxi. All the recommendations made in the Charter on Corporate Responsibility for Environment Protection (CREP) for Pulp and Paper Sector shall be strictly implemented.
<p>PPs Submission: Complied TNPL is periodically submitting the compliance against the CREP conditions as part of six monthly Compliance reports on conditions, as stipulated in the ECs. A copy of the report for the current review period is submitted as Annexure XII.</p>		<p>Date: 19/12/2024</p>
<p>General Conditions</p>		
Sr.No.	Condition Type	Condition Details
1	Statutory compliance	I .The project authorities must strictly adhere to the stipulations made by the Tamil Nadu state Pollution Control Board (TNPCB) and the State Government
<p>PPs Submission: Complied Strictly complying with TNPCB conditions. The consent to operate for the facility is being renewed from time to time.</p>		<p>Date: 19/12/2024</p>
2	MISCELLANEOUS	iii. Proper housekeeping and cleanliness must be maintained within and outside the plant.
<p>PPs Submission: Complied TNPL is maintaining good housekeeping within and outside of the plant premises.</p>		<p>Date: 19/12/2024</p>
3	Statutory compliance	vi. The project proponent shall also comply with all the environmental protection measures and safeguards recommended in the EIA/EMP report..
<p>PPs Submission: Complied The entire allocated fund of Rs. 159 and Rs. 128 cores allocated for the environment protection measures under MEP and MDP have been completely utilized. Details are submitted as Annexure XIV.</p>		<p>Date: 19/12/2024</p>
4	Statutory compliance	vii. The company shall undertake rainwater harvesting measures to recharge the ground water.

<p>PPs Submission: Complied TNPL so far, has implemented rainwater harvesting facilities to recharge ground after covering about 4.52 Lakh Sq. meter area through 627 rainwater pits, 5 ponds, and five reservoirs. Rainwater harvesting details are submitted as Annexure XVII.</p>		<p>Date: 19/12/2024</p>
5	Corporate Environmental Responsibility	x. The project proponent shall have a scheme for social upliftment in the surrounding villages with reference to contribution in road construction, education, establishment of health centres, sanitation facilities, drinking water supply, community awareness and employment to local people wherever possible both for technical and non-technical jobs.
<p>PPs Submission: Complied TNPL so far spent Rs. 37.06 Crores against 5 percent of the project cost of Rs.15.5 Cr. The total cost spent under CSR during the review period is Rs. 2.43 Crores. Details are submitted as Annexure XIV.</p>		<p>Date: 19/12/2024</p>
6	Statutory compliance	xii. The project authorities will provide Rs.128.00 Crores both recurring and non-recurring to implement the conditions stipulated by the Ministry of Environment and Forests as well as the State Government along with the implementation schedule for all the conditions stipulated herein. The funds so provided should not be diverted for any other purposes. Rs.159.00 Crores is allotted for environment protection measures.
<p>PPs Submission: Complied A sum of Rs. 128 Crore and Rs. 159 Crore allocated for MEP and MDP respectively were fully utilized for implementation of EC conditions. Details are submitted as Annexure XIV</p>		<p>Date: 19/12/2024</p>
7	Statutory compliance	xiii. Six monthly status report on the project vis-a-vis implementation of environmental measures shall be submitted to this Ministry's Regional Office at Bangalore/CPCB/TNPCB..
<p>PPs Submission: Complied Hard and soft copies of periodical EC compliance reports including monitoring data are being submitted to respective authorities. Periodical submission details are enclosed as Annexure XIX.</p>		<p>Date: 19/12/2024</p>
8	Statutory compliance	xiv. The Project Proponent shall inform the public that the project has been accorded environmental clearance by the Ministry and copies of the clearance letter are available with the Tamil Nadu State Pollution Control Board and may also be seen at Website of the Ministry of Environment and Forests at http://www.envfor.nic.in . This shall be advertised within seven days from the date of issue of the clearance letter at least in two local newspapers that are widely circulated in the region of which one shall be in the vernacular language of the locality concerned and a copy of the same shall be forwarded to the Regional Office..
<p>PPs Submission: Complied Public notice is given in two local newspapers dated 31st DEC 2008. A copy of the same is attached as Annexure XXVII.</p>		<p>Date: 19/12/2024</p>
9	Statutory compliance	xv. The Project Authorities shall inform the Regional Office as well as the Ministry, the date of financial closure and final approval of the project by the concerned authorities and the date of commencing the land development work.
<p>PPs Submission: Complied The Board of Directors approved the project proposal in 2007 and financial closure was achieved</p>		<p>Date: 19/12/2024</p>

		during 2008. The final approval of the project by TNPCB (CTO for the project) was on 14/01/2011.	
10	Noise Monitoring & Prevention	iv. The overall noise levels in and around the plant area shall be kept well within the standards (85 dBA) by providing noise control measures including acoustic hoods, silencers, enclosures etc. on all sources of noise generation. The ambient noise levels should conform to the standards prescribed under EPA Rules, 1989 viz. 75 dBA (day time) and 70 dBA (night time).	
		PPs Submission: Complied TNPL installed necessary noise control measures. The Noise survey report by TNPCB and NABL accredited and MoEFCC recognized Third Party Lab reveals that values are well within the prescribed norms. TNPCB and Latest NABL accredited and MoEFCC recognized Third Party Lab Noise survey report submitted as Annexure XVI.	Date: 19/12/2024
11	Statutory compliance	viii. The implementation of the project vis-a-vis environment action plans shall be monitored by Ministry's Regional Office at Bangalore / TNPCB / CPCB. A six-monthly compliance status report shall be submitted to monitoring agencies	
		PPs Submission: Complied Hard and soft copies (email) of periodical EC compliance reports including monitoring data are being submitted to respective authorities once in six months. Periodical EC submission details are enclosed as Annexure XIX.	Date: 19/12/2024
12	Human Health Environment	ix. Adequate provisions for infrastructure facilities such as water supply, fuel, sanitation etc. shall be ensured for construction workers during the construction phase so as to avoid felling of trees and pollution of water and the surroundings..	
		PPs Submission: Complied Complied during the project execution period. Not applicable -during the review period	Date: 19/12/2024
13	Statutory compliance	xi. A separate Environmental Management Cell equipped with full-fledged laboratory facilities to carry out the various Environmental Management and Monitoring functions shall be set up under the control of Senior Executive.	
		PPs Submission: Complied A separate Environmental Management Cell is available and the same is enclosed as Annexure XXVI.	Date: 19/12/2024
14	Statutory compliance	ii. No further expansion or modernization in the plant shall be carried out without prior approval of the Ministry of Environment and Forests. In case of deviations or alterations in the project proposal from those submitted to this Ministry for clearance, a fresh reference shall be made to the Ministry to assess the adequacy of conditions imposed and to add additional environmental protection measures required, if any.	
		PPs Submission: Complied TNPCB granted Direct CTO for 4.8 Lakh MT/Annum. The CTO was obtained from TNPCB on 01/02/2024 with a validity of 31/03/2027.	Date: 19/12/2024
15	Human Health Environment	v. Occupational health surveillance programme shall be undertaken as regular exercise for all the employees, especially for those engaged in handling hazardous substances. The first aid facilities in the occupational health centre shall be strengthened and the medical records of each employee should be maintained separately.	

PPs Submission: Complied
OHC is provided with the required infrastructure and functioning four resident doctors with requisite paramedical staff and maintaining health records as per Factory Act. A Copy of the OHC report for the current review period is submitted as Annexure X.

Date:
19/12/2024

Visit Remarks

Last Site Visit Report Date:

21/04/2022

Additional Remarks:

Note: This acknowledgement is as per the details submitted by project proponent. In no way is this document to be considered as conclusion on any action on the compliance of the project. This is strictly for the project proponent's reference purpose.

Your (Half Yearly Compliance Report) has been Submitted with following details

Proposal No	IA/TN/IND22309/1910
Compliance ID	115202065
Compliance Number(For Tracking)	EC/M/COMPLIANCE/115202065/2024
Reporting Year	2024
Reporting Period	01 Dec(01 Apr - 30 Sep)
Submission Date	19-12-2024
RO/SRO Name	V Geroge Jenner
RO/SRO Email	tr025@ifs.nic.in
State	TAMIL NADU
RO/SRO Office Address	Integrated Regional Offices, Chennai
Note:- SMS and E-Mail has been sent to V Geroge Jenner, TAMIL NADU with Notification to Project Proponent.	

Half Yearly Compliance Report**2024****01 Dec(01 Apr - 30 Sep)****Acknowledgement**

Proposal Name	Expansion of Paper Production from 2,05,000 to 2,45,000 MTPA and Production of 45,000 MTPA market pulp at TNPL, Kagithapuram, Karur District		
Name of Entity / Corporate Office	Tamil Nadu Newsprint and Papers Limited		
Village(s)	N/A		
District	KARUR		
Proposal No.	IA/TN/IND22309/1910	Category	Industrial Projects - 1
Plot / Survey / Khasra No.	N/A	Sub-District	N/A
State	TAMIL NADU	Entity's PAN	*****2935J
MoEF File No.	J-11022/375/2005-IA-II(1)	Entity name as per PAN	Tamil Nadu Newsprint and Papers Limited

Compliance Reporting Details

Reporting Year	2024
Remarks (if any)	EC compliance status report pertaining to expansion of Paper Production from 2,05,000 to 2,45,000 MTPA and Production of 45,000 MTPA market pulp at TNPL and for the period ending 30/09/2024
Reporting Period	01 Dec(01 Apr - 30 Sep)

Details of Production and Project Area

Name of Entity / Corporate Office Tamil Nadu Newsprint and Papers Limited

	Project Area as per EC Granted	Actual Project Area in Possession
Private	151.76	3.44
Revenue Land	0	0
Forest	0	0
Others	0	0
Total	151.76	3.44

Production Capacity

Sr. no	Product Name	units	Valid Upto	Capacity	Production last year	Capacity as per CTO
1	Writing and Pring Paper	Tons per Annum (TPA)	31/03/2027	480000	422742	480000

Conditions

Specific Conditions

Sr.No.	Condition Type	Condition Details
1	AIR QUALITY MONITORING AND PRESERVATION	i. The gaseous emissions (SPM, SO ₂ , NO _x and H ₂ S) from various process units shall conform to the standards prescribed from time to time. The State Board may specify more stringent standards for the relevant parameters keeping in view the nature of the industry, its size and location. At no time, the emission level shall go beyond the prescribed standards. In the event of failure of any pollution control system(s) adopted by the unit, the respective unit should not be restarted until the control measures are rectified to achieve the desired efficiency. ESPs shall be provided to the recovery boiler with 99.9 percent and lime kiln to collect the solids (Sodium salts) escaping the flue gas.

<p>PPs Submission: Complied</p> <p>TNPL has installed Electro Static Precipitator (ESP) in the Recovery Boiler, Lime Kilns Section to mitigate the boiler particulate emission. The stipulated norms for the boilers in the chemical recovery section are achieved by operating ESPs efficiently with appropriate periodical maintenance. The same is evidenced from the Continues Emission Monitoring Data Connected with care air center of TNPCB and Periodical TNPCB Stack Survey ROA and NABL accredited and MoEFCC recognized Third Party Lab data. The latest TNPCB and NABL accredited and MoEFCC recognized Third Party Lab Stack survey ROA is submitted as Annexure I.</p>	<p>Date: 19/12/2024</p>
--	-----------------------------

2	WATER QUALITY MONITORING AND PRESERVATION	ix. Apart from other parameters. TOC and AOX levels in the treated effluent shall be measured once in a month.
---	---	--

<p>PPs Submission: Complied</p> <p>AOX and TOC are mentioned once a month through NABL accredited and MoEFCC recognized Third Party Lab. AoX varies from 0.04 to 0.11 Kg/T against 1 kg/tonne of paper production. Copy of AOX report submitted as Annexure VI</p>	<p>Date: 19/12/2024</p>
---	-----------------------------

3	GREENBELT	xii. Green belt shall be raised in at least 50 ha. (33percent) to mitigate the effects of fugitive emissions all around the plant in as per the CPCB guidelines and in consultation with local DFO.
---	-----------	---

<p>PPs Submission: Complied</p> <p>The unit has developed and maintained a green belt with 38.42 percent for the paper plant and 42.37 percent for the Captive Power Plant. A Copy of the Green Belt report for the current review period is submitted as Annexure IX.</p>	<p>Date: 19/12/2024</p>
---	-----------------------------

4	Statutory compliance	xiii. The company shall undertake rainwater harvesting measures to recharge the ground water.
---	----------------------	---

<p>PPs Submission: Complied</p> <p>TNPL so far, has implemented rainwater harvesting facilities to recharge groundwater covering about 4.52 Lakh Sq. meter areas through 627 rainwater pits, 5 ponds, and five reservoirs. Rainwater harvesting details are submitted as Annexure XVII.</p>	<p>Date: 19/12/2024</p>
--	-----------------------------

5	AIR QUALITY	ii. Three on-line monitoring stations for ambient air near the
---	-------------	--

	MONITORING AND PRESERVATION	boundary of the plant shall be set up along with another on-line stack monitoring system for recovery boiler for particulate matter, SO ₂ , NOX and H ₂ S and the on-line data shall be submitted to the CPCB and TNPCB.
<p>PPs Submission: Complied THREE CAAQMS MONITORING STATION LOCATIONS 1. Canteen Building 2. Vicinity of Coal Yard 3. Entrance of TNPL Cement Plant. Online Stack Monitoring was Provided for the recovery Boiler for PM, SO₂, NOX, and H₂S. Summary of Ambient and Stack CEMS Data submitted as Annexure II.</p>		Date: 19/12/2024
6	Statutory compliance	iv. The company shall install new Chemical Recovery Boiler (CRB). The new power boilers for the co-generation power plant, recovery boiler and lime kiln shall be equipped with ESP and shall meet the notified standards.
<p>PPs Submission: Complied ESPs installed for Power and Recovery boilers and Lime kilns. ROA of the TNPCB survey during the review period reveals that emissions are within prescribed norms. The latest TNPCB and NABL accredited and MoEFCC recognized Third Party Lab Stack survey ROA is submitted as Annexure I.</p>		Date: 19/12/2024
7	WATER QUALITY MONITORING AND PRESERVATION	viii. The use of Ferric/Ferrous chloride shall be optimized to further reduce the colour in the treated effluent.
<p>PPs Submission: Complied Ferric/ Ferrous Chloride usage stopped due to TDS increase in effluent. To further reduce colour, Tertiary treatment using Ozone introduced during 2010.</p>		Date: 19/12/2024
8	Corporate Environmental Responsibility	xi. As per the recommendations made in the Charter on Corporate Responsibility for Environmental Protection (CREP), the company shall undertake measures for discharge of AOX less than 1.5 kg/tonne of paper within two years and 1.0 kg/tonne of paper in 5 years. The waste water discharge per ton of paper shall be less than 80 m ³ /T of paper.
<p>PPs Submission: Complied The average total water consumption is only 32,134 M³/day. Average freshwater consumption and treated effluent discharge are 28M³/T and 21 M³/T of paper respectively. A copy of the CREP report for the current review period is submitted as Annexure XII.</p>		Date: 19/12/2024
9	Statutory compliance	iii. The company shall phase out Element Chlorine from pulp bleaching process. The Chlorine dioxide plant shall be installed and commissioned on or before May, 2007.
<p>PPs Submission: Complied ECF (Elemental chlorine-free) bleaching technology was commissioned in May 2008 by installing a Chlorine Di Oxide unit and the same in continuous operation.</p>		Date: 19/12/2024
10	WASTE MANAGEMENT	x. Solid waste generated in the form of ash and lime sludge shall be provided to cement manufacturing unit. Chip dust and pith shall be used as fuel in the existing boilers of TNPL. ETP sludge shall be given to cardboard/egg tray manufactures. The causticizing plant shall be augmented to 2,000 m ³ /day to overcome the problem of high silica bagasse liquor. Lime mud reburning kilns shall be installed to recycle lime sludge and to regenerate burnt lime required for the causticizing process.
<p>PPs Submission: Complied Fly ash and Lime sludge used in TNPL Cement Plant. Chip dust and pith are used as fuel. ETP</p>		Date:

sludge is sold for cardboard manufacturing. Causticizing plant augmented. 2 lime kilns are in operation		19/12/2024
11	AIR QUALITY MONITORING AND PRESERVATION	v. Fugitive emissions shall be controlled by providing dust collectors and water spraying system at material transfer points. A super batch digester shall be installed to control odour. All the recommendations of the Corporate Responsibility for Environmental Protection (CREP) issued by the CPCB shall be followed. Arrangements for burning the non-condensable gases in a lime kiln shall be in place before the new digesters are commissioned. The existing direct contact evaporator shall be changed to the surface contact evaporator. Monitoring of H2S and Mercaptans shall be carried out once in a month in the work environment.
PPs Submission: Complied Dust control measures: Closed conveyors, water sprinklers, dust collectors, wind barriers, etc. NCG commissioned and in operation. H2S and Mercaptans are monitored once a month through NABL accredited and MoEFCC recognized Third Party Lab. Copy of latest report enclosed as Annexure XXII		Date: 19/12/2024
12	WATER QUALITY MONITORING AND PRESERVATION	vi. Total fresh water requirement from River Cauvery shall not exceed 66,380 m3/d. presently, 38 percent treated waste water is recycled and reused in the process. Effort shall be made to further reduce water consumption by spill liquor collection from pulp mill and chemical recovery area, Cooling towers, dewatering of waste sludge in lieu of vacuum drum filters etc. the effluent generation shall not exceed 37,715 m3/day The quality of the treated effluent shall conform to the prescribed standards and used for irrigation.
PPs Submission: Complied As per the 2013 DIP EC, the fresh water requirement is 52,800 M3/d. However, based on conservation, the average total water consumption is only 32,134 M3/day. Fresh water and treated effluent discharge are 28 M3/T and 21 M3/T of paper respectively. TNPCB and Latest NABL accredited and MoEFCC recognized Third Party Lab effluent water analysis report ROA is submitted as Annexure III. The value of treated effluent is well within the TNPCB norms.		Date: 19/12/2024
13	WATER QUALITY MONITORING AND PRESERVATION	vii. The black liquor generated by the paper mill shall be concentrated in an evaporation pond. The inorganic compounds shall be recovered in the chemical recovery plant and organic compounds burnt in the recovery boiler. The effluent from bagasse handling and fibre preparation section containing high BOD and SS shall be segregated and treated in a clarifier to reduce the SS. Effluent with low BOD and SS generated from paper machine pulp mill and soda recovery plant shall be passed through bar screen, mechanical screen, detritor and primary clarifier to remove SS. Anaerobic treatment shall be done to reduce BOD levels. A bio-methanation plant shall be installed to treat high BOD/COD streams and generate bio-gas upto 20,000 m3/d to be utilized in lime kiln. The effluent shall be further treated in the aeration system based on Activated Sludge Process to reduce BOD/COD to the permissible levels. No trade effluent shall be discharged into Pugalur canal and seepage from TEWLIS area shall be prevented entering the same canal during the monsoon.
PPs Submission: Complied Evaporator and recovery boiler were installed and in operation to generate steam through incineration of organic compounds and recovery of inorganic chemicals. The unit installed Primary, Secondary, and Tertiary Effluent Treatment facilities to ensure its quality within norms prescribed by the board and the entire treated effluent is utilized for On land irrigation. TNPCB and Latest NABL accredited and MoEFCC recognized Third Party Lab effluent water analysis report ROA is submitted as Annexure III. The value of treated effluent is well within the TNPCB norms. During		Date: 19/12/2024

the monsoon.

General Conditions

Sr.No.	Condition Type	Condition Details
1	MISCELLANEOUS	iii. Proper housekeeping and cleanliness must be maintained within and outside the plant.
PPs Submission: Complied Good housekeeping is practiced in and around the plant area.		Date: 19/12/2024
2	Statutory compliance	xiv. The Project Authorities shall inform the Regional Office as well as the Ministry, the date of financial closure and final approval of the project by the concerned authorities and the date of commencing the land development work.
PPs Submission: Complied The entire allocated funds of Rs. 159 and Rs. 128 crores allocated for the environment protection measures under MEP and MDP have been completely utilized. Details are submitted as Annexure XIV.		Date: 19/12/2024
3	Statutory compliance	i. The project authorities must strictly adhere to the stipulations made by the Tamil Nadu State Pollution Control Board (TNPCB) and the State Government.
PPs Submission: Complied Strictly complying with TNPCB conditions. The consent to operate for the facility is being renewed from time to time.		Date: 19/12/2024
4	Statutory compliance	ii. No further expansion of modernization in the plant shall be carried out without prior approval of the Ministry of Environment and Forests. In case of deviations or alterations in the project proposal from those submitted to this Ministry for clearance, a fresh reference shall be made to the Ministry to assess the adequacy of conditions imposed and to add additional environmental protection measures required, if any.
PPs Submission: Complied TNPCB granted Direct CTO for production of 4.8 Lakh MT/A. The CTO was obtained from TNPCB on 01/02/2024 with a validity of 31/03/2027.		Date: 19/12/2024
5	Human Health Environment	viii. Adequate provisions for infrastructure facilities such as water supply, fuel, sanitation etc. shall be ensured for construction workers during the construction phase so as to avoid felling of trees and pollution of water and the surroundings.
PPs Submission: Complied Complied during the project execution period. Not applicable -during the review period		Date: 19/12/2024
6	Corporate Environmental Responsibility	ix. The project proponent shall have a scheme for social upliftment in the surrounding villages with reference to contribution in road construction, education, establishment of health centres, sanitation facilities, drinking water supply, community awareness and employment to local people whenever and wherever possible both for technical and non-technical jobs.

<p>PPs Submission: Complied TNPL so far spent Rs. 37.06 Crores against 5percent of the project cost of Rs.15.5 Cr. The total cost spent under CSR during the review period is Rs. 2.43 Crores. Details are submitted as Annexure XIV.</p>		<p>Date: 19/12/2024</p>
7	Statutory compliance	x. A separate Environmental Management Cell equipped with full-fledged laboratory facilities to carry out the various Environmental Management and Monitoring functions shall be set up under the control of Senior Executive.
<p>PPs Submission: Complied A separate Environmental Management Cell is available and the same is enclosed as Annexure XXVI.</p>		<p>Date: 19/12/2024</p>
8	Statutory compliance	vii. The implementation of the project vis-a-vis environmental action plans shall be monitored by Ministrys Regional Office at Bangalore/TNPCB/CPCB. A six monthly compliance status report shall be submitted to monitoring agencies.
<p>PPs Submission: Complied Hard and soft copies (email) of periodical EC compliance reports including monitoring data are being submitted to respective authorities once in six months. EC Periodical submission details are enclosed as Annexure XIX.</p>		<p>Date: 19/12/2024</p>
9	Statutory compliance	xi. The project authorities will provide adequate funds both recurring and non-recurring to implement the conditions stipulated by the Ministry Environmental and Forests as well as the State Government along with the implementation schedule for all the conditions stipulated herein. The funds so provided should not be diverted for any other purposes. Rs.159.00 Crores is allotted for environment protection measures.
<p>PPs Submission: Complied TNPL so far spent Rs. 37.06 Crores against 5 Percent of the project cost of Rs.15.5 Cr. The total cost spent under CSR during the review period is Rs. 2.43 Crores. Details are submitted as Annexure XIV.</p>		<p>Date: 19/12/2024</p>
10	Statutory compliance	xii. Six monthly status report on the project vis-a-vis implementation of environmental measures shall be submitted to this Ministrys Regional Office at Bangalore/CPCB/TNPCB.
<p>PPs Submission: Complied Hard and soft copies (email) of periodical EC compliance reports including monitoring data are being submitted to respective authorities once in six months. EC Periodical submission details are enclosed as Annexure XIX.</p>		<p>Date: 19/12/2024</p>
11	Statutory compliance	xiii. The project Proponent shall inform the public that the project has been accorded environmental clearance by the Ministry and copies of the clearance letter are available with the Tamil Nadu State Pollution Control Board/Committee and may also be seen at Website of the Ministry of Environmental and Forests at http://www.envfor.nic.in . This shall be advertised within seven days from the date of issue of the clearance letter at least in two local newspapers that are widely circulated in the region of which one shall be in the vernacular language of the locality concerned and a copy of the same shall be forwarded to the Regional office.
<p>PPs Submission: Complied The issue of environmental clearance from MoEF was advertised on 6th June 2006.</p>		<p>Date: 19/12/2024</p>

12	Noise Monitoring & Prevention	iv. The overall noise levels in around the plant area shall be kept well within the standards (85 dBA) by providing noise control measures including acoustic hoods, silencers, enclosures etc. on all sources of noise generation. The ambient noise levels should conform to the standards prescribed under EPA Rules, 1989 viz. 75 dBA (day time) and 70 dBA (night time).
PPs Submission: Complied TNPL installed necessary noise control measures. The Noise survey report by TNPCB and NABL accredited and MoEFCC recognized Third Party Lab reveals that values are with prescribed norms. TNPCB and Latest NABL accredited and MoEFCC recognized Third Party Lab Noise survey report submitted as Annexure XVI.		Date: 19/12/2024
13	Human Health Environment	v. Occupational health surveillance program shall be undertaken as regular exercise for all the employees, especially for those engaged in handling hazardous substances. The first aid facilities in the Occupational health centre shall be strengthened and the medical records of each employee should be maintained separately.
PPs Submission: Complied OHC is provided with the required infrastructure and functioning four resident doctors with requisite paramedical staff and maintaining health records as per Factory Act. A Copy of the OHC report for the current review period is submitted as Annexure X.		Date: 19/12/2024
14	Statutory compliance	vi. The project proponent shall also comply with all the environmental protection measures and safeguards recommended in the EIA/EMP report.
PPs Submission: Complied The entire allocated fund of Rs. 159 and Rs. 128 cores allocated for the environment protection measures under MEP and MDP have been completely utilized. Details are submitted as Annexure XIV.		Date: 19/12/2024
Visit Remarks		
Last Site Visit Report Date:		21/04/2022
Additional Remarks:		
<p style="color: red; text-align: center;">Note: This acknowledgement is as per the details submitted by project proponent. In no way is this document to be considered as conclusion on any action on the compliance of the project. This is strictly for the project proponent's reference purpose.</p>		

DETAILS OF ANNEXURES

PROJECT:

- (1) Installation of Deinking Plant and Upgradation of Captive Co generation Plant**
- (2) The expansion of Pulp and Paper Mill 2,45,000 to 4,00,000 TPA by installation of new paper machine 1,55,000 TPA and balancing of Hard Wood and Bagasse Pulp Mill 300 to 330 and 500 to 550 TPD**
- (3) The expansion of Paper Production from 2,05,000 to 2,45,000 TPA and Production of 45,000 TPA of Market Pulp**

SL.NO	ANNEXURE NO	DESCRIPTION
1	ANNEXURE I	Latest TNPCB and NABL accredited & MoEFCC recognized Third Party Lab Stack survey Report
2	ANNEXURE II	Summary of Online Ambient and Stack CEMS Data
3	ANNEXURE III	TNPCB and Latest NABL accredited & MoEFCC recognized Third Party Lab effluent water analysis report
4	ANNEXURE IV	Summary of online Water Quality Watch (WQW) data
5	ANNEXURE V	TNPCB and Latest NABL accredited & MoEFCC recognized Third Party Lab Ground water analysis report
6	ANNEXURE VI	Copy of NABL accredited & MoEFCC recognized Third Party Lab AoX report
7	ANNEXURE VII	Copy of latest comprehensive water management plan report
8	ANNEXURE VIII	Copy of Latest fly ash submission details to TNPCB
9	ANNEXURE IX	Copy of Green Belt report for current review period
10	ANNEXURE X	Copy of OHC report for current review period
11	ANNEXURE XI	Copy of updated fire protection facilities is available in TNPL
12	ANNEXURE XII	Copy of CREP recommendations for current review period
13	ANNEXURE XIII	Detail of DIP public Hearing implementation in TNPL
14	ANNEXURE XIV	Copy of CSR Activities report for current review period
15	ANNEXURE XV	TNPCB and Latest NABL accredited & MoEFCC recognized Third Party Lab Ambient Air survey report
16	ANNEXURE XVI	TNPCB and Latest NABL accredited & MoEFCC recognized Third Party Lab Noise survey report
17	ANNEXURE XVII	Copy of Rain water harvesting facilities in TNPL
18	ANNEXURE XVIII	Copy of DIP - environmental clearance letter was submitted to Kagithapuram town panchayat
19	ANNEXURE XIX	Submission of EC Periodical report
20	ANNEXURE XX	Submission of Latest Environmental Statement (Form V) report
21	ANNEXURE XXI	Copy of DIP - environmental clearance Newspaper Advertisement
22	ANNEXURE XXII	NABL accredited & MoEFCC recognized Third Party Lab H ₂ S and Mercaptans report
23	ANNEXURE XXIII	Efforts taken to reduce TDS in treated effluent
24	ANNEXURE XXIV	Permission for drawl of 16 MGD water from River Cauvery from Govt. of Tamil Nadu
25	ANNEXURE XXV	Detail of MEP public Hearing implementation in TNPL
26	ANNEXURE XXVI	Environmental Management Cell
27	ANNEXURE XXVII	Copy of MEP - environmental clearance Newspaper Advertisement

ANNEXURE I

**TNPCB REPORT – STACK
EMISSION**



Report No.DEL/DGL/31

TAMILNADU POLLUTION CONTROL BOARD

District Environmental Laboratory, Dindigul.

STACK MONITORING SURVEY - Report of Analysis


Report No.TNPCB/DEL/DGL/F.No.70/SM/2024-2025, Dated: 10.10.2024


1. Name of the Industry : M/s. Tamilnadu Newsprint and Papers Ltd.,
2. Address of the Industry : Pulp Plant & Paper Division,
Kagithapuram - 639 136,
Karur District.
3. Date of survey : 22.08.2024 & 23.08.2024

Stack Monitoring Survey Results

Sl. No	Stack attached to	Stack Temp °C	Velocity in (m/sec)	Discharge rate in (Nm ³ /Hr)	Pollutants (mg/Nm ³)					
					PM	SO ₂	NO _x	Cl ₂	H ₂ S	Acid Mist
1.	Recovery Boiler A,B & C	163	12.4	2,96,003	42	32	86	-	0.180	-
2.	Lime Kiln - I	170	11.1	21,330	24	30	64	-	0.172	-
3.	Lime Kiln - II	168	12.4	23,828	23	28	60	-	0.176	-
4.	Hard wood Boiler	70	10.9	6,691	55	35	64	0.726	-	<0.05
5.	Chemical Baggasse	78	11.1	9,510	52	39	52	0.570	-	<0.05

End of the report


Environmental Scientist


Deputy Chief Scientific Officer 10/10/24
DEL, TNPCB, Dindigul.



Report No.DEL/DGL/30

TAMILNADU POLLUTION CONTROL BOARD

District Environmental Laboratory, Dindigul.

STACK MONITORING SURVEY - Report of Analysis

Report No.TNPCB/DEL/DGL/F.No.71/SM/2024-2025, Dated: 20.09.2024

1. Name of the Industry : M/s. Tamilnadu News Print and Papers Ltd.,


2. Address of the Industry : Power Plant Division,
Kagithapuram - 639 136,
Karur District.


3. Date of survey : 21.08.2024

Stack Monitoring Survey Results

Sl. No	Stack attached to	Stack Temp °C	Velocity in (m/sec)	Discharge rate in (Nm ³ /Hr)	Pollutants (mg/Nm ³)		
					PM	SO ₂	NO _x
1.	Power plant - V	130	10.7	2,27,396	25	60	91
2.	Power Plant - VI	133	10.7	2,72,704	23	76	105
3.	Power Plant - VII	126	10.6	2,76,698	26	87	121

End of the report


20/09/24
Environmental Scientist


S. M. A. I. Karan
Deputy Chief Scientific Officer, 23/09/24.
DEL, TNPCB, Dindigul.

**LATEST NABL ACCREDITED &
MoEF&CC RECOGNIZED THIRD
PARTY LAB TEST REPORT –
STACK EMISSION**

TEST REPORT

Test Report No & Date CTL/CH/N-30101/2024-25 & 04.10.2024
Sample Number N-30101/24-25
Name of the Customer M/S. TAMIL NADU NEWSPRINT AND PAPERS LIMITED [MAIN PLANT],
Address Kagithapuram - 639 136,
Karur District, Tamil Nadu.

Sample Drawn by Laboratory
Sample Name Stack Emission
Sample Description Stack Emission
Sampling Location Stack attached with Lime Kiln -1
GPS Reading 11°03'17.3"N & 77°59'47.9"E
Sample Drawn on 24.09.2024
Sample Received on 26.09.2024
Sampling Plan & Procedure CTL/QSP/F-89 & IS 11255
Sample Quantity 1 No
Equipment used for Sampling Stack Kit 288 DTI 2020
Analysis Started on 26.09.2024
Analysis Completed on 04.10.2024

PHYSICAL PARAMETERS:

STACK HEIGHT (m) 36
STACK TEMPERATURE (K) 434.0
STACK VELOCITY (m/s) 12.2
STACK GAS FLOW RATE (Nm³/hr) 23515.3
DIAMETER OF STACK AT PORTHOLE (m) 1.0
*APCM STATUS AT THE TIME OF SAMPLING ESP - ON Condition

Test Results:

The above sample tested as received, and results are as follows:

DISCIPLINE : CHEMICAL

GROUP : ATMOSPHERIC POLLUTION

SL.NO	PARAMETERS	METHOD	UNITS	RESULTS	LIMITS (as per EC condition)
1	OXIDES OF NITROGEN NO _x (as NO ₂)	IS 11255 (PART 7)	mg/Nm ³	210	500
2	SULPHUR DIOXIDE (SO ₂)	IS 11255 (PART 2)	mg/Nm ³	92	400
3	PARTICULATE MATTER(PM)	IS 11255 (PART 1)	mg/Nm ³	53.8	150
4	CARBON MONOXIDE (CO)	CTL/SOP/STACK/10 (Flue Gas Analyser)	mg/Nm ³	213	NA
5	CARBON DIOXIDE (CO ₂)		%	12.7	NA
6	OXYGEN (O ₂)		%	7.8	NA



Verified by



For Chennai Testing Laboratory Pvt Ltd



Authorised Signatory

G. MANIKANDAN
Head - Environment Division
(CHEMICAL)

TEST REPORT

Test Report No & Date	CTL/CH/N-30101/2024-25 & 04.10.2024
----------------------------------	--

SL.NO	PARAMETERS	METHOD	UNITS	RESULTS	LIMITS (as per EC condition)
7	MOISTURE CONTENT	IS 11255 (PART 3)	%	4.9	NA
8	HYDROGEN SULPHIDE(H ₂ S)	IS 11255 (PART 4)	mg/Nm ³	6	10.0

NA - Not Available

*****END OF REPORT*****



Verified by

For Chennai Testing Laboratory Pvt Ltd



Authorised Signatory

G. MANIKANDAN
Head - Environment Division
(CHEMICAL)

Page 2 of 2



CIN : U93000TN2000PTC043869



TC-14314

TEST REPORT

Test Report No & Date CTL/CH/N-30102/2024-25 & 04.10.2024
Sample Number N-30102/24-25
Name of the Customer M/S. TAMIL NADU NEWSPRINT AND PAPERS LIMITED [MAIN PLANT],
Address Kagithapuram - 639 136, Karur District, Tamil Nadu.

Sample Drawn by Laboratory
Sample Name Stack Emission
Sample Description Stack Emission
Sampling Location Stack attached with Lime Kiln -2
GPS Reading 11°03'16.635"N & 77°59'47.131"E
Sample Drawn on 24.09.2024
Sample Received on 26.09.2024
Sampling Plan & Procedure CTL/QSP/F-89 & IS 11255
Sample Quantity 1 No
Equipment used for Sampling Stack Kit 288 DTI 2020
Analysis Started on 26.09.2024
Analysis Completed on 04.10.2024

PHYSICAL PARAMETERS:

STACK HEIGHT (m) 44
STACK TEMPERATURE (K) 429.0
STACK VELOCITY (m/s) 18.8
STACK GAS FLOW RATE (Nm³/hr) 29725.5
DIAMETER OF STACK AT PORTHOLE (m) 0.9
*APCM STATUS AT THE TIME OF SAMPLING ESP - ON Condition

Test Results:

The above sample tested as received, and results are as follows:

DISCIPLINE : CHEMICAL

GROUP : ATMOSPHERIC POLLUTION

Table with 6 columns: SL.NO, PARAMETERS, METHOD, UNITS, RESULTS, LIMITS (as per EC condition). Rows include Oxides of Nitrogen, Sulphur Dioxide, Particulate Matter, Carbon Monoxide, Carbon Dioxide, and Oxygen.

Handwritten signature for verification

Verified by



For Chennai Testing Laboratory Pvt Ltd

Handwritten signature for authorized signatory

Authorised Signatory

G. MANIKANDAN
Head - Environment Division
(CHEMICAL)

The Report shall not be used to malign, defame and for any malicious purpose. The Report is meant only for sole use of the addressee to promote his/her own business.

TEST REPORT

Test Report No & Date	CTL/CH/N-30102/2024-25 & 04.10.2024
-----------------------	-------------------------------------

SL.NO	PARAMETERS	METHOD	UNITS	RESULTS	LIMITS (as per EC condition)
7	MOISTURE CONTENT	IS 11255 (PART 3)	%	4.7	NA
8	HYDROGEN SULPHIDE(H ₂ S)	IS 11255 (PART 4)	mg/Nm ³	7	10.0

NA - Not Available

*****END OF REPORT*****



Verified by

For Chennai Testing Laboratory Pvt Ltd



Authorised Signatory

G. MANIKANDAN
Head - Environment Division
(CHEMICAL)

Page 2 of 2

TEST REPORT

Test Report No & Date CTL/CH/N-30103/2024-25 & 04.10.2024
Sample Number N-30103/24-25
Name of the Customer M/S. TAMIL NADU NEWSPRINT AND PAPERS LIMITED [MAIN PLANT],
Address Kagithapuram - 639 136,
Karur District, Tamil Nadu.

Sample Drawn by Laboratory
Sample Name Stack Emission
Sample Description Stack Emission
Sampling Location Stack attached with Recover Boiler #3
GPS Reading 11°03'13.762"N & 77°59'39.786"E
Sample Drawn on 24.09.2024
Sample Received on 26.09.2024
Sampling Plan & Procedure CTL/QSP/F-89 & IS 11255
Sample Quantity 1 No
Equipment used for Sampling Stack Kit 288 DTI 2020
Analysis Started on 26.09.2024
Analysis Completed on 04.10.2024

PHYSICAL PARAMETERS:

STACK HEIGHT (m) 90
STACK TEMPERATURE (K) 435.0
STACK VELOCITY (m/s) 14.2
STACK GAS FLOW RATE (Nm³/hr) 334561.2
DIAMETER OF STACK AT PORTHOLE (m) 3.5
*APCM STATUS AT THE TIME OF SAMPLING ESP - ON Condition

Test Results:

The above sample tested as received, and results are as follows:

DISCIPLINE : CHEMICAL

GROUP : ATMOSPHERIC POLLUTION

SL.NO	PARAMETERS	METHOD	UNITS	RESULTS	LIMITS (as per EC condition)
1	OXIDES OF NITROGEN NO _x (as NO ₂)	IS 11255 (PART 7)	mg/Nm ³	102	300
2	SULPHUR DIOXIDE (SO ₂)	IS 11255 (PART 2)	mg/Nm ³	58	600
3	PARTICULATE MATTER(PM)	IS 11255 (PART 1)	mg/Nm ³	47.1	150
4	CARBON MONOXIDE (CO)	CTL/SOP/STACK/10 (Flue Gas Analyser)	mg/Nm ³	297	NA
5	CARBON DIOXIDE (CO ₂)		%	12.6	NA
6	OXYGEN (O ₂)		%	7.4	NA



Verified by



For Chennai Testing Laboratory Pvt Ltd



Authorised Signatory

G. MANIKANDAN
Head - Environment Division
(CHEMICAL)

Page 1 of 2

TEST REPORT

Test Report No & Date	CTL/CH/N-30103/2024-25 & 04.10.2024
-----------------------	-------------------------------------

SL.NO	PARAMETERS	METHOD	UNITS	RESULTS	LIMITS (as per EC condition)
7	MOISTURE CONTENT	IS 11255 (PART 3)	%	3.4	NA
8	HYDROGEN SULPHIDE(H ₂ S)	IS 11255 (PART 4)	mg/Nm ³	9	10

NA - Not Available

END OF REPORT



Verified by

For Chennai Testing Laboratory Pvt Ltd



Authorised Signatory

G. MANIKANDAN
Head - Environment Division
(CHEMICAL)

Page 2 of 2

TEST REPORT

Test Report No & Date CTL/CH/N-30098/2024-25 & 04.10.2024
Sample Number N-30098/24-25
Name of the Customer M/S. TAMIL NADU NEWSPRINT AND PAPERS LIMITED [MAIN PLANT],
Address Kagithapuram - 639 136,
 Karur District, Tamil Nadu.

Sample Drawn by Laboratory
Sample Name Stack Emission
Sample Description Stack Emission
Sampling Location Stack attached with Power Boiler-4
GPS Reading 11°03'21.01"N & 77°59'39.89"E
Sample Drawn on 24.09.2024
Sample Received on 26.09.2024
Sampling Plan & Procedure CTL/QSP/F-89 & IS 11255
Sample Quantity 1 No
Equipment used for Sampling Stack Kit 288 DTI 2020
Analysis Started on 26.09.2024
Analysis Completed on 04.10.2024

PHYSICAL PARAMETERS:

STACK HEIGHT (m) 86
 STACK TEMPERATURE (K) 386.0
 STACK VELOCITY (m/s) 5.6
 STACK GAS FLOW RATE (Nm³/hr) 124747.6
 DIAMETER OF STACK AT PORTHOLE (m) 3.2
 *APCM STATUS AT THE TIME OF SAMPLING ESP - ON Condition

Test Results:

The above sample tested as received, and results are as follows:

DISCIPLINE : CHEMICAL

GROUP : ATMOSPHERIC POLLUTION

SL.NO	PARAMETERS	METHOD	UNITS	RESULTS	LIMITS (as per EC condition)
1	OXIDES OF NITROGEN NO _x (as NO ₂)	IS 11255 (PART 7)	mg/Nm ³	258	600
2	SULPHUR DIOXIDE (SO ₂)	IS 11255 (PART 2)	mg/Nm ³	467	600
3	PARTICULATE MATTER(PM)	IS 11255 (PART 1)	mg/Nm ³	29.8	100
4	CARBON MONOXIDE (CO)	CTL/SOP/STACK/10 (Flue Gas Analyser)	mg/Nm ³	664	NA
5	CARBON DIOXIDE (CO ₂)		%	8.4	NA
6	OXYGEN (O ₂)		%	11.0	NA



Verified by



For Chennai Testing Laboratory Pvt Ltd



Authorised Signatory
G. MANKANDAN
 Head - Environment Division
 (CHEMICAL)

TEST REPORT

Test Report No & Date	CTL/CH/N-30098/2024-25 & 04.10.2024
----------------------------------	--

SL.NO	PARAMETERS	METHOD	UNITS	RESULTS	LIMITS (as per EC condition)
7	MOISTURE CONTENT	IS 11255 (PART 3)	%	2.0	NA
8	TOTAL MERCURY (Hg)	EPA Method 29	mg/Nm ³	BLQ(LOQ:0.01)	NA

*Air Pollution Control Measures

BLQ-Below Limit Of Quantification; LOQ-Limit Of Quantification; NA - Not Available

*****END OF REPORT*****



Verified by

For Chennai Testing Laboratory Pvt Ltd



Authorised Signatory
G. MAHAKANDAN
Head - Environment Division
(CHEMICAL)

Page 2 of 2

TEST REPORT

Test Report No & Date CTL/CH/N-30099/2024-25 & 04.10.2024
Sample Number N-30099/24-25
Name of the Customer M/S. TAMIL NADU NEWSPRINT AND PAPERS LIMITED [MAIN PLANT],
Address Kagithapuram - 639 136,
 Karur District, Tamil Nadu.

Sample Drawn by Laboratory
Sample Name Stack Emission
Sample Description Stack Emission
Sampling Location Stack attached with Power Boiler-5
GPS Reading 11°03'16.376"N & 77°59'45.032"E
Sample Drawn on 23.09.2024
Sample Received on 26.09.2024
Sampling Plan & Procedure CTL/QSP/F-89 & IS 11255
Sample Quantity 1 No
Equipment used for Sampling Stack Kit 288 DTI 2020
Analysis Started on 26.09.2024
Analysis Completed on 04.10.2024

PHYSICAL PARAMETERS:

STACK HEIGHT (m) 90
 STACK TEMPERATURE (K) 405.0
 STACK VELOCITY (m/s) 9.3
 STACK GAS FLOW RATE (Nm³/hr) 197083.8
 DIAMETER OF STACK AT PORTHOLE (m) 3.2
 *APCM STATUS AT THE TIME OF SAMPLING ESP - ON Condition

Test Results:

The above sample tested as received, and results are as follows:

DISCIPLINE : CHEMICAL

GROUP : ATMOSPHERIC POLLUTION

SL.NO	PARAMETERS	METHOD	UNITS	RESULTS	LIMITS (as per EC condition)
1	OXIDES OF NITROGEN NO _x (as NO ₂)	IS 11255 (PART 7)	mg/Nm ³	291	600
2	SULPHUR DIOXIDE (SO ₂)	IS 11255 (PART 2)	mg/Nm ³	314	600
3	PARTICULATE MATTER(PM)	IS 11255 (PART 1)	mg/Nm ³	40.3	100
4	CARBON MONOXIDE (CO)	CTL/SOP/STACK/10 (Flue Gas Analyser)	mg/Nm ³	103	NA
5	CARBON DIOXIDE (CO ₂)		%	8.4	NA
6	OXYGEN (O ₂)		%	12.1	NA



Verified by



For Chennai Testing Laboratory Pvt Ltd



Authorised Signatory
G. MANIKANDAN
 Head - Environment Division
 (CHEMICAL)

TEST REPORT

Test Report No & Date	CTL/CH/N-30099/2024-25 & 04.10.2024
----------------------------------	--

SL.NO	PARAMETERS	METHOD	UNITS	RESULTS	LIMITS (as per EC condition)
7	MOISTURE CONTENT	IS 11255 (PART 3)	%	2.5	NA
8	TOTAL MERCURY (Hg)	EPA Method 29	mg/Nm ³	BLQ(LOQ:0.01)	NA

*Air Pollution Control Measures

BLQ-Below Limit Of Quantification; LOQ-Limit Of Quantification; NA - Not Available

*****END OF REPORT*****



Verified by

For Chennai Testing Laboratory Pvt Ltd



Authorised Signatory
G. MANIKANDAN
Head - Environment Division
(CHEMICAL)

Page 2 of 2

TEST REPORT

Test Report No & Date CTL/CH/N-30100/2024-25 & 04.10.2024
Sample Number N-30100/24-25
Name of the Customer M/S. TAMIL NADU NEWSPRINT AND PAPERS LIMITED [MAIN PLANT],
Address Kagithapuram - 639 136,
 Karur District, Tamil Nadu.

Sample Drawn by Laboratory
Sample Name Stack Emission
Sample Description Stack Emission
Sampling Location Stack attached with Power Boiler-6
GPS Reading 11°03'10.138"N & 77°59'46.708"E
Sample Drawn on 23.09.2024
Sample Received on 26.09.2024
Sampling Plan & Procedure CTL/QSP/F-89 & IS 11255
Sample Quantity 1 No
Equipment used for Sampling Stack Kit 288 DTI 2020
Analysis Started on 26.09.2024
Analysis Completed on 04.10.2024

PHYSICAL PARAMETERS:

STACK HEIGHT (m) 95
 STACK TEMPERATURE (K) 425.0
 STACK VELOCITY (m/s) 8.5
 STACK GAS FLOW RATE (Nm³/hr) 205860.8
 DIAMETER OF STACK AT PORTHOLE (m) 3.5
 *APCM STATUS AT THE TIME OF SAMPLING ESP - ON Condition

Test Results:

The above sample tested as received, and results are as follows:

DISCIPLINE : CHEMICAL

GROUP : ATMOSPHERIC POLLUTION


SL.NO	PARAMETERS	METHOD	UNITS	RESULTS	LIMITS (as per EC condition)
1	OXIDES OF NITROGEN NO _x (as NO ₂)	IS 11255 (PART 7)	mg/Nm ³	238	450
2	SULPHUR DIOXIDE (SO ₂)	IS 11255 (PART 2)	mg/Nm ³	362	600
3	PARTICULATE MATTER(PM)	IS 11255 (PART 1)	mg/Nm ³	28.3	50
4	CARBON MONOXIDE (CO)	CTL/SOP/STACK/10 (Flue Gas Analyser)	mg/Nm ³	125	NA
5	CARBON DIOXIDE (CO ₂)		%	9.2	NA
6	OXYGEN (O ₂)		%	11.1	NA



Verified by



For Chennai Testing Laboratory Pvt Ltd


 Authorised Signatory
G. MANIKANDAN
 Head - Environment Division
 (CHEMICAL)

TEST REPORT

Test Report No & Date	CTL/CH/N-30100/2024-25 & 04.10.2024
----------------------------------	--

SL.NO	PARAMETERS	METHOD	UNITS	RESULTS	LIMITS (as per EC condition)
7	MOISTURE CONTENT	IS 11255 (PART 3)	%	2.3	NA
8	TOTAL MERCURY (Hg)	EPA Method 29	mg/Nm ³	BLQ(LOQ:0.01)	0.03

*Air Pollution Control Measures

BLQ-Below Limit Of Quantification; LOQ-Limit Of Quantification; NA - Not Available

*****END OF REPORT*****



Verified by

For Chennai Testing Laboratory Pvt Ltd



Authorised Signatory
G. MAHAKANDAN
Head - Environment Division
(CHEMICAL)

Page 2 of 2

ANNEXURE II

ONLINE - AMBIENT AIR QUALITY MONITORING DATA



REAL TIME AMBIENT AIR QUALITY MONITORING STATION DATA

Date	TNPL Barometric Pressure	TNPL CH4	TNPL CHLORINE	TNPL CO_ABT	TNPL H2S	TNPL HCNM	TNPL HCT	TNPL NO	TNPL NO2	TNPL NOX_ABT	TNPL PM10	TNPL RAIN_1	TNPL Relative Humidity	TNPL SO2	TNPL SOLAR	TNPL TEMP	TNPL Vertical WS	TNPL WIND SPEED	TNPL WIND DIRECTION
	mmHg	ug/m3	ppm	ug/m3	ug/m3	ug/m3	ug/m3	ug/m3	ug/m3	ug/m3	ug/m3	m m	%	ug/m3	W/m2	degreC	m/s	m/s	DEGREE
Apr-24																			
01-04-2024	756	9.03	0.00	445.4	11.8	6.43	10.03	11.94	11.03	21.03	65.82	0.00	73.8	9.43	25.0	37.1	0.08	1.24	174.26
02-04-2024	760	9.32	0.00	422.4	12.2	6.72	10.32	12.23	11.32	21.32	69.23	0.00	72.6	9.72	25.1	37.7	0.09	0.69	202.15
03-04-2024	757	9.42	0.00	436.7	12.4	6.82	10.42	12.33	11.42	21.42	66.83	0.00	72.9	9.82	25.5	37.8	0.07	1.48	145.26
04-04-2024	760	9.44	0.00	435.9	12.4	6.84	10.44	12.35	11.44	21.44	62.38	0.00	75.8	9.84	25.3	37.9	0.08	1.24	205.14
05-04-2024	761	9.55	0.00	439.1	12.6	6.95	10.55	12.46	11.55	21.55	50.42	0.00	74.8	9.95	26.0	38.1	0.09	0.94	245.1
06-04-2024	758	9.47	0.00	429.6	12.4	6.87	10.47	12.38	11.47	21.47	54.53	0.00	73.3	9.87	25.7	38.0	0.08	0.91	162.49
07-04-2024	757	9.34	0.00	435.7	12.2	6.74	10.34	12.26	11.34	21.34	54.77	0.00	73.2	9.74	25.7	37.7	0.10	0.67	158.14
08-04-2024	756	9.35	0.00	431.1	12.3	6.75	10.35	12.26	11.35	21.35	58.95	0.00	73.1	9.43	26.2	37.7	0.08	0.98	190.25
09-04-2024	756	9.17	0.00	339.8	12.9	7.47	10.69	11.98	10.66	20.77	63.91	0.00	73.9	7.05	25.4	36.6	0.07	1.02	223.64
10-04-2024	757	10.18	0.00	315.2	13.6	8.39	11.31	10.43	9.28	19.51	64.13	0.00	73.9	6.79	25.3	36.4	0.08	1.32	214.3
11-04-2024	756	10.77	0.00	306.4	13.0	8.77	11.47	9.07	8.57	17.97	41.93	0.00	73.3	5.26	24.4	35.8	0.18	1.45	247.59
12-04-2024	757	9.27	0.00	343.3	10.8	7.27	9.97	7.58	7.07	16.47	40.77	0.00	73.1	5.13	22.8	32.8	0.07	1.45	245.16
13-04-2024	758	9.39	0.00	352.0	10.7	7.39	10.26	8.09	7.30	17.22	45.02	0.00	73.6	4.83	23.9	32.6	0.07	0.59	184.26
14-04-2024	759	9.46	0.00	350.1	10.6	7.46	10.46	8.46	7.46	17.76	47.87	0.00	74.3	3.86	23.9	32.5	0.08	1.26	212.64
15-04-2024	758	8.33	0.00	309.5	10.5	6.71	9.77	7.95	8.21	16.82	57.42	0.00	73.9	5.05	23.7	32.4	0.13	0.57	123.5
16-04-2024	758	8.07	0.00	275.3	11.1	6.67	9.77	8.08	9.07	16.67	59.91	0.00	73.4	6.17	25.3	33.2	0.18	1.34	124.17
17-04-2024	759	8.34	0.00	299.8	11.5	6.13	9.42	7.54	8.72	16.38	53.99	0.00	71.3	5.10	24.2	33.7	0.08	0.49	182.17
18-04-2024	758	8.36	0.00	348.7	11.7	5.93	9.06	7.53	8.82	16.66	31.96	0.00	71.3	5.28	22.7	34.1	0.08	0.94	177.48
19-04-2024	758	8.12	0.00	390.1	12.1	6.42	8.82	8.52	9.82	18.02	53.53	0.00	73.4	6.35	24.3	34.4	0.07	1.26	174.22
20-04-2024	759	7.99	0.00	356.7	11.9	6.29	8.69	8.85	9.95	18.18	40.53	0.00	72.8	5.78	23.3	34.2	0.07	1.54	165.2
21-04-2024	758	8.09	0.00	301.8	12.0	6.39	8.79	10.09	10.69	18.99	50.62	0.00	73.6	5.09	24.6	34.4	0.08	1.26	184.26
22-04-2024	759	8.12	0.00	309.0	12.0	6.42	8.82	10.12	10.72	19.02	54.10	0.00	73.3	5.40	25.2	34.5	0.08	0.69	174.52
23-04-2024	759	8.03	0.00	321.3	11.9	6.33	8.73	10.03	10.63	18.93	61.12	0.00	73.0	6.12	25.0	34.3	0.14	0.62	263.54
24-04-2024	761	7.90	0.00	265.2	11.7	6.20	8.60	9.91	10.50	18.80	56.36	0.00	71.3	6.53	24.6	34.0	0.29	1.14	142.65
25-04-2024	759	7.99	0.00	302.7	11.8	6.29	8.69	9.99	10.59	18.89	55.35	0.00	71.3	6.39	24.3	34.2	0.07	1.48	217.59
26-04-2024	759	6.37	0.00	340.8	11.9	5.70	8.35	10.01	10.61	18.91	66.78	0.00	72.2	6.66	24.8	34.3	0.13	1.24	157.48
27-04-2024	759	5.39	0.00	377.2	12.0	5.39	8.19	10.09	10.69	18.99	58.92	0.00	72.8	7.58	25.0	34.4	0.17	0.38	196.32
28-04-2024	758	5.19	0.00	355.7	11.7	5.19	7.99	9.89	10.49	18.80	47.02	0.00	72.4	7.49	23.6	34.0	0.08	1.24	185.24
29-04-2024	759	5.40	0.00	310.2	12.6	5.64	7.79	10.87	9.94	18.83	41.26	0.00	73.6	6.58	22.2	35.2	0.08	0.59	174.26
30-04-2024	759	5.99	0.00	295.1	13.6	6.27	7.77	11.47	9.96	19.20	38.75	0.00	73.5	6.56	21.4	36.5	0.12	1.59	241.56
MINIMUM	756.0	5.2	0.0	265.2	10.5	5.2	7.8	7.5	7.1	16.4	32.0	0.0	71.3	3.9	21.4	32.4	0.1	0.4	123.5
MAXIMUM	761.0	10.8	0.0	445.4	13.6	8.8	11.5	12.5	11.6	21.6	69.2	0.0	75.8	10.0	26.2	38.1	0.3	1.6	263.5
AVERAGE	758.3	8.4	0.0	354.7	12.0	6.6	9.5	10.2	10.0	19.1	53.8	0.0	73.2	7.0	24.5	35.2	0.1	1.1	189.8



REAL TIME AMBIENT AIR QUALITY MONITORING STATION DATA

Date	TNPL Barometric Pressure	TNPL CH4	TNPL CHLORINE	TNPL CO_ABT	TNPL H2S	TNPL HCNM	TNPL HCT	TNPL NO	TNPL NO2	TNPL NOX_ABT	TNPL PM10	TNPL RAIN_1	TNPL Relative Humidity	TNPL SO2	TNPL SOLAR	TNPL TEMP	TNPL Vertical WS	TNPL WIND SPEED	TNPL WIND DIRECTION
	mmHg	ug/m3	ppm	ug/m3	ug/m3	ug/m3	ug/m3	ug/m3	ug/m3	ug/m3	ug/m3	m m	%	ug/m3	W/m2	degreC	m/s	m/s	DEGREE
May-24																			
01-05-2024	758	6.36	0.00	346.6	13.3	6.36	7.36	10.57	10.26	19.36	32.24	0.00	72.0	5.56	24.4	36.1	0.08	1.26	245.18
02-05-2024	759	6.75	0.00	370.1	9.6	6.75	7.75	10.95	10.65	19.75	43.34	0.00	73.0	6.24	24.3	36.9	0.07	1.44	212.48
03-05-2024	759	6.23	0.00	349.7	3.8	6.23	7.23	10.36	10.08	19.23	36.98	0.00	73.6	5.50	21.4	35.9	0.08	0.84	231.48
04-05-2024	759	5.76	0.00	328.4	3.1	5.76	6.76	9.23	9.14	18.76	35.07	0.00	72.6	5.94	23.3	34.9	0.07	0.77	215.48
05-05-2024	758	5.67	0.00	337.9	3.0	5.67	6.67	8.87	8.87	18.67	36.49	0.00	72.0	5.97	23.6	34.8	0.06	0.69	215.48
06-05-2024	758	6.33	0.00	348.4	4.9	6.33	7.33	9.54	9.53	19.33	33.88	0.00	72.6	6.91	24.9	36.1	0.07	1.26	169.58
07-05-2024	759	7.22	0.00	364.3	7.6	7.36	8.30	10.45	10.39	20.27	39.67	0.00	71.4	7.60	22.8	38.2	0.08	1.32	207.48
08-05-2024	759	7.03	0.00	405.0	8.1	7.53	8.33	10.34	10.13	20.23	39.64	0.00	72.5	7.11	20.1	38.9	0.10	1.24	212.56
09-05-2024	758	6.61	0.00	401.9	7.5	7.11	7.91	9.91	9.71	19.81	42.13	0.00	73.0	6.44	19.0	38.0	0.07	1.02	224.15
10-05-2024	759	5.60	0.00	363.2	5.9	6.10	6.90	8.91	8.70	18.80	42.44	0.02	73.3	5.97	27.2	36.0	0.06	1.32	234.15
11-05-2024	759	6.05	0.00	361.1	6.6	6.55	7.35	9.06	8.89	19.59	27.03	0.00	72.5	6.58	24.9	36.9	0.14	1.45	247.59
12-05-2024	759	6.30	0.00	317.3	7.0	6.80	7.60	8.60	8.50	20.70	34.81	0.00	72.1	6.83	24.0	37.4	0.06	1.45	202.15
13-05-2024	756	5.71	0.00	316.8	6.1	6.19	6.99	8.02	7.93	20.22	30.57	0.02	72.4	5.89	21.9	36.2	0.09	0.59	216.59
14-05-2024	758	5.16	0.00	343.6	5.0	5.46	6.26	7.31	7.19	19.36	20.33	0.00	73.5	5.28	30.7	34.7	0.18	1.26	195.48
15-05-2024	759	5.72	0.00	372.0	5.7	5.92	6.72	7.72	7.62	19.82	27.66	0.08	73.2	6.14	24.4	35.6	0.33	0.88	166.59
16-05-2024	758	4.74	0.00	371.5	5.1	5.06	6.75	7.27	7.22	19.22	25.70	0.02	73.5	5.72	58.5	35.1	0.27	0.69	195.48
17-05-2024	758	3.75	0.00	312.2	5.3	4.15	7.75	7.06	7.15	18.65	37.42	0.00	74.1	5.37	22.2	35.7	0.24	0.84	245.36
18-05-2024	756	3.99	0.00	326.1	5.6	4.39	7.99	7.29	7.39	18.89	33.68	0.03	73.7	5.57	24.1	36.2	0.24	1.26	202.15
19-05-2024	758	3.21	0.00	356.9	4.4	3.61	7.21	6.51	6.61	18.11	22.77	0.04	73.9	5.60	37.3	34.6	0.04	1.48	174.22
20-05-2024	758	3.39	0.00	345.2	4.6	3.75	7.37	6.64	6.76	18.15	32.69	0.58	73.1	5.97	34.7	34.9	0.07	1.54	165.48
21-05-2024	758	3.23	0.00	374.3	4.4	3.59	7.19	6.49	6.59	18.09	43.31	0.12	72.3	5.85	71.1	34.6	0.34	2.15	184.26
22-05-2024	759	4.06	0.00	345.4	5.7	4.46	8.06	8.34	8.37	19.19	41.43	0.03	72.6	6.80	43.7	36.3	0.27	1.24	174.52
23-05-2024	759	3.57	0.00	317.0	5.0	3.97	7.57	8.57	8.57	18.87	44.64	0.01	73.4	5.55	34.5	35.3	0.37	1.49	263.54
24-05-2024	759	3.07	0.00	323.3	4.2	3.47	7.07	8.07	8.07	18.37	36.88	0.53	71.6	5.80	24.1	34.4	0.75	1.22	212.4
25-05-2024	758	3.45	0.00	366.7	4.7	3.85	7.45	8.46	8.45	18.75	41.57	0.00	71.2	6.73	40.6	35.1	0.42	1.64	217.42
26-05-2024	758	4.30	0.00	377.4	6.1	4.70	8.30	9.30	9.30	19.60	46.32	0.00	70.0	8.00	33.9	36.8	0.40	1.24	168.59
27-05-2024	759	5.02	0.00	404.8	7.1	5.42	9.02	9.55	8.87	20.32	53.93	0.00	72.5	8.17	29.9	38.3	0.27	1.25	196.32
28-05-2024	758	5.01	0.00	359.8	7.2	5.41	9.01	9.01	7.61	20.31	53.97	0.00	73.2	7.92	32.0	38.2	0.23	1.66	185.24
29-05-2024	758	4.12	0.00	349.9	5.8	4.52	8.12	8.12	6.72	19.42	55.06	0.00	71.4	7.10	29.2	36.5	0.21	2.15	198.4
30-05-2024	758	3.70	0.00	363.8	5.2	4.10	7.70	7.71	6.30	18.88	60.12	0.00	71.3	6.52	27.2	35.6	0.37	1.47	208.59
31-05-2024	758	4.11	0.00	342.8	5.8	4.51	8.11	8.11	6.71	19.21	59.16	0.00	71.7	6.46	33.8	36.4	0.45	1.14	208.59
MINIMUM	756.0	3.1	0.0	312.2	3.0	3.5	6.3	6.5	6.3	18.1	20.3	0.0	70.0	5.3	19.0	34.4	0.0	0.6	165.5
MAXIMUM	759.0	7.2	0.0	405.0	13.3	7.5	9.0	11.0	10.7	20.7	60.1	0.6	74.1	8.2	71.1	38.9	0.8	2.2	263.5
AVERAGE	758.3	5.0	0.0	353.7	5.9	5.3	7.6	8.6	8.3	19.3	39.1	0.0	72.6	6.4	30.1	36.1	0.2	1.3	206.4



REAL TIME AMBIENT AIR QUALITY MONITORING STATION DATA

Date	TNPL Barometric Pressure	TNPL CH4	TNPL CHLORINE	TNPL CO_ABT	TNPL H2S	TNPL HCNM	TNPL HCT	TNPL NO	TNPL NO2	TNPL NOX_ABT	TNPL PM10	TNPL RAIN_1	TNPL Relative Humidity	TNPL SO2	TNPL SOLAR	TNPL TEMP	TNPL Vertical WS	TNPL WIND SPEED	TNPL WIND DIRECTION
	mmHg	ug/m3	ppm	ug/m3	ug/m3	ug/m3	ug/m3	ug/m3	ug/m3	ug/m3	ug/m3	m m	%	ug/m3	W/m2	degreC	m/s	m/s	DEGREE
Jun-24																			
01-06-2024	758	3.54	0.00	335.3	4.9	3.94	7.54	7.55	6.14	18.64	56.54	0.10	70.8	6.12	24.7	35.3	0.47	1.45	154.26
02-06-2024	758	2.96	0.00	331.8	4.1	3.36	6.96	6.96	5.56	18.06	42.88	0.04	71.3	5.71	30.9	34.1	0.29	0.59	195.48
03-06-2024	758	2.67	0.00	344.0	3.1	3.02	6.82	6.52	5.47	17.12	50.14	0.00	73.4	5.56	26.4	32.9	0.29	1.26	165.26
04-06-2024	760	3.72	0.00	380.2	4.2	4.02	8.02	7.43	6.72	17.52	53.83	0.00	73.6	6.01	21.3	34.3	0.21	0.88	215.48
05-06-2024	759	3.73	0.00	360.1	4.2	4.03	8.03	7.44	6.73	17.35	55.76	0.00	72.8	5.53	19.4	34.3	0.36	0.69	185.48
06-06-2024	759	3.23	0.00	292.3	3.4	3.55	7.52	7.00	6.31	16.43	46.62	0.45	72.2	6.42	18.2	33.3	0.51	0.66	215.48
07-06-2024	759	3.78	0.00	333.0	3.7	3.85	7.97	8.47	7.60	17.45	43.19	0.01	72.5	6.02	27.2	33.7	0.57	2.48	215.48
08-06-2024	759	4.46	0.00	370.9	4.4	4.36	8.56	9.86	8.86	18.46	50.98	0.00	72.4	5.91	22.7	34.5	0.63	2.69	215.48
09-06-2024	758	4.31	0.00	351.8	4.1	4.21	8.41	9.70	8.71	18.31	52.35	0.00	72.4	5.79	28.9	34.2	0.33	1.26	221.45
10-06-2024	759	3.93	0.00	387.0	3.6	3.83	8.03	9.33	8.33	17.93	59.48	0.00	72.3	5.53	30.8	33.5	0.30	1.32	104.25
11-06-2024	759	3.85	0.00	387.6	3.4	3.75	7.95	9.25	8.25	17.85	59.24	0.00	72.0	5.89	28.9	33.3	0.41	1.45	120.59
12-06-2024	759	3.77	0.00	333.3	3.3	3.67	7.76	9.17	8.17	17.69	59.66	0.00	72.3	5.09	25.7	33.2	0.41	1.45	169.58
13-06-2024	758	4.58	0.00	338.3	4.5	4.48	8.28	9.98	8.98	18.28	53.07	0.00	71.2	6.18	25.9	34.8	0.38	0.59	210.48
14-06-2024	759	4.79	0.00	405.2	4.9	4.69	8.49	10.19	9.19	18.49	53.89	0.00	72.8	6.50	22.9	35.2	0.21	1.26	163.48
15-06-2024	760	5.08	0.00	428.4	5.3	4.98	8.78	10.49	9.48	18.78	59.24	0.00	72.0	7.03	29.5	35.8	0.26	0.88	195.48
16-06-2024	759	5.37	0.00	424.2	5.8	5.32	9.12	10.83	9.82	19.12	55.39	0.00	71.1	7.42	30.7	36.5	0.27	0.69	215.48
17-06-2024	758	5.60	0.00	412.6	6.1	5.50	9.30	11.01	10.00	19.30	56.65	0.00	70.0	7.60	30.2	36.8	0.24	0.84	265.15
18-06-2024	758	5.33	0.00	389.9	5.7	5.24	9.02	10.72	9.75	19.02	64.89	0.00	72.9	7.21	26.8	36.3	0.29	1.26	214.23
19-06-2024	760	5.50	0.00	355.1	5.9	5.40	9.20	10.91	9.90	19.29	63.25	0.00	71.2	7.07	28.8	36.6	0.28	1.59	195.48
20-06-2024	759	4.83	0.00	361.1	4.9	4.73	8.53	10.23	9.23	18.58	60.16	0.00	70.2	6.02	24.7	35.3	0.45	1.45	198.47
21-06-2024	759	3.05	0.00	390.6	2.2	2.97	6.77	8.48	7.47	16.67	61.70	0.00	71.1	5.60	28.6	31.8	0.30	0.59	165.24
22-06-2024	759	2.87	0.00	392.4	1.9	2.77	6.24	8.27	7.27	16.55	58.69	0.00	71.1	5.40	29.7	31.4	0.42	1.26	180.24
23-06-2024	759	2.69	0.00	366.0	1.7	2.59	4.60	8.54	7.67	17.08	55.41	0.00	71.1	6.01	25.7	31.0	0.31	0.88	171.25
24-06-2024	759	2.75	0.00	383.8	1.8	2.65	4.05	9.15	8.45	17.76	50.55	0.00	71.8	5.94	24.7	31.1	0.31	0.69	195.48
25-06-2024	759	2.70	0.00	373.7	1.7	2.60	4.00	9.10	8.40	17.50	56.80	0.00	71.9	5.74	23.8	31.0	0.34	2.48	265.48
26-06-2024	759	2.17	0.00	378.3	1.4	2.33	4.53	8.79	8.12	16.78	58.69	0.00	71.3	4.88	23.8	30.5	0.32	2.69	215.48
27-06-2024	759	2.52	0.00	372.5	1.5	2.42	6.02	8.92	8.22	16.82	59.10	0.00	69.1	4.75	24.5	30.6	0.54	1.26	174.56
28-06-2024	758	2.89	0.00	396.0	1.9	2.82	6.39	9.13	8.42	17.11	62.70	0.00	70.8	4.97	26.0	31.1	0.39	1.66	265.48
29-06-2024	758	3.62	0.00	379.8	3.0	3.62	7.12	9.42	8.72	17.62	61.15	0.00	72.1	5.55	26.9	31.7	0.28	2.15	202.4
30-06-2024	759	3.54	0.00	376.7	3.0	3.54	7.04	9.34	8.64	17.54	56.71	0.00	71.5	5.40	22.6	31.5	0.33	1.47	155.2
MINIMUM	758.0	2.2	0.0	292.3	1.4	2.3	4.0	6.5	5.5	16.4	42.9	0.0	69.1	4.8	18.2	30.5	0.2	0.6	104.3
MAXIMUM	760.0	5.6	0.0	428.4	6.1	5.5	9.3	11.0	10.0	19.3	64.9	0.5	73.6	7.6	30.9	36.8	0.6	2.7	265.5
AVERAGE	758.8	3.8	0.0	372.3	3.6	3.8	7.4	9.1	8.2	17.8	55.9	0.0	71.7	6.0	26.1	33.5	0.4	1.3	195.6



REAL TIME AMBIENT AIR QUALITY MONITORING STATION DATA

Date	TNPL Barometric Pressure	TNPL CH4	TNPL CHLORINE	TNPL CO_ABT	TNPL H2S	TNPL HCNM	TNPL HCT	TNPL NO	TNPL NO2	TNPL NOX_ABT	TNPL PM10	TNPL RAIN_1	TNPL Relative Humidity	TNPL SO2	TNPL SOLAR	TNPL TEMP	TNPL Vertical WS	TNPL WIND SPEED	TNPL WIND DIRECTION
	mmHg	ug/m3	ppm	ug/m3	ug/m3	ug/m3	ug/m3	ug/m3	ug/m3	ug/m3	ug/m3	m m	%	ug/m3	W/m2	degreC	m/s	m/s	DEGREE
Jul-24																			
01-07-2024	759	3.19	0.00	359.4	2.7	3.15	6.95	8.95	8.25	17.15	61.22	0.00	73.0	5.93	19.0	30.7	0.31	1.97	200.52
02-07-2024	759	3.58	0.00	339.1	3.5	3.48	7.58	9.05	8.66	17.53	60.76	0.00	71.5	6.01	17.6	31.4	0.40	1.66	203.31
03-07-2024	758	3.92	0.00	364.6	4.0	3.82	7.92	8.82	9.22	18.02	58.99	0.02	71.1	6.66	27.1	32.1	0.36	2.46	203.91
04-07-2024	758	3.78	0.00	371.6	3.8	3.68	7.78	8.68	9.08	17.88	55.85	0.00	69.8	6.63	24.5	31.8	0.40	1.75	197.53
05-07-2024	759	3.98	0.00	396.8	4.1	3.99	8.21	9.35	9.70	18.52	56.39	0.00	70.6	6.40	26.5	32.1	0.41	2.42	212.34
06-07-2024	759	3.26	0.00	368.2	3.5	3.66	7.96	9.29	9.51	18.26	56.74	0.00	72.4	6.15	21.5	31.3	0.42	2.57	214.2
07-07-2024	759	3.16	0.00	334.3	3.3	3.56	7.86	8.46	9.26	17.36	51.79	0.00	72.4	6.17	20.6	31.1	0.40	2.26	203.35
08-07-2024	759	2.96	0.00	368.7	3.0	3.36	7.66	8.26	9.06	17.16	61.51	0.00	71.7	5.55	20.1	30.7	0.32	2.47	201.7
09-07-2024	759	3.53	0.00	379.1	3.5	3.75	8.40	8.77	9.51	17.64	60.61	0.00	71.4	5.89	25.1	31.4	0.34	2.39	204.15
10-07-2024	759	4.10	0.00	381.3	4.1	4.20	9.10	9.30	10.00	18.24	56.31	0.00	69.6	6.04	28.4	32.2	0.41	2.16	216.48
11-07-2024	759	3.94	0.00	420.0	3.8	3.99	8.94	9.01	9.79	18.30	64.61	0.00	71.4	5.52	23.4	31.8	0.32	1.69	120.59
12-07-2024	761	4.04	0.00	387.3	3.7	3.94	9.04	8.74	9.74	17.94	66.66	0.00	72.3	5.26	27.6	31.7	0.18	1.24	169.58
13-07-2024	759	3.75	0.00	384.0	3.3	3.65	8.75	8.45	9.45	17.65	60.29	0.00	71.0	4.80	26.2	31.1	0.20	0.95	210.48
14-07-2024	759	3.49	0.00	363.6	2.9	3.39	8.49	8.19	9.19	17.39	61.85	0.00	72.9	5.11	21.5	30.6	0.25	0.84	163.48
15-07-2024	760	3.40	0.00	372.3	2.7	3.30	8.51	8.10	9.10	17.78	64.37	0.00	72.0	5.33	20.6	30.4	0.31	1.61	195.48
16-07-2024	758	3.16	0.00	355.1	2.4	3.06	8.56	7.86	8.46	18.76	64.32	0.00	70.7	5.61	21.3	29.9	0.30	1.24	210.26
17-07-2024	758	3.36	0.00	335.0	2.7	3.26	8.76	8.23	8.52	19.01	59.64	0.00	69.5	6.51	20.7	30.3	0.26	0.99	229.56
18-07-2024	759	3.07	0.00	352.0	2.4	3.02	8.41	8.31	8.83	18.59	56.02	0.00	70.8	6.73	19.5	30.0	0.36	1.45	202.15
19-07-2024	758	2.95	0.00	356.7	2.7	3.05	8.15	8.05	9.15	17.75	56.76	0.00	69.5	6.26	19.1	30.3	0.31	1.34	195.48
20-07-2024	754	3.13	0.00	367.0	3.3	3.18	8.22	8.66	9.42	18.28	62.30	0.00	70.6	5.78	21.5	31.2	0.39	1.66	198.47
21-07-2024	745	2.64	0.00	395.5	3.6	2.54	7.44	9.24	9.14	18.64	66.76	0.00	70.9	4.98	22.2	31.5	0.27	1.24	234.59
22-07-2024	757	2.52	0.00	381.4	3.0	2.37	7.16	8.85	8.74	18.58	71.03	0.00	72.3	5.55	18.6	30.7	0.34	1.92	188.59
23-07-2024	753	3.41	0.00	370.9	4.0	3.21	7.91	9.51	9.41	19.51	61.63	0.00	71.5	6.65	25.0	32.0	0.47	2.14	179.59
24-07-2024	751	2.89	0.00	386.2	3.2	2.69	7.39	8.99	8.89	18.99	65.62	0.00	71.0	5.61	21.1	31.0	0.38	1.42	241.26
25-07-2024	759	2.51	0.00	339.4	2.6	2.31	7.01	8.62	8.51	18.61	64.46	0.00	71.4	6.02	19.4	30.2	0.34	2.48	221.45
26-07-2024	759	2.91	0.00	348.2	3.2	2.71	7.60	9.01	8.91	19.26	56.33	0.00	71.9	6.06	18.0	31.0	0.37	1.59	215.48
27-07-2024	756	3.27	0.00	378.1	3.8	3.07	8.07	9.20	9.10	19.40	56.10	0.00	71.2	5.93	24.0	31.8	0.41	2.33	202.77
28-07-2024	748	3.13	0.00	356.2	3.5	2.93	7.93	8.63	8.53	18.33	63.64	0.00	69.3	6.12	25.3	31.5	0.33	2.25	201.4
29-07-2024	755	2.86	0.00	352.4	3.1	2.66	7.66	8.36	8.26	18.06	61.90	0.00	71.3	5.82	18.4	30.9	0.36	3.55	202.19
30-07-2024	761	3.10	0.00	354.1	3.6	2.90	8.31	8.62	8.52	18.69	63.19	0.00	72.2	5.73	25.6	31.5	0.45	2.98	194.52
31-07-2024	761	3.65	0.00	388.3	4.3	3.45	9.55	9.15	9.05	19.85	64.44	0.00	71.5	5.78	26.1	32.5	0.39	0.38	194.03
MINIMUM	745.0	2.5	0.0	334.3	2.4	2.3	7.0	7.9	8.3	17.2	51.8	0.0	69.3	4.8	17.6	29.9	0.2	0.4	120.6
MAXIMUM	761.0	4.1	0.0	420.0	4.3	4.2	9.6	9.5	10.0	19.9	71.0	0.0	73.0	6.7	28.4	32.5	0.5	3.6	241.3
AVERAGE	757.4	3.3	0.0	368.0	3.3	3.3	8.1	8.7	9.1	18.3	61.0	0.0	71.2	5.9	22.4	31.2	0.3	1.9	200.9



REAL TIME AMBIENT AIR QUALITY MONITORING STATION DATA

Date	TNPL Barometric Pressure	TNPL CH4	TNPL CHLORINE	TNPL CO_ABT	TNPL H2S	TNPL HCNM	TNPL HCT	TNPL NO	TNPL NO2	TNPL NOX_ABT	TNPL PM10	TNPL RAIN_1	TNPL Relative Humidity	TNPL SO2	TNPL SOLAR	TNPL TEMP	TNPL Vertical WS	TNPL WIND SPEED	TNPL WIND DIRECTION
	mmHg	ug/m3	ppm	ug/m3	ug/m3	ug/m3	ug/m3	ug/m3	ug/m3	ug/m3	ug/m3	m m	%	ug/m3	W/m2	degreC	m/s	m/s	DEGREE
Aug-24																			
01-08-2024	59.15	757	3.94	0.00	357.2	4.4	3.74	9.84	8.89	8.97	19.58	0.00	70.4	6.22	22.9	32.6	0.33	1.02	165.48
02-08-2024	61.01	755	3.89	0.00	365.6	4.1	3.69	9.79	8.49	8.69	19.19	0.00	70.3	6.40	20.6	32.2	0.49	1.67	244.16
03-08-2024	61.98	757	4.18	0.00	383.2	4.5	3.98	10.08	8.77	8.98	19.48	0.00	70.1	6.47	22.0	32.8	0.44	1.21	244.51
04-08-2024	62.94	764	4.84	0.00	396.2	5.5	4.64	10.74	9.44	9.64	20.14	0.00	68.2	5.94	21.9	34.1	0.43	1.75	197.53
05-08-2024	64.21	756	4.37	0.00	372.2	4.8	4.17	10.27	9.72	9.55	20.11	0.00	69.4	6.45	24.6	33.2	0.45	1.26	265.44
06-08-2024	58.66	755	3.04	0.00	337.2	3.5	3.02	8.69	9.46	9.18	19.60	0.03	70.5	6.08	26.1	31.4	0.40	2.57	202.11
07-08-2024	56.76	758	2.72	0.00	326.4	3.5	2.79	8.07	9.29	9.20	19.30	0.01	70.1	6.63	26.1	31.4	0.45	1.56	203.35
08-08-2024	66.00	758	2.96	0.00	392.3	4.1	2.96	7.96	8.97	9.16	18.76	0.00	70.0	5.78	20.7	32.1	0.36	2.47	209.59
09-08-2024	67.92	755	3.61	0.00	389.7	5.0	3.61	8.61	9.61	9.81	19.41	0.00	69.8	5.91	22.7	33.4	0.39	1.26	174.59
10-08-2024	71.92	757	3.72	0.00	388.5	5.2	3.72	8.72	9.72	9.92	19.52	0.01	69.9	6.21	25.0	33.7	0.41	0.15	126.59
11-08-2024	68.09	758	3.63	0.00	329.4	5.1	3.63	8.63	9.63	9.83	19.43	0.10	72.1	7.13	25.5	33.5	0.37	1.69	124.56
12-08-2024	62.11	758	3.66	0.00	340.8	5.0	3.69	8.78	9.72	9.92	19.71	0.00	71.0	6.60	29.5	33.3	0.43	0.64	244.15
13-08-2024	58.64	757	3.64	0.00	354.3	4.6	3.74	9.04	9.84	10.04	20.24	0.05	73.4	5.97	23.7	32.9	0.39	0.95	133.69
14-08-2024	58.83	761	3.50	0.00	394.4	4.7	3.54	8.79	9.99	10.07	20.38	0.06	69.7	6.23	27.2	33.0	0.47	0.26	163.48
15-08-2024	64.23	757	2.78	0.00	432.4	4.2	2.68	7.78	9.98	9.78	20.38	0.22	71.3	5.92	28.5	32.4	0.38	1.61	195.48
16-08-2024	64.69	753	3.29	0.00	345.8	5.0	3.19	8.29	10.49	10.29	20.89	0.11	70.7	5.95	22.7	33.4	0.39	1.26	210.26
17-08-2024	71.40	752	2.83	0.00	351.1	4.3	2.73	7.83	10.03	9.83	20.43	0.08	71.2	5.95	27.3	32.5	0.44	0.59	229.56
18-08-2024	68.44	756	2.66	0.00	366.3	4.1	2.56	7.66	9.86	9.66	20.26	0.00	70.7	7.26	23.7	32.1	0.41	0.45	166.48
19-08-2024	64.86	758	2.17	0.00	375.6	3.3	2.07	7.17	9.37	9.17	19.77	0.04	71.0	5.64	21.5	31.2	0.39	1.34	195.48
20-08-2024	63.44	759	2.69	0.00	402.7	3.7	2.68	7.63	9.29	9.03	19.86	0.02	68.8	5.59	26.7	31.7	0.45	1.26	198.47
21-08-2024	57.88	757	3.67	0.00	351.0	4.2	3.87	8.47	8.77	8.37	19.77	0.00	72.9	7.13	19.4	32.4	0.41	1.24	234.59
22-08-2024	61.93	759	4.39	0.00	370.1	5.3	4.59	9.19	9.49	9.09	20.49	0.00	70.3	7.17	20.6	33.8	0.46	0.16	188.59
23-08-2024	63.09	761	4.27	0.00	404.1	5.1	4.47	9.08	9.38	8.98	20.38	0.00	70.9	6.62	24.1	33.6	0.55	2.14	179.59
24-08-2024	67.56	757	4.42	0.00	339.2	5.4	4.62	9.22	9.52	9.12	20.52	0.00	70.4	6.01	24.7	33.9	0.43	1.26	241.26
25-08-2024	74.02	760	4.36	0.00	295.8	5.3	4.56	9.16	9.47	9.06	20.46	0.00	70.5	6.19	21.5	33.7	0.48	0.75	221.45
26-08-2024	66.47	757	4.08	0.00	369.9	5.2	4.22	9.01	9.23	9.44	20.05	0.00	69.4	6.84	23.7	33.7	0.43	1.59	241.26
27-08-2024	58.21	753	2.90	0.00	359.0	4.4	2.90	8.20	8.38	10.06	18.72	0.00	70.5	6.81	21.7	32.6	0.46	0.26	263.56
28-08-2024	65.72	760	2.61	0.00	341.3	3.7	2.56	7.80	8.31	9.72	18.52	0.00	70.2	7.10	19.0	31.6	0.48	2.25	244.15
29-08-2024	64.85	757	3.01	0.00	387.3	3.5	2.81	7.91	8.22	9.61	18.41	0.01	68.9	6.50	19.9	31.4	0.51	0.48	202.15
30-08-2024	63.72	758	2.84	0.00	403.0	3.4	2.87	7.97	8.25	9.47	18.47	0.00	70.1	5.86	27.4	31.3	0.43	0.59	166.59
31-08-2024	65.25	757	2.46	0.00	357.6	3.3	3.06	8.16	8.35	9.16	18.66	0.01	69.9	5.47	24.1	31.1	0.45	1.26	184.59
MINIMUM	56.8	752.0	2.2	0.0	295.8	3.3	2.1	7.2	8.2	8.4	18.4	0.0	68.2	5.5	19.0	31.1	0.3	0.2	124.6
MAXIMUM	74.0	764.0	4.8	0.0	432.4	5.5	4.6	10.7	10.5	10.3	20.9	0.2	73.4	7.3	29.5	34.1	0.6	2.6	265.4
AVERAGE	64.0	757.3	3.5	0.0	367.1	4.4	3.5	8.7	9.3	9.4	19.7	0.0	70.4	6.3	23.7	32.6	0.4	1.2	202.0



REAL TIME AMBIENT AIR QUALITY MONITORING STATION DATA

Date	TNPL Barometric Pressure	TNPL CH4	TNPL CHLORINE	TNPL CO_ABT	TNPL H2S	TNPL HCNM	TNPL HCT	TNPL NO	TNPL NO2	TNPL NOX_ABT	TNPL PM10	TNPL RAIN_1	TNPL Relative Humidity	TNPL SO2	TNPL SOLAR	TNPL TEMP	TNPL Vertical WS	TNPL WIND SPEED	TNPL WIND DIRECTION
	mmHg	ug/m3	ppm	ug/m3	ug/m3	ug/m3	ug/m3	ug/m3	ug/m3	ug/m3	ug/m3	m m	%	ug/m3	W/m2	degreC	m/s	m/s	DEGREE
Sep-24																			
01-09-2024	758	2.65	0.00	349.4	3.6	3.25	8.35	8.55	9.35	18.83	67.80	0.00	73.0	5.34	23.9	31.5	0.53	0.59	144.26
02-09-2024	754	2.77	0.00	381.5	3.8	3.37	8.47	8.67	9.47	18.97	66.51	0.00	70.4	5.61	23.8	31.8	0.43	0.47	241.5
03-09-2024	752	3.15	0.00	355.3	4.2	3.35	8.88	8.68	9.57	19.38	73.09	0.00	70.0	6.12	25.0	32.3	0.55	1.05	215.4
04-09-2024	756	3.29	0.00	349.8	4.0	2.49	9.09	7.90	8.99	19.59	72.36	0.00	70.6	6.11	20.9	32.0	0.46	1.496	231.59
05-09-2024	757	3.49	0.00	398.7	4.3	2.69	9.29	8.26	9.19	19.79	71.90	0.00	71.8	6.38	22.9	32.4	0.50	1.48	124.58
06-09-2024	755	3.45	0.00	400.4	4.2	2.65	9.25	8.35	9.15	19.75	66.79	0.00	70.8	6.87	20.0	32.3	0.47	1.458	265.4
07-09-2024	751	3.42	0.00	369.5	4.3	2.79	9.48	8.84	9.26	19.89	71.82	0.00	71.1	6.00	23.9	32.5	0.41	0.59	245.1
08-09-2024	754	3.20	0.00	400.9	4.4	3.00	9.90	9.90	9.40	20.10	64.58	0.00	71.1	5.20	17.2	32.6	0.54	2.15	125.42
09-09-2024	756	3.48	0.00	378.7	4.8	3.28	10.18	9.89	9.56	20.03	70.58	0.00	70.6	6.29	22.6	33.2	0.50	0.48	162.48
10-09-2024	760	3.28	0.00	342.2	4.5	3.16	10.06	8.80	9.08	19.06	71.27	0.00	69.8	6.30	26.8	32.9	0.39	3.2	199.59
11-09-2024	757	2.97	0.00	379.1	4.2	2.94	9.67	8.71	8.81	18.90	72.50	0.00	70.9	6.89	22.2	32.3	0.45	0.89	241.26
12-09-2024	760	2.98	0.00	410.1	4.6	3.48	9.78	9.69	9.78	19.58	64.63	0.00	71.4	6.28	26.1	32.8	0.52	0.59	202.15
13-09-2024	760	3.05	0.00	365.1	4.7	3.55	9.85	9.76	9.85	19.65	67.78	0.00	71.0	6.44	27.2	32.9	0.51	0.26	169.59
14-09-2024	761	2.88	0.00	393.6	4.4	3.38	9.68	9.45	9.54	19.48	69.82	0.00	70.4	6.38	22.5	32.6	0.56	1.46	211.23
15-09-2024	756	3.01	0.00	371.6	4.6	3.51	9.81	9.21	9.31	19.61	68.02	0.00	68.0	6.21	24.1	32.8	0.60	1.48	185.49
16-09-2024	758	3.20	0.00	357.4	4.9	3.70	10.00	9.40	9.50	19.80	71.51	0.00	68.6	6.99	26.2	33.2	0.57	0.66	234.26
17-09-2024	760	2.96	0.00	406.3	4.5	3.46	9.76	9.17	9.26	19.56	65.41	0.00	68.4	7.06	29.8	32.7	0.64	1.62	166.59
18-09-2024	761	3.17	0.00	404.8	4.6	3.70	9.95	9.32	9.42	19.63	69.44	0.00	68.0	6.91	29.6	32.9	0.54	2.15	165.24
19-09-2024	759	3.30	0.00	367.1	4.4	3.97	10.07	9.37	9.47	19.47	66.36	0.00	70.0	6.95	27.2	32.5	0.56	1.26	128.59
20-09-2024	751	3.31	0.00	333.6	4.3	3.93	10.03	9.34	9.43	19.43	66.58	0.00	68.4	6.02	29.3	32.5	0.50	1.26	171.25
21-09-2024	754	3.26	0.00	351.1	4.2	3.86	9.96	8.90	9.06	19.21	66.90	0.00	70.0	6.12	24.2	32.3	0.52	1.48	195.48
22-09-2024	761	3.35	0.00	385.0	4.4	3.95	10.05	8.16	8.45	18.95	69.81	0.00	69.3	6.93	24.4	32.5	0.48	3.29	163.48
23-09-2024	759	3.78	0.00	379.8	5.0	4.38	10.48	8.58	8.88	19.38	65.63	0.00	70.1	7.73	23.8	33.4	0.54	0.54	150.24
24-09-2024	758	3.11	0.00	388.8	4.0	3.71	9.81	7.92	8.21	18.71	63.70	0.00	68.3	6.11	23.6	32.0	0.44	1.49	199.59
25-09-2024	755	3.27	0.00	329.6	4.2	3.87	9.97	8.07	8.37	18.87	61.91	0.00	69.6	6.31	24.5	32.4	0.45	0.38	231.48
26-09-2024	759	3.11	0.00	344.6	4.0	3.71	9.81	7.92	8.21	18.71	64.89	0.00	69.6	5.76	22.6	32.0	0.43	1.48	221.48
27-09-2024	757	3.70	0.00	376.3	4.9	4.30	10.40	8.49	8.80	19.30	66.04	0.00	70.2	6.98	21.3	33.2	0.23	1.65	244.15
28-09-2024	762	3.85	0.00	420.7	5.1	4.45	10.55	8.65	8.95	19.45	72.53	0.00	72.1	6.55	22.2	33.5	0.06	0.48	185.49
29-09-2024	761	3.80	0.00	414.4	5.0	4.40	10.50	8.60	8.90	19.40	70.86	0.00	72.9	6.50	19.3	33.4	0.06	0.94	231.41
30-09-2024	760	3.72	0.00	408.9	4.9	4.32	10.42	8.52	8.82	19.32	71.05	0.00	71.4	6.75	15.1	33.3	0.37	2.14	215.48
MINIMUM	751.0	2.7	0.0	329.6	3.6	2.5	8.4	7.9	8.2	18.7	61.9	0.0	68.0	5.2	15.1	31.5	0.1	0.3	124.6
MAXIMUM	762.0	3.9	0.0	420.7	5.1	4.5	10.6	9.9	9.9	20.1	73.1	0.0	73.0	7.7	29.8	33.5	0.6	3.3	265.4
AVERAGE	757.4	3.3	0.0	377.1	4.4	3.6	9.8	8.8	9.1	19.4	68.4	0.0	70.3	6.4	23.7	32.6	0.5	1.3	195.6

CONTINUOUS AMBIENT AIR QUALITY MONITORING STATION DATA

MONTH	TNPL PM2.5_COAL_Y YARD	MONTH	TNPL PM2.5_COAL_Y YARD	MONTH	TNPL PM2.5_COAL_Y ARD	MONTH	TNPL PM2.5_COAL_Y YARD	MONTH	TNPL PM2.5_COAL_Y YARD	MONTH	TNPL PM2.5_COAL_Y ARD
	ug/m3		ug/m3		ug/m3		ug/m3		ug/m3		ug/m3
1-Apr-24	17.22	1-May-24	16.81	1-Jun-24	14.96	1-Jul-24	15.06	1-Aug-24	14.47	1-Sep-24	13.87
2-Apr-24	17.31	2-May-24	16.95	2-Jun-24	13.09	2-Jul-24	15.92	2-Aug-24	13.77	2-Sep-24	15.46
3-Apr-24	16.15	3-May-24	15.71	3-Jun-24	15.42	3-Jul-24	16.13	3-Aug-24	14.21	3-Sep-24	16.62
4-Apr-24	15.95	4-May-24	14.17	4-Jun-24	15.87	4-Jul-24	14.58	4-Aug-24	15.46	4-Sep-24	15.21
5-Apr-24	17.31	5-May-24	13.33	5-Jun-24	15.93	5-Jul-24	14.47	5-Aug-24	13.15	5-Sep-24	16.68
6-Apr-24	16.79	6-May-24	14.48	6-Jun-24	15.72	6-Jul-24	14.94	6-Aug-24	14.51	6-Sep-24	16.63
7-Apr-24	16.88	7-May-24	15.17	7-Jun-24	14.53	7-Jul-24	15.68	7-Aug-24	14.71	7-Sep-24	16.23
8-Apr-24	16.32	8-May-24	13.25	8-Jun-24	14.93	8-Jul-24	14.64	8-Aug-24	14.67	8-Sep-24	15.82
9-Apr-24	14.18	9-May-24	13.63	9-Jun-24	14.06	9-Jul-24	15.04	9-Aug-24	13.99	9-Sep-24	15.59
10-Apr-24	14.67	10-May-24	13.21	10-Jun-24	14.88	10-Jul-24	14.34	10-Aug-24	15.25	10-Sep-24	15.40
11-Apr-24	16.02	11-May-24	13.95	11-Jun-24	15.72	11-Jul-24	12.51	11-Aug-24	16.06	11-Sep-24	16.26
12-Apr-24	15.07	12-May-24	16.35	12-Jun-24	15.41	12-Jul-24	14.24	12-Aug-24	15.83	12-Sep-24	16.51
13-Apr-24	15.76	13-May-24	14.68	13-Jun-24	14.56	13-Jul-24	14.13	13-Aug-24	13.69	13-Sep-24	15.91
14-Apr-24	15.38	14-May-24	13.47	14-Jun-24	14.90	14-Jul-24	13.99	14-Aug-24	14.48	14-Sep-24	17.47
15-Apr-24	13.54	15-May-24	14.01	15-Jun-24	15.67	15-Jul-24	14.45	15-Aug-24	13.69	15-Sep-24	16.28
16-Apr-24	12.26	16-May-24	15.75	16-Jun-24	15.37	16-Jul-24	14.63	16-Aug-24	13.96	16-Sep-24	16.26
17-Apr-24	14.50	17-May-24	13.98	17-Jun-24	15.58	17-Jul-24	14.02	17-Aug-24	14.56	17-Sep-24	17.62
18-Apr-24	16.92	18-May-24	14.94	18-Jun-24	14.84	18-Jul-24	14.98	18-Aug-24	15.21	18-Sep-24	17.02
19-Apr-24	15.53	19-May-24	16.13	19-Jun-24	15.42	19-Jul-24	14.02	19-Aug-24	14.99	19-Sep-24	15.80
20-Apr-24	14.05	20-May-24	15.54	20-Jun-24	14.57	20-Jul-24	14.84	20-Aug-24	14.60	20-Sep-24	16.63
21-Apr-24	13.12	21-May-24	15.72	21-Jun-24	13.88	21-Jul-24	16.44	21-Aug-24	15.38	21-Sep-24	16.10
22-Apr-24	14.10	22-May-24	14.94	22-Jun-24	14.27	22-Jul-24	14.29	22-Aug-24	15.23	22-Sep-24	16.64
23-Apr-24	15.44	23-May-24	14.06	23-Jun-24	13.93	23-Jul-24	15.48	23-Aug-24	14.67	23-Sep-24	17.16
24-Apr-24	16.45	24-May-24	13.16	24-Jun-24	14.08	24-Jul-24	15.35	24-Aug-24	14.58	24-Sep-24	15.49
25-Apr-24	16.75	25-May-24	13.24	25-Jun-24	16.45	25-Jul-24	13.53	25-Aug-24	14.12	25-Sep-24	16.73
26-Apr-24	16.28	26-May-24	14.13	26-Jun-24	14.27	26-Jul-24	13.62	26-Aug-24	15.39	26-Sep-24	16.53
27-Apr-24	16.23	27-May-24	14.48	27-Jun-24	15.33	27-Jul-24	14.69	27-Aug-24	14.25	27-Sep-24	14.66
28-Apr-24	14.89	28-May-24	14.39	28-Jun-24	14.97	28-Jul-24	15.48	28-Aug-24	13.86	28-Sep-24	14.59
29-Apr-24	14.26	29-May-24	14.40	29-Jun-24	15.54	29-Jul-24	14.55	29-Aug-24	15.07	29-Sep-24	15.09
30-Apr-24	14.41	30-May-24	16.21	30-Jun-24	14.11	30-Jul-24	14.27	30-Aug-24	14.94	30-Sep-24	15.05
		31-May-24	16.21			31-Jul-24	15.02	31-Aug-24	13.49		
MINIMUM	12.26	MINIMUM	13.16	MINIMUM	13.09	MINIMUM	12.51	MINIMUM	13.15	MINIMUM	13.87
MAXIMUM	17.31	MAXIMUM	16.95	MAXIMUM	16.45	MAXIMUM	16.44	MAXIMUM	16.06	MAXIMUM	17.62
AVERAGE	15.46	AVERAGE	14.72	AVERAGE	14.94	AVERAGE	14.69	AVERAGE	14.59	AVERAGE	16.04

**ONLINE - STACK EMISSION
MONITORING DATA**

SUMMARY OF REALTIME STACK EMISSION MONITORING DATA TRANSMITTED TO TNPCB CARE AIR CENTRE

DAY WISE	PB 4_CO	PB 5_CO	PB 6_CO	PB 7_CO	PB 4_PM	PB 5_PM	PB 6_PM	PB 7_PM	PB 4_SO2	PB 5_SO2	PB 6_SO2	PB 7_SO2	PB 4_NO2	PB 5_NO2	PB 6_NO2	PB 7_NO2	SRP_CO_LK_1	SRP_CO_LK_2	SRP_CO_RB # 3	SRP_H2S_LK_1	SRP_H2S_LK_2	SRP_H2S_RB#3	SRP_NOX_LK_1	SRP_NOX_LK_2	SRP_NOX_RB # 3	SRP_PM_LK 1	SRP_PM_LK 2	SRP_PM_RB # 3	SRP_SO2_LK_1	SRP_SO2_LK_2	SRP_SO2_RB # 3
UOM	(mg/Nm3)																ppm						mg/Nm3			ppm					
Apr-24																															
1-Apr-24	11.04	8.12	36.03	42.56	5.22	29.1	25.65	30.38	0.55	98.6	223.63	100.77	216.8	55.77	252.77	38.02	35.6	756.7	205.11	1.278	0.46	0.73	0	3.31	45.40	5.22	5.94	104.82	49.23	35.95	93.59
2-Apr-24	7.78	7.4	41.28	24.33	2.27	28.82	24.46	30.4	1.56	129.79	225.77	20.79	210.76	65.64	266.62	15.14	478.2	459.9	302.48	1.266	0.60	0.69	0	18.42	56.71	7.90	6.84	103.53	107.10	34.98	58.18
3-Apr-24	NA	3.7	42.02	9.98	3.05	29.1	24.58	29.49	1.7	115.22	256.66	43.94	NA	65.02	229.23	26.11	36.8	884.3	161.55	1.313	0.59	0.85	0	10.31	53.80	12.06	5.37	101.27	69.09	34.07	55.30
4-Apr-24	NA	2.92	61.29	78.73	3.05	28.45	24.6	29.06	1.7	83.08	273.88	158.73	NA	55.55	192.73	65.87	15.3	1336.2	235.64	1.306	0.51	0.75	9.96	2.48	53.69	7.87	3.83	91.96	16.64	38.56	31.11
5-Apr-24	NA	5.1	25.97	617.43	3.05	29.23	23.7	29.04	1.72	11.8	260.99	176.93	NA	40.53	199.83	46.92	17.0	1022.8	103.97	1.305	0.61	0.84	25.42	4.78	55.55	8.46	9.96	92.21	39.28	37.05	29.52
6-Apr-24	NA	3.58	27.84	7.25	3.05	31	24.15	26.04	1.72	9.92	278.66	128.35	NA	40.51	190.42	15.8	20.6	436.0	155.62	1.222	0.03	0.87	11.26	0.07	49.29	15.07	18.88	93.29	15.96	6.34	23.39
7-Apr-24	NA	15.02	16.93	6.37	3.05	31.12	23.9	21.49	1.74	50.72	172.26	139.4	NA	36.62	157.21	21.62	19.3	488.6	163.96	1.231	0.02	0.96	12.12	0.06	49.95	23.68	0.23	94.90	41.27	0.16	47.67
8-Apr-24	NA	8.39	13.05	1.38	3.05	31.72	23.5	18.86	1.73	159.47	190.5	282.05	NA	58.99	136.12	47.16	20.9	140.2	37.91	1.231	0.01	0.27	12.63	0.06	6.60	25.89	0.27	97.26	32.42	0.32	12.94
9-Apr-24	NA	23.62	35.56	22.75	3.05	32.29	24.12	18.63	1.68	114.98	72.75	299.27	NA	58.17	145.15	78.01	17.3	36.0	24.80	1.222	0.02	0.18	26.28	0.06	4.34	23.46	0.29	58.96	30.65	0.20	7.85
10-Apr-24	NA	20.63	42.78	447.18	3.05	31.71	24.45	18.74	1.6	140.76	122.3	341.42	NA	61.42	132.67	61.11	18.8	37.3	201.48	1.224	0.02	1.03	29.24	0.06	49.40	12.95	0.26	117.05	44.95	0.19	22.29
11-Apr-24	NA	23.32	11.02	31.78	3.05	30.59	24.06	18.37	1.61	249.76	154.87	352.77	NA	53.71	118.9	47.14	10.2	38.4	402.91	0.781	0.02	0.73	11.37	0.07	52.46	14.04	0.42	105.05	22.64	0.19	33.33
12-Apr-24	3.45	19.16	10.1	43.23	3.05	32.43	24.2	18.01	1.72	205.44	104.87	365.06	NA	52.65	131.63	51.34	-2.3	41.0	265.09	0.023	0.21	0.79	2.34	0.06	52.53	14.56	10.75	104.80	1.06	11.92	23.64
13-Apr-24	NA	39.42	10.63	45.76	3.05	32.31	23.78	17.66	1.73	183.27	123.85	253.91	NA	58.74	118.87	42.84	-2.8	41.6	252.72	-0.007	0.33	0.67	2.29	0.05	58.63	19.65	22.00	105.21	12.48	27.34	22.45
14-Apr-24	NA	34.57	8.22	82.39	3.05	31.35	24.19	16.9	1.64	191	127.9	236.37	NA	56.27	133.23	30.18	-2.6	41.6	308.15	-0.007	0.02	0.64	2.27	0.05	55.54	15.01	32.27	105.37	24.39	0.21	18.79
15-Apr-24	NA	42.36	12.71	36.97	3.05	29.07	23.65	16.38	3.08	180.74	137.15	261.78	3.92	55.63	137.59	35.43	-2.7	41.6	180.29	-0.007	0.15	0.71	2.26	0.04	54.96	20.39	11.35	105.57	24.39	6.91	26.92
16-Apr-24	NA	31.8	9.5	13.84	3.05	26.03	24.63	15.22	4.01	135.09	124.91	317.04	3.92	52.65	136.21	41.55	-2.8	41.7	210.16	-0.007	0.79	0.74	2.28	0.04	57.21	17.47	14.75	106.61	24.39	43.20	22.67
17-Apr-24	NA	79.11	20.11	60.82	3.05	26.2	24.24	13.6	3.95	249.87	151.3	249.02	3.91	110.61	147.24	37.02	-2.8	41.7	86.72	-0.007	0.84	0.77	2.27	0.04	56.22	23.67	12.24	88.62	24.39	42.87	14.93
18-Apr-24	NA	209.78	28.09	67.39	3.05	27.04	24.07	12.26	3.95	243.56	274.5	341.84	3.92	94.78	155.36	34.33	-2.8	42.7	223.51	-0.007	0.78	0.73	2.29	0.05	60.90	23.63	17.38	75.12	24.39	43.49	21.22
19-Apr-24	NA	142.26	18.23	55.82	3.05	27.13	23.33	11.96	3.96	255.35	261.8	350.75	3.91	108.72	188.61	42.77	-2.9	49.1	148.59	-0.007	0.72	0.75	2.32	0.05	59.79	19.73	15.70	70.38	24.39	42.90	23.85
20-Apr-24	NA	171.35	15.44	27.95	3.05	29.77	23.28	11.96	4.01	282.98	257.87	201.22	3.91	141.04	197.9	30.64	436.5	59.2	372.64	2.388	0.76	0.65	16.36	0.06	53.61	12.66	29.92	72.14	119.33	40.50	31.98
21-Apr-24	NA	205.07	22.21	26.54	3.05	31.04	23.51	11.97	4.02	276.23	273.95	222.15	3.9	156.74	182.21	29.23	930.7	192.4	266.10	6.205	0.70	0.65	16.03	0.05	55.32	9.67	34.90	69.21	144.04	41.54	14.82
22-Apr-24	NA	266.8	20.2	52.24	3.05	30.93	24.15	11.96	4.03	245.99	271.13	283.67	3.89	121.83	202	32.81	509.0	331.8	281.87	6.201	0.67	0.61	4.61	0.05	60.50	9.38	26.52	71.73	18.12	40.72	19.99
23-Apr-24	NA	295.03	22.94	23.44	3.05	30.14	23.65	11.95	4.09	224.78	270.75	287.35	3.89	118.86	162.1	32.96	26.8	298.8	295.13	4.214	0.64	0.62	4.14	0.04	55.84	9.83	30.31	76.58	1.79	40.43	16.33
24-Apr-24	NA	328.06	27.2	12.88	3.05	29.52	25.1	11.95	3.96	245.48	289.67	324.65	3.92	132.43	135.71	31.77	-3.2	165.0	365.72	-0.007	0.70	0.57	2.29	0.04	54.38	8.53	29.73	74.04	0.91	35.98	9.34
25-Apr-24	NA	350.76	32	12.61	3.05	30.02	24.9	11.95	3.95	270.69	278.36	266.46	3.91	146.58	148.18	30.72	-3.3	218.9	234.84	-0.007	0.65	0.64	2.29	0.03	59.61	9.37	18.62	74.79	0.91	35.07	7.73
26-Apr-24	NA	323	15.92	13.2	3.05	29.73	25.82	11.96	3.99	255.65	266.88	250.78	3.92	120.25	182.06	30.25	-3.3	148.3	208.47	-0.007	0.68	0.66	2.29	0.05	57.10	10.08	21.10	76.53	0.91	36.96	10.04
27-Apr-24	NA	262.61	26.03	13.97	3.05	29.64	25.88	11.95	4	149.63	250.92	184.42	3.93	70.15	177.36	28.2	3.7	150.7	316.25	1.041	0.68	0.64	4.42	0.05	58.51	11.29	21.05	76.54	9.38	42.15	11.20
28-Apr-24	NA	158.55	15.91	15.79	3.05	29.96	25.49	11.95	3.98	12.6	249.34	141.96	3.94	12.12	195.88	27.88	231.6	218.3	162.70	4.133	0.65	0.72	5.36	0.06	56.52	11.49	32.62	77.03	49.99	40.30	11.32
29-Apr-24	NA	169.54	22.68	37.58	3.05	29.58	24.9	12.98	3.97	12.52	259.02	163.3	3.94	13.15	172.01	30.87	133.9	253.4	394.28	4.142	0.68	0.53	6.78	0.08	57.12	15.79	39.18	74.49	41.17	39.06	12.86
30-Apr-24	NA	178.03	16.01	11.42	3.05	30.04	24.07	14.97	4.02	152.27	251.71	141.92	3.93	80.76	182.02	32.47	616.9	265.0	297.86	4.429	0.50	0.58	5.00	7.49	63.06	13.72	31.92	71.95	63.16	34.92	21.17
MINIMUM	3.45	2.92	8.22	1.38	2.27	26.03	23.28	11.95	0.55	9.92	72.75	20.79	3.89	12.12	118.87	15.14	-3.30	36.00	24.80	-0.01	0.01	0.18	0.00	0.03	4.34	5.22	0.23	58.96	0.91	0.16	7.73
MAXIMUM	11.04	350.76	61.29	617.43	5.22	32.43	25.88	30.40	4.09	282.98	289.67	365.06	216.80	156.74	266.62	78.01	930.70	1336.20	402.91	6.21	0.84	1.03	29.24	18.42	63.06	25.89	39.18	117.05	144.04	43.49	93.59
AVERAGE	7.42	114.30	23.60	64.79	3.10	29.84	24.33	17.60	2.85	164.57	215.27	229.60	27.23	76.53	170.26	37.21	118.25	275.97	228.88	1.54	0.47	0.69	7.54	1.60	52.15	14.42	16.82	87.90	35.96	27.82	25.21

SUMMARY OF REALTIME STACK EMISSION MONITORING DATA TRANSMITTED TO TNPCB CARE AIR CENTRE

DAY WISE	PB 4_CO	PB 5_CO	PB 6_CO	PB 7_CO	PB 4_PM	PB 5_PM	PB 6_PM	PB 7_PM	PB 4_SO2	PB 5_SO2	PB 6_SO2	PB 7_SO2	PB 4_NO2	PB 5_NO2	PB 6_NO2	PB 7_NO2	SRP_CO_LK_1	SRP_CO_LK_2	SRP_CO_RB#3	SRP_H2S_LK_1	SRP_H2S_LK_2	SRP_H2S_RB#3	SRP_NOX_LK_1	SRP_NOX_LK_2	SRP_NOX_RB#3	SRP_PM_LK_1	SRP_PM_LK_2	SRP_PM_RB#3	SRP_SO2_LK_1	SRP_SO2_LK_2	SRP_SO2_RB#3	
UOM	(mg/Nm3)																ppm						mg/Nm3			ppm						
May-24																																
1-May-24	NA	187.15	18.1	11.48	3.05	29.87	23.86	14.55	4.07	255.17	248.57	180.24	3.93	166.9	177.33	35.74	254.5	772.0	189.41	3.644	0.67	0.68	5.50	18.71	62.90	19.59	30.00	69.31	43.08	35.86	11.59	
2-May-24	NA	212.77	31.38	7.92	3.05	30.56	24.59	14.24	4.07	221.6	157.87	125.46	3.91	164.46	208.72	34.15	231.8	261.2	110.38	4.543	0.72	0.68	11.82	38.58	60.40	15.90	27.39	69.86	60.97	36.75	12.15	
3-May-24	NA	208.74	27.53	20.81	3.05	33.85	24.27	13.82	4.11	240.96	180.7	108.61	3.91	149.18	203.15	31.39	164.6	550.7	198.77	6.184	0.60	0.64	46.47	32.20	58.06	13.52	26.83	69.26	119.33	39.80	11.46	
4-May-24	NA	185.82	18.57	11.84	3.05	37.46	24.34	13.42	4.07	210.09	195.03	126.98	3.92	139.51	200.94	31.47	158.2	381.3	259.36	5.639	0.53	0.69	39.76	29.62	64.69	25.36	37.04	79.17	101.90	39.57	28.24	
5-May-24	10.72	146.89	33.45	20.42	10.11	35.05	24.76	13.43	117.25	196.77	246.98	145.84	188.78	130.13	186.31	31.85	2261.9	93.7	119.91	5.853	0.03	0.77	7.80	0.30	59.19	11.05	73.70	85.00	259.27	8.99	13.60	
6-May-24	9.36	153.02	14.44	14.58	28.22	35.04	24.8	13.95	221.44	1.87	255.73	165.8	354.2	108.69	180.64	34.96	1665.7	77.4	93.69	4.723	0.02	0.84	9.17	0.07	59.27	15.33	51.98	81.99	178.81	0.28	11.40	
7-May-24	10.35	146.57	10.7	10.15	30.99	31.75	25.09	13.81	158.01	28.15	293.84	310.64	269.17	114.61	161.75	32.52	2331.1	206.7	50.80	5.924	0.02	0.81	6.13	0.06	58.15	8.69	15.70	76.39	324.59	0.28	11.34	
8-May-24	10.71	186.06	11.45	22.37	31.38	29.55	24.23	13.69	157.83	51.14	273.9	190.95	249.92	111.19	177.98	30.72	1791.8	361.0	42.30	4.975	0.02	0.85	7.09	0.05	58.01	11.04	7.72	77.45	205.66	0.28	19.20	
9-May-24	11.09	153.91	19.13	10.81	26.31	30.25	24.18	13.84	157.85	32.27	268.14	172.92	237.07	120.59	185.89	31.54	117.1	320.1	149.76	1.502	0.02	0.83	7.22	0.05	56.73	13.87	6.68	77.43	42.26	0.28	22.44	
10-May-24	11.09	221.93	14.53	14.13	28.13	31.53	23.64	14.01	157.35	19.9	274.96	212.84	223.71	98.38	179.67	37.43	58.1	304.1	71.94	1.144	0.02	0.84	5.20	0.06	58.12	7.73	2.68	76.43	31.06	0.34	17.19	
11-May-24	10.07	454.93	21.76	32.21	31.37	29.37	22.1	14.53	157.51	7.34	266.08	258.58	222.16	118.85	192.59	38.12	18.3	282.6	99.67	0.376	0.44	0.80	4.63	6.23	57.12	13.15	30.75	78.36	20.33	15.44	15.00	
12-May-24	11.33	778.65	22.33	4.96	36.02	27.9	22.73	14.48	158.12	0.08	269.41	182.33	232.41	178.41	189.26	35.26	18.8	310.2	69.29	0.258	0.91	0.81	4.91	24.80	59.12	21.20	5.96	79.89	19.87	32.26	15.47	
13-May-24	11.27	440.73	14.39	9.28	37.01	29.72	24.26	14.69	158.5	81.11	236.53	220.61	230.15	203.81	167.91	36.19	18.6	280.1	80.63	0.352	0.94	0.81	6.33	36.75	54.90	26.71	10.50	79.94	21.04	32.72	9.20	
14-May-24	10.2	0.72	8.61	9.95	39.34	28.86	21.92	15.3	157.69	186.5	121.57	191.79	224.99	266.97	145.72	33.02	18.6	395.3	232.21	0.460	0.86	0.75	5.00	43.43	56.12	32.10	12.22	79.67	21.44	30.56	11.91	
15-May-24	9.37	5.17	9.26	7.87	43.09	28.39	23.6	14.49	157.64	151.37	169.2	249.31	237.94	244.78	143.81	33.6	17.8	392.7	70.00	0.569	0.75	0.82	5.38	39.44	58.02	18.34	23.49	77.16	25.50	53.10	31.60	
16-May-24	9.81	6.58	7.14	21.29	46.55	26.79	24.56	14.97	156.03	138.74	168.65	281.98	214.5	203.59	107.63	29.62	16.6	276.4	175.87	0.660	0.74	0.81	5.85	39.06	58.49	13.92	31.26	76.90	27.88	43.33	11.51	
17-May-24	9.88	0.59	12.48	11.76	50.22	28.78	22.46	15.1	157.37	147.48	52.1	152.64	211.98	198.06	108.37	26.22	16.5	456.3	166.55	0.674	0.86	0.78	6.06	29.10	69.02	14.03	16.69	77.42	29.22	57.21	17.80	
18-May-24	9.56	3.62	6.4	247.48	58.07	29.1	21.58	14.75	157.93	134.23	147.1	197.94	216.77	169.99	108.69	28.77	16.5	524.3	107.11	0.674	0.77	0.78	6.06	52.25	61.91	25.80	17.90	79.33	29.21	57.11	19.07	
19-May-24	9.97	4.05	7.86	58.78	62.68	31.08	20.49	14.59	158.25	80.48	177.25	245.09	215.6	149.38	104.2	21.37	16.5	638.7	152.33	0.675	0.76	0.74	6.08	36.12	63.78	24.41	25.29	70.16	29.20	53.12	8.23	
20-May-24	10.31	4.34	7.29	19.32	85.26	37.64	22.98	14.33	109.9	91.77	79.95	147.65	230.58	135.91	98.09	20.84	16.5	272.3	155.98	0.675	0.56	0.87	6.07	33.56	64.46	15.67	29.64	73.37	29.20	33.42	14.35	
21-May-24	NA	25.5	5.42	37.07	60.63	33.35	25.34	14.83	5.2	236.5	NA	179.18	90.52	167.25	30.14	20.61	16.5	166.3	180.15	0.675	0.02	0.99	6.08	0.10	67.23	13.00	73.96	69.51	29.19	0.29	29.79	
22-May-24	NA	15.84	14.71	67.22	0.25	29.55	25.33	14.95	3.6	88.24	244.11	274.46	4.92	174.13	142.45	33.33	15.1	166.7	121.38	0.628	0.02	0.65	5.81	0.04	39.52	12.87	27.21	66.34	27.23	0.28	21.72	
23-May-24	NA	0.77	15.1	389.78	0.25	29.18	23.96	15.21	3.59	164.73	248.48	279.84	4.9	271.86	140.61	21.67	16.5	211.4	218.60	0.675	0.02	0.52	6.07	0.04	35.82	11.23	0.52	66.74	29.20	0.28	15.14	
24-May-24	4.09	2.87	15.6	428.52	0.25	30.36	22.61	15.64	3.6	174.74	291.55	308.74	4.89	237.86	141.05	22.24	16.2	197.6	482.89	0.675	0.31	0.93	6.12	13.24	54.61	11.76	37.26	66.31	29.19	9.37	142.44	
25-May-24	NA	14.03	13.41	540.63	0.25	27.43	23.84	15.72	3.57	184.8	287.74	306.37	4.9	244.68	138.38	26.48	16.0	182.1	430.59	0.674	0.75	0.79	6.13	58.72	54.12	8.74	27.02	74.45	29.19	35.45	136.26	
26-May-24	NA	16.23	15.02	14.1	0.25	27.28	22.43	15.7	3.64	187.2	268.94	265.79	4.91	248.06	169.57	33.17	16.5	131.6	331.06	0.669	0.78	0.67	6.03	50.87	54.06	12.08	9.28	66.97	29.27	24.53	73.66	
27-May-24	NA	19.31	16.16	147.41	0.25	27.8	22.3	15.79	3.67	186.37	280.79	316.58	4.9	255.13	164.16	32.45	17.3	255.6	335.54	0.669	0.74	0.65	6.03	38.26	50.98	15.63	6.61	63.78	29.31	43.74	52.31	
28-May-24	NA	19.3	10.02	542.78	0.25	29.42	21.93	15.98	3.76	197	291.17	320.67	4.89	256.46	160.17	24.75	17.3	199.1	216.70	0.669	0.79	0.66	6.03	40.67	61.83	20.54	7.84	67.45	29.31	32.52	16.47	
29-May-24	NA	20.16	14.17	171.76	0.25	29.73	22.94	16.66	3.77	195.93	294.38	292.45	4.9	233.15	160.59	22.01	17.6	136.2	266.85	0.668	0.73	0.63	6.03	47.21	53.79	11.88	10.97	69.41	29.31	19.68	34.79	
30-May-24	NA	12.13	18.28	162.06	0.25	28.74	23.59	17.2	3.8	210.97	296.39	248.81	4.88	245.09	146.43	15.85	17.7	177.0	55.35	0.665	0.71	0.67	6.02	26.96	59.54	9.16	14.75	66.19	29.21	24.67	7.31	
31-May-24	NA	3.96	13.4	12.6	0.25	27.74	22.95	19.37	3.83	223.04	299.29	42.42	4.87	224.62	132.85	3.98	17.6	116.2	15.96	0.669	0.71	0.70	6.08	30.54	56.37	4.67	7.45	65.39	29.31	12.16	7.23	
MINIMUM	4.09	0.59	5.42	4.96	0.25	26.79	20.49	13.42	3.57	0.08	52.10	42.42	3.91	98.38	30.14	3.98	15.10	77.40	15.96	0.26	0.02	0.52	4.63	0.04	35.82	4.67	0.52	63.78	19.87	0.28	7.23	
MAXIMUM	11.33	778.65	33.45	542.78	85.26	37.64	25.34	19.37	221.44	255.17	299.29	320.67	354.20	271.86	208.72	38.12	2331.10	772.00	482.89	6.18	0.94	0.99	46.47	58.72	69.02	32.10	73.96	85.00	324.59	57.21	142.44	
AVERAGE	9.95	117.82	15.10	99.40	23.23	30.42	23.47	14.94	82.48	139.57	229.55	216.24	126.29	184.89	153.39	28.75	303.03	293.45	169.39	1.83	0.51	0.76	8.68	24.74	57.62	15.45	22.78	73.45	62.57	24.96	27.42	

SUMMARY OF REALTIME STACK EMISSION MONITORING DATA TRANSMITTED TO TNPCB CARE AIR CENTRE

DAY WISE	PB 4 _ CO	PB 5 _ CO	PB 6 _ CO	PB 7 _ CO	PB 4 _ PM	PB 5 _ PM	PB 6 _ PM	PB 7 _ PM	PB 4 _ SO2	PB 5 _ SO2	PB 6 _ SO2	PB 7 _ SO2	PB 4 _ NO2	PB 5 _ NO2	PB 6 _ NO2	PB 7 _ NO2	SRP CO_ LK_1	SRP CO_ LK_2	SRP CO_ RB # 3	SRP H2S_ LK_1	SRP H2S_ LK_2	SRP H2S_ RB#3	SRP NOX_ LK_1	SRP NOX_ LK_2	SRP NOX_ RB # 3	SRP PM_ LK 1	SRP PM_ LK 2	SRP PM_ RB # 3	SRP SO2_ LK_1	SRP SO2_ LK_2	SRP SO2_ RB # 3	
	UOM	(mg/Nm3)																ppm						mg/Nm3			ppm					
Jun-24																																
1-Jun-24	NA	10.91	16.17	2.05	0.25	25.51	23.97	15.03	3.92	233.11	267.63	164.62	4.88	209.27	153.49	17.34	18.1	274.0	2.59	0.667	0.62	0.74	6.03	28.70	58.59	9.62	6.27	65.40	29.31	40.05	9.44	
2-Jun-24	2.04	19.05	11.71	77.88	0.25	26.32	23.96	16.16	3.75	227.64	284.03	125.93	4.89	229.76	163.69	14.35	18.2	361.7	2.28	0.663	0.65	0.81	6.02	19.15	58.43	7.18	7.57	67.49	29.34	52.50	19.23	
3-Jun-24	0.81	18.42	10.45	575.18	0.25	26.15	24.25	16.04	3.67	236.14	285.79	194.07	4.9	219.98	165.25	14.75	18.1	377.5	141.53	0.663	0.67	0.76	6.02	19.53	57.27	10.38	7.78	70.75	29.37	28.19	25.86	
4-Jun-24	NA	19.43	11.36	566.3	0.25	25.55	24.13	16.51	3.64	238.2	281.6	196.79	4.87	221.96	182.21	14.98	18.5	664.6	287.06	0.663	0.64	0.77	6.06	3.44	61.82	11.04	6.63	63.64	29.36	15.95	55.74	
5-Jun-24	NA	27.14	7.19	461.57	0.25	25.96	23.54	16.82	3.72	199.24	259.56	163.69	4.87	232.06	188.93	17.3	1.0	963.5	318.94	0.085	0.77	0.69	2.77	8.69	59.25	9.16	17.15	62.90	5.12	48.65	46.26	
6-Jun-24	NA	11.72	30.26	26.07	0.25	26.94	23.76	16.67	3.67	297.06	122.58	101.82	4.87	248.7	199.05	24.35	-2.1	952.0	45.03	-0.013	0.50	0.29	2.22	6.69	7.54	13.65	10.89	62.60	1.03	17.11	20.71	
7-Jun-24	NA	20.66	16.64	42.38	0.25	26.67	24.55	16.75	3.63	374.12	243.4	140.82	4.89	248.63	167.34	23.33	-2.0	971.2	12.23	-0.013	0.56	0.18	2.22	13.07	7.22	2.52	11.20	63.08	1.03	33.60	10.57	
8-Jun-24	NA	31.29	14.7	0.25	0.25	26.78	23.47	17.01	3.6	372.59	229.79	313.98	4.89	253.74	130.74	36.83	-2.0	1048.0	217.15	-0.011	0.42	0.83	2.24	4.22	54.24	0.10	11.43	65.19	1.01	17.12	52.76	
9-Jun-24	NA	35.6	14.24	0	0.25	25.93	22.83	17	3.67	366.45	213.77	336.73	4.86	246.91	123.74	38.7	-2.0	744.3	160.19	-0.013	0.64	0.65	2.22	5.04	59.44	0.22	8.24	72.93	1.03	60.11	158.24	
10-Jun-24	NA	38.64	12.02	0	0.25	26.76	23.31	17	3.89	361.05	246.9	348.66	4.85	247.11	127.56	34.82	4.1	757.7	254.26	0.184	0.71	0.66	3.35	14.55	58.89	5.94	9.11	69.72	9.26	53.93	102.59	
11-Jun-24	NA	21.86	8.9	0	0.25	27.24	22.76	16.94	3.98	368.7	241.06	266.81	4.85	248.83	139.72	37.57	18.7	368.1	202.30	0.666	0.72	0.63	6.03	30.57	62.80	9.77	5.05	66.12	29.33	30.76	66.01	
12-Jun-24	NA	20.98	9.24	0	0.25	27.32	23.23	22.06	3.99	372.63	241.01	184.98	4.86	237.12	153.99	39.39	18.8	329.0	73.93	0.664	0.70	0.67	6.03	32.39	62.41	11.09	5.17	61.75	29.33	51.86	31.44	
13-Jun-24	NA	22.25	16.86	0	0.25	28.3	23.38	24.09	3.96	358.84	225.13	201.35	4.88	243.17	143.47	39.1	17.9	360.7	75.27	0.668	0.64	0.61	6.05	27.62	60.70	10.71	6.34	65.28	29.31	57.14	6.18	
14-Jun-24	11.33	27.5	13.69	0	3.52	26.31	24.22	23.52	63.03	351.99	213.9	165.76	83.28	242.85	131.09	37.14	17.2	910.1	112.84	0.670	0.54	0.63	6.07	15.29	66.60	11.21	8.65	65.54	29.27	53.78	11.45	
15-Jun-24	9.51	35.68	10.99	0	20.49	27.28	23.45	22.88	154.58	356.23	215.66	186.32	201.51	241.41	144.18	37.17	18.8	563.5	159.36	0.664	0.57	0.60	6.07	21.29	65.34	10.16	9.70	63.65	29.34	34.38	10.03	
16-Jun-24	10.11	16.13	8.43	0	26.55	28.04	23	19.68	154.04	353.58	236.83	185.15	205.72	237.4	125.94	36.62	18.7	392.7	90.34	0.663	0.67	0.59	6.04	23.84	69.22	9.82	6.84	63.84	29.35	51.10	9.86	
17-Jun-24	10.65	16.02	9.45	0	28.05	26.32	23.02	18.5	153.72	364.11	220.98	204.99	215.98	223.66	113.59	35.68	18.9	383.2	132.81	0.664	0.65	0.59	6.04	22.42	61.47	8.89	7.94	64.04	29.35	73.12	14.66	
18-Jun-24	10.49	16.28	14.24	0	35.03	24.61	23.03	24.04	153.26	357.3	258	262.47	212.16	217.25	117	36.13	18.8	265.6	85.41	0.665	0.62	0.58	6.03	29.62	67.25	11.11	8.52	67.80	29.34	46.55	7.85	
19-Jun-24	10.52	13.58	15.92	0	32.62	24.84	26.06	23.3	152.85	358.33	200.35	184.22	214.06	213.4	115.22	36	18.2	342.7	128.92	0.668	0.69	0.54	6.04	21.13	63.12	9.26	6.46	67.98	29.32	24.09	11.84	
20-Jun-24	9.76	12.52	19.13	0	29.8	26.31	29.66	26.96	152.58	349.45	206.2	206.61	209.84	215.55	124.06	40.17	26.8	442.4	50.70	2.618	0.55	0.53	39.37	19.15	65.17	10.89	4.19	68.12	34.99	41.60	24.60	
21-Jun-24	9.69	14.48	11.23	0	14.52	25.03	29.03	27.8	152.23	341.66	216.95	210.71	206.49	216.14	131.02	39.98	209.2	297.7	38.79	6.049	0.60	0.54	146.26	15.41	65.32	12.91	3.98	67.36	129.74	33.68	24.06	
22-Jun-24	10.44	14.91	11.42	0	14.81	25.43	28.46	26.2	152.65	342.79	255.73	267.92	210.78	214.8	127.78	40.99	31.4	324.4	104.41	5.708	0.69	0.57	121.96	32.18	67.46	12.37	6.43	62.28	87.67	40.12	22.64	
23-Jun-24	9.89	12.37	12.69	0	17.39	27.67	28.79	26.41	134.29	346.18	230.58	211.75	212.52	210.31	133.63	44.02	660.0	272.5	139.15	3.872	0.21	0.55	66.42	11.06	71.34	10.87	27.93	57.95	138.55	6.37	23.06	
24-Jun-24	9.8	13.65	9.49	0	16.41	28.46	28.65	26.59	137.48	359.96	314.59	311.35	212.23	210.82	131.94	39.01	989.3	300.2	1.766	0.01	0.54	56.27	0.13	64.74	12.60	0.21	57.59	221.79	0.14	25.77		
25-Jun-24	9.54	11.16	12.4	30.02	16.32	29.47	28.95	26.8	136.98	349.28	251.99	233.61	208.85	203.32	139.4	33.2	858.3	317.7	168.29	0.845	0.01	0.53	61.15	0.12	69.20	14.30	0.21	56.62	175.45	0.14	16.79	
26-Jun-24	9.68	10.92	15.5	187.99	20.55	29.78	29.05	27.09	124.08	340.31	217.4	72.47	171.16	202.84	136.52	15.96	1641.5	197.3	139.43	1.694	0.01	0.54	39.78	0.10	69.35	9.63	0.22	56.91	308.00	0.14	13.49	
27-Jun-24	10.44	13.43	22.78	71.58	37.75	29.37	29.89	27.19	41.57	350.63	269.03	87.82	88.61	210.56	153.02	16.86	755.8	45.3	260.79	0.528	0.13	0.53	63.41	3.89	67.38	8.90	13.37	57.46	158.74	1.08	28.98	
28-Jun-24	9.65	9.39	73.93	77.73	42.61	28.96	23.7	27.09	2.39	357.57	282.2	118.93	100.11	209.96	114.88	23.01	292.5	230.8	162.25	0.582	0.75	0.60	83.14	21.90	64.49	11.25	6.80	57.59	103.04	37.71	17.11	
29-Jun-24	9.18	17.64	NA	363.86	56.55	26.92	3.4	31.93	17.82	358.22	NA	164.38	96.46	202.84	NA	22.01	30.8	160.5	72.81	0.168	0.77	0.69	106.97	24.81	59.84	12.96	4.45	56.28	82.31	31.04	36.51	
30-Jun-24	10.22	17.43	NA	111.48	34.86	26.54	3.4	32.11	0.42	361.64	NA	138.58	87.61	199.28	NA	19.65	56.0	133.4	50.54	0.153	0.76	0.64	98.22	24.31	64.64	16.65	3.52	52.82	60.96	23.50	34.23	
MINIMUM	0.81	9.39	7.19	0.00	0.25	24.61	3.40	15.03	0.42	199.24	122.58	72.47	4.85	199.28	113.59	14.35	-2.10	45.30	2.28	-0.01	0.01	0.18	2.22	0.10	7.22	0.10	0.21	52.82	1.01	0.14	6.18	
MAXIMUM	11.33	38.64	73.93	575.18	56.55	29.78	29.89	32.11	154.58	374.12	314.59	348.66	215.98	253.74	199.05	44.02	1641.50	1048.00	318.94	6.05	0.77	0.83	146.26	32.39	71.34	16.65	27.93	72.93	308.00	73.12	158.24	
AVERAGE	9.14	19.03	15.75	86.48	15.04	26.89	23.76	22.21	64.44	333.50	240.45	198.44	100.02	225.32	142.09	30.21	192.92	458.41	127.23	1.10	0.55	0.60	32.55	16.68	59.68	9.84	7.74	63.36	63.37	33.52	31.27	

SUMMARY OF REALTIME STACK EMISSION MONITORING DATA TRANSMITTED TO TNPCB CARE AIR CENTRE																															
DAY WISE	PB 4_CO	PB 5_CO	PB 6_CO	PB 7_CO	PB 4_PM	PB 5_PM	PB 6_PM	PB 7_PM	PB 4_SO2	PB 5_SO2	PB 6_SO2	PB 7_SO2	PB 4_NO2	PB 5_NO2	PB 6_NO2	PB 7_NO2	SRP_CO_LK_1	SRP_CO_LK_2	SRP_CO_RB # 3	SRP_H2S_LK_1	SRP_H2S_LK_2	SRP_H2S_RB#3	SRP_NOX_LK_1	SRP_NOX_LK_2	SRP_NOX_RB # 3	SRP_PM_LK 1	SRP_PM_LK 2	SRP_PM_RB # 3	SRP_SO2_LK_1	SRP_SO2_LK_2	SRP_SO2_RB # 3
UOM	(mg/Nm3)																ppm									mg/Nm3			ppm		
Jul-24																															
1-Jul-24	10.02	19.12	NA	32.58	38.49	25.32	3.4	32.24	45.72	350.06	NA	45.29	187.27	198.24	NA	18.9	494.6	126.9	75.98	0.454	0.72	0.66	112.35	21.03	56.95	20.67	4.31	52.86	80.95	25.32	18.71
2-Jul-24	10.13	16.45	0.07	0.27	37.71	25.9	3.4	30.81	28.66	325.16	NA	182.97	78.95	202.09	NA	53.32	275.3	215.3	47.69	0.209	0.78	0.65	92.89	15.76	60.82	21.59	4.94	59.40	48.87	26.39	15.63
3-Jul-24	9.43	15.95	0.31	198.21	51.06	25.31	3.4	31.14	188.75	343.99	NA	197.54	216.03	198.11	46.04	26.39	47.6	464.1	49.36	0.141	0.69	0.63	87.77	8.94	57.96	12.19	2.51	62.19	39.95	50.52	17.08
4-Jul-24	9.95	16.91	0.08	155.56	49.2	26.16	3.4	31.15	144.95	350.2	NA	208.98	250.97	193.7	NA	20.36	104.6	281.1	42.83	0.147	0.65	0.63	122.81	11.43	62.23	11.59	4.28	61.22	53.14	42.19	15.77
5-Jul-24	9.64	17.79	NA	11.89	50.22	25.8	3.4	30.61	154.62	327.65	NA	137.82	271.72	197.44	NA	23.53	171.7	315.2	61.93	0.185	0.60	0.63	133.59	13.56	63.55	12.97	4.53	62.58	60.29	38.35	15.65
6-Jul-24	9.11	30.73	0.05	200.84	51.55	25.46	3.4	31.03	139.09	328.32	NA	146.49	309.82	195.69	NA	15.97	43.8	391.5	31.50	0.155	0.59	0.64	87.99	42.42	62.90	9.85	6.18	68.40	56.67	152.38	15.69
7-Jul-24	8.79	18.72	0.08	242.74	55.84	25.88	3.4	31.41	133.22	343.68	NA	154.48	329.61	142.37	NA	16.84	27.4	440.8	61.17	0.147	0.67	0.61	83.10	54.18	59.39	9.96	10.69	70.28	46.66	142.41	15.99
8-Jul-24	9.74	9.93	0.05	14.03	55.56	27.07	3.4	30.65	119.54	341.05	NA	112.62	262.43	11.17	NA	17.78	289.1	482.8	11.78	0.295	0.59	0.67	77.67	33.55	60.77	10.61	10.96	65.31	79.02	19.26	16.47
9-Jul-24	7.9	13.19	0.22	562.23	63.76	27.3	3.4	30.78	120.52	345.75	NA	150.55	228.28	11.77	NA	13.21	-2.1	240.1	39.91	-0.012	0.75	0.63	2.22	41.51	59.47	0.10	6.70	66.41	1.03	16.84	18.08
10-Jul-24	10.07	13.35	NA	277.73	57	27.36	3.4	30.67	130.93	340.56	NA	234.12	240.69	12.12	NA	20.94	-2.2	515.2	40.24	-0.012	0.78	0.65	2.22	33.98	57.72	0.10	7.30	59.92	1.03	15.36	17.60
11-Jul-24	9.66	16.46	28.24	199.45	48.39	27.18	12.4	30.55	132.95	346.34	269.98	128.06	241.23	78.68	169.69	10.55	-2.2	491.7	28.58	-0.012	0.80	0.66	2.22	34.65	63.23	0.10	14.29	58.79	1.03	12.67	17.58
12-Jul-24	9.96	13.19	30.23	198.22	39.37	29.87	21.29	30.29	143.54	352.24	324.21	151.46	241.14	185.93	137.31	4.99	-2.2	667.6	28.51	-0.011	0.76	0.65	2.22	27.00	60.26	7.21	21.55	58.52	1.03	11.35	17.94
13-Jul-24	9.64	9.75	23.79	363.64	39.77	30.41	20.63	30.37	131.59	338.22	287.29	67.96	221.71	186.19	140.96	1.06	-2.2	571.0	83.96	-0.011	0.78	0.64	2.22	28.18	63.17	0.76	24.30	59.21	1.03	10.71	18.16
14-Jul-24	9.28	15.36	25.24	201.4	40.19	29.22	19.67	30.4	129.89	339.55	188.86	83.2	219.93	203.53	184.94	12.34	179.9	297.8	35.58	0.304	0.76	0.66	44.06	38.37	59.98	7.23	17.17	56.88	50.39	11.76	19.57
15-Jul-24	9.15	20.85	24.62	187.23	39.67	29.36	19.23	30.4	113.68	335.77	195.01	126.67	216.01	203.64	185.56	22.68	1553.3	392.3	63.74	2.206	0.68	0.65	42.51	28.12	57.66	6.43	7.02	56.62	287.36	12.40	22.44
16-Jul-24	8.83	8.42	50.96	235.59	40.37	30.11	18.01	30.21	119.15	343.16	221.82	146.8	203.8	214.13	158.08	17.85	859.1	335.6	73.37	0.748	0.70	0.74	46.72	28.30	57.10	6.43	8.85	56.70	182.40	10.69	19.99
17-Jul-24	9.03	9.88	16.93	341.19	40.4	30.83	19.36	30.95	138.76	343.26	212.01	163.69	210.17	209.22	181.29	18.87	766.3	459.5	25.57	0.654	0.67	0.69	32.26	25.03	57.67	6.84	13.36	56.53	166.85	10.71	19.55
18-Jul-24	8.76	17.47	13.18	1364.86	48.2	30.58	18.21	30.53	120.33	344.5	137	303.67	206.38	217.97	154.49	28.52	1065.1	368.0	118.51	1.012	0.68	0.69	27.27	25.57	59.84	6.06	10.69	56.69	234.35	10.68	28.09
19-Jul-24	NA	15.44	9.97	1073.53	25.66	30.02	19.54	31.2	53.89	346.56	217.72	266.69	75.2	233.14	151.66	18.19	724.5	421.9	57.94	0.665	0.69	0.74	32.19	27.30	55.02	5.75	9.78	57.97	180.56	11.52	14.44
20-Jul-24	NA	30.56	13.34	474.62	0.85	31.15	18.53	30.17	7.05	336.56	163.81	219.89	1.29	251.49	148.3	18.88	562.0	462.8	29.65	0.516	0.72	0.71	31.45	25.49	54.05	6.00	9.96	58.94	151.58	10.96	13.61
21-Jul-24	NA	25.7	7.92	381.77	0.85	31.79	17.1	30.37	7.05	328.62	268.47	334.63	1.28	253.25	119.29	11.74	1061.0	495.6	33.79	0.988	0.69	0.72	28.99	22.63	58.61	5.52	5.09	58.07	222.74	11.72	22.44
22-Jul-24	NA	30.95	8.59	1014.33	0.85	31.17	17.01	30.09	7.05	335.59	138.96	171.67	1.27	248	161.27	10.34	553.1	571.3	24.97	0.664	0.69	0.73	33.68	17.50	58.85	5.37	5.47	57.44	171.19	10.75	31.07
23-Jul-24	NA	28.74	14.87	874.9	0.85	30.86	17.06	30.02	7.05	320.7	222.21	169.78	1.27	245.69	132.79	15.57	1146.2	383.4	29.24	2.610	0.72	0.68	36.59	20.36	61.33	6.01	7.75	60.04	274.86	10.76	25.96
24-Jul-24	0.1	33.99	14.9	380.13	0.85	31.25	17.19	30.04	7.05	318.23	149.3	162.61	1.28	245.5	153.75	17.9	787.3	101.9	16.42	1.467	0.70	0.70	44.11	35.88	61.13	6.35	8.46	56.60	197.90	8.77	5.50
25-Jul-24	NA	27.64	10.82	299.08	0.85	31.63	17.85	29.97	7.05	335.65	204.47	254.06	1.28	236.65	147.12	15.19	227.9	74.0	30.00	0.555	0.69	0.68	50.75	40.87	61.29	7.18	8.65	55.57	119.19	7.70	7.59
26-Jul-24	NA	13.99	11.43	24.24	0.85	31.35	18.33	29.99	7.05	329.14	227.88	291.12	1.27	214.48	150.03	18.58	191.7	64.8	63.01	0.550	0.69	0.63	59.44	34.73	63.61	7.87	7.90	57.88	124.78	6.12	8.14
27-Jul-24	NA	13.46	17.81	32.39	0.85	31.24	18.7	29.71	7.05	311.74	246.52	273.99	1.26	89.06	145.73	24.24	282.9	66.0	150.56	0.712	0.70	0.61	48.01	32.52	61.67	7.05	5.91	67.07	138.58	6.10	8.26
28-Jul-24	NA	14.53	12.81	16.44	0.85	31.21	18.93	29.39	7.05	312.79	255.83	192.11	1.28	120.81	170.63	31.08	106.9	83.9	70.32	0.355	0.73	0.73	79.11	39.23	62.42	13.10	11.21	64.05	99.22	6.58	8.41
29-Jul-24	NA	31.31	14.48	16.98	0.85	30	19.01	29.83	7.05	297.1	214.59	150.41	1.27	78.76	186.82	28.49	72.0	65.7	56.05	0.332	0.72	0.68	69.54	54.50	56.53	11.24	21.00	61.96	95.01	5.60	8.69
30-Jul-24	NA	3.13	18.91	48.58	0.85	31.16	19.52	30.28	7.05	291.16	214.08	162.47	1.28	12.02	179.69	28.59	493.8	37.4	135.22	1.099	0.21	0.66	34.86	15.49	58.97	12.23	73.96	59.29	123.19	2.08	11.20
31-Jul-24	NA	5.09	51.02	941.41	0.85	31.77	17.17	30.28	7.05	290	271.86	228.5	1.28	12.05	139	17.04	155.9	21.2	83.77	0.501	0.01	0.64	11.93	0.03	62.31	10.16	3.73	62.48	56.74	0.14	8.56
MINIMUM	0.10	3.13	0.05	0.27	0.85	25.31	3.40	29.39	7.05	290.00	137.00	45.29	1.26	11.17	46.04	1.06	-2.20	21.20	11.78	-0.01	0.01	0.61	2.22	0.03	54.05	0.10	2.51	52.86	1.03	0.14	5.50
MAXIMUM	10.13	33.99	51.02	1364.86	63.76	31.79	21.29	32.24	188.75	352.24	324.21	334.63	329.61	253.25	186.82	53.32	1553.30	667.60	150.56	2.61	0.80	0.74	133.59	54.50	63.61	21.59	73.96	70.28	287.36	152.38	31.07
AVERAGE	8.90	18.00	15.03	334.39	28.47	29.15	13.51	30.50	76.59	332.04	220.57	181.30	136.34	164.61	152.02	19.35	394.58	319.56	54.88	0.57	0.66	0.67	50.41	28.33	59.89	8.21	11.56	60.19	107.99	23.19	16.25

SUMMARY OF REALTIME STACK EMISSION MONITORING DATA TRANSMITTED TO TNPCB CARE AIR CENTRE

DAY WISE	PB 4_CO	PB 5_CO	PB 6_CO	PB 7_CO	PB 4_PM	PB 5_PM	PB 6_PM	PB 7_PM	PB 4_SO2	PB 5_SO2	PB 6_SO2	PB 7_SO2	PB 4_NO2	PB 5_NO2	PB 6_NO2	PB 7_NO2	SRP_CO_LK_1	SRP_CO_LK_2	SRP_CO_RB#3	SRP_H2S_LK_1	SRP_H2S_LK_2	SRP_H2S_RB#3	SRP_NOX_LK_1	SRP_NOX_LK_2	SRP_NOX_RB#3	SRP_PM_LK_1	SRP_PM_LK_2	SRP_PM_RB#3	SRP_SO2_LK_1	SRP_SO2_LK_2	SRP_SO2_RB#3
UOM	(mg/Nm3)																	ppm							mg/Nm3			ppm			
Aug-24																															
1-Aug-24	NA	3.05	15.06	836.46	0.85	31.65	19.43	29.96	7.05	290.77	282.6	246.53	1.28	12	162.74	15.49	949.5	21.2	46.96	1.851	0.01	0.68	19.53	0.03	60.90	9.20	2.72	59.34	168.44	0.13	20.18
2-Aug-24	NA	3.59	31.21	298.66	0.85	32.82	18.52	29.92	7.05	290.84	195.33	170.92	1.27	12	174.52	18.99	1401.5	21.3	128.71	3.183	0.01	0.69	15.49	0.02	60.29	10.82	0.23	57.41	229.60	0.13	26.17
3-Aug-24	NA	2.35	11.48	3.09	0.85	32.37	19.64	29.63	7.05	301.45	312.9	270.73	1.27	12	153.61	28.6	713.9	21.4	76.11	1.856	0.01	0.74	27.56	0.02	61.14	17.63	0.23	57.07	153.17	0.12	31.67
4-Aug-24	NA	42.14	13.02	446.65	0.85	32.51	19.27	29.59	7.05	315.64	302.96	251.32	1.26	107.56	156.59	19.88	957.0	21.4	198.12	2.712	0.01	0.73	23.43	0.02	58.90	17.25	0.23	57.61	195.42	0.13	45.29
5-Aug-24	NA	65.94	17.15	462.26	0.85	31.58	20.85	30.06	7.05	294.89	299.48	206.05	1.26	190.17	165.16	18.4	1142.9	21.5	169.68	3.116	0.01	0.79	21.44	0.02	49.94	19.56	0.23	60.53	202.69	0.14	60.87
6-Aug-24	NA	87.86	17.83	0.14	0.85	30.43	22.2	29.21	7.05	299.42	159.63	171.72	1.27	245.98	135.95	30.76	621.4	21.5	13.78	1.719	0.01	0.26	37.23	0.01	7.84	12.90	0.23	67.26	157.29	0.13	9.35
7-Aug-24	NA	31.28	13.69	25.33	0.85	29.45	18.81	28.98	7.05	302.59	159.6	202.31	1.28	140.6	105.38	29.18	486.7	21.5	62.26	1.633	0.01	0.24	30.92	0.01	7.44	6.79	0.23	70.88	147.66	0.13	15.83
8-Aug-24	8.97	36.94	11.45	683.11	0.85	27.57	16.49	29.34	7.05	296.9	109.31	257.47	1.27	83.71	59.55	15.6	628.6	26.5	174.88	1.983	0.12	0.58	35.52	5.81	58.17	7.48	12.66	62.51	166.23	0.30	97.85
9-Aug-24	10.52	21.02	8.36	591.79	18.06	19.16	16.67	29.11	35.66	200.72	59.02	274.15	58.88	44.45	71.36	16.82	401.4	214.3	96.73	0.948	0.77	0.62	87.41	45.11	59.93	10.78	53.41	60.52	146.89	6.96	104.71
10-Aug-24	9.05	104.21	6.07	325.08	20.76	12.07	16.51	29.18	60.47	26.81	95.09	262.96	118.69	225.39	54.27	16.07	1053.9	341.5	202.23	1.030	0.72	0.65	319.83	68.60	58.20	7.96	47.63	62.07	0	12.16	113.66
11-Aug-24	2.76	51.56	9.48	1255.55	9.36	17.71	16.55	29.48	38.09	33.42	31.82	109.68	100.89	215.59	100.03	10.79	1883.2	200.6	129.46	0.865	0.72	0.53	587.59	70.96	62.95	8.93	53.52	64.16	0	11.06	128.48
12-Aug-24	NA	5.66	12.28	504.75	2.83	20.34	16.64	29.58	18.31	64.1	152.86	161.52	46.79	54.6	135.18	10.03	1305.0	233.1	70.68	1.836	0.70	0.54	363.80	71.20	61.63	14.64	55.65	68.68	0	12.23	69.18
13-Aug-24	NA	2.49	12.78	729.16	1.03	20.25	16.49	29.58	7.05	181.38	140	165.22	6.93	28.64	132.35	10.93	2011.6	300.9	109.10	1.753	0.53	0.48	628.47	63.45	65.70	10.73	50.00	65.06	0	12.19	48.38
14-Aug-24	NA	3.77	9.05	887.4	1.03	19.83	16.55	30.03	7.05	101.28	60.29	215.88	6.93	22.91	74.19	7.27	2011.3	579.5	56.89	1.308	0.58	0.49	629.39	45.64	62.66	10.06	49.18	66.29	0	11.78	28.87
15-Aug-24	NA	11.06	9.74	249.69	1.02	19.1	17.27	30.35	7.05	165.16	97.8	119.72	6.93	24.32	78.19	8.85	1242.7	347.5	39.81	1.130	0.71	0.56	392.36	67.07	60.69	8.68	15.31	67.28	0	16.16	29.44
16-Aug-24	NA	21.99	13.93	710.94	1.02	19.03	16.87	30.31	7.05	169.1	107.36	149.82	6.93	29.97	116.29	9.72	11.1	326.7	166.22	1.046	0.64	0.46	17.25	75.46	58.06	8.19	16.77	65.45	16.79	13.09	79.86
17-Aug-24	NA	17.96	23.58	124.76	1.02	19.44	16.81	30.12	7.05	165.79	89.57	171	6.93	28.7	90.75	17.3	9.0	294.5	273.20	0.702	0.56	0.38	15.50	64.22	61.60	13.82	15.86	67.57	14.94	10.32	62.20
18-Aug-24	NA	20.43	17.69	374.1	1.03	19.35	16.4	30.62	7.05	104.79	205.62	275.25	6.93	28.24	84.03	12.69	-2.2	461.3	121.60	-0.011	0.79	0.41	2.24	71.75	62.34	31.66	21.62	66.49	1.03	15.81	61.32
19-Aug-24	NA	16.25	9.55	587.2	1.03	18.61	16.77	30.45	7.05	96.34	64.35	125	6.93	28.92	60.98	12.99	-2.2	552.7	117.73	-0.011	0.85	0.45	2.24	56.41	62.67	0.32	11.10	66.20	1.03	13.82	53.09
20-Aug-24	NA	10.76	17.83	220.58	1.02	18.26	16.44	30.5	7.05	105.68	211.83	230.46	6.93	28.66	113.52	20.66	-2.2	569.4	117.25	-0.010	0.80	0.43	2.24	53.74	61.17	10.54	8.27	66.75	1.03	13.22	40.71
21-Aug-24	NA	7.09	39.18	520.29	1.02	17.64	16.07	30.48	7.05	99.96	270.88	163.72	6.93	29.06	169.79	19.25	-2.2	678.2	199.98	-0.009	0.85	0.56	2.24	54.97	62.02	0.32	3.48	65.72	1.03	14.87	50.79
22-Aug-24	NA	6.99	41.55	421.75	1.04	18.75	16.07	30.31	7.05	98.98	264.42	291.24	6.93	29.17	142.74	21.17	2.4	543.1	292.77	0.138	0.82	0.40	8.35	60.02	64.80	14.91	5.06	62.88	6.18	15.07	71.48
23-Aug-24	NA	9.3	39.01	466.09	1.04	18.75	16.5	30.32	7.05	106.27	195.75	271.13	6.92	28.14	166.82	32.01	9.8	243.4	222.77	0.908	0.80	0.32	14.29	76.61	60.18	12.40	32.21	58.07	16.59	14.48	49.81
24-Aug-24	NA	10.02	32.26	1234.59	1.03	19.65	16.73	30.51	7.05	109.25	237.57	362.97	6.93	28.18	170.33	34.06	8.0	209.5	155.56	1.052	0.76	0.42	6.40	77.57	62.13	12.67	34.98	58.04	5.72	15.60	31.86
25-Aug-24	NA	5.51	24.66	1091.53	1.03	19.6	16.16	30.36	7.05	105.98	230.2	346.15	6.93	27.86	161.08	30.12	10.6	169.8	259.81	0.962	0.71	0.37	4.77	73.68	61.07	11.00	27.28	57.97	4.47	14.95	25.50
26-Aug-24	NA	5.54	26.07	1592.49	1.03	19.58	15.92	30.57	7.05	100.05	228.9	305.47	6.93	28.11	176.35	35.1	9.1	355.8	231.56	2.049	0.67	0.39	4.69	66.47	61.04	11.78	26.65	58.21	4.41	17.68	41.55
27-Aug-24	NA	16.22	21.2	657.23	1.03	18.36	16.01	30.65	7.05	98.8	282.85	309.14	6.93	28.25	119.88	30.55	11.7	228.4	269.15	0.372	0.73	0.39	4.78	68.00	62.11	11.41	38.29	57.97	4.37	16.44	39.18
28-Aug-24	9.67	15.71	12.98	310.92	1.03	20.3	15.67	30.44	7.05	99.58	292.67	311.26	6.93	27.78	115.44	26.4	10.3	175.0	314.51	0.562	0.72	0.34	5.39	63.38	61.20	12.82	41.69	59.22	6.42	15.48	46.88
29-Aug-24	8.21	16.6	10.59	1158.65	1.03	20.33	15.91	30.89	7.05	114.11	266.88	318.56	6.93	26.94	143.18	28.71	7.8	209.4	288.59	2.206	0.68	0.37	5.85	64.51	62.68	12.03	20.39	58.88	8.36	15.43	42.87
30-Aug-24	9.18	43.32	13.28	547.92	1.03	18.75	16.3	30.55	7.05	108.94	265.32	311.95	6.93	61.33	148.01	31.37	10.4	260.7	345.16	0.422	0.67	0.35	6.27	57.93	56.28	16.65	30.02	69.15	9.51	15.19	59.40
31-Aug-24	NA	94.34	15.96	1914.55	1.03	18.72	15.96	30.78	7.05	113.69	227.35	320.61	6.93	136.17	154.51	24.49	9.3	278.0	393.64	0.814	0.68	0.32	5.99	58.09	57.22	15.68	30.25	76.38	8.55	15.53	57.97
MINIMUM	2.76	2.35	6.07	0.14	0.85	12.07	15.67	28.98	7.05	26.81	31.82	109.68	1.26	12.00	54.27	7.27	-2.20	21.20	13.78	-0.01	0.01	0.24	2.24	0.01	7.44	0.32	0.23	57.07	0.00	0.12	9.35
MAXIMUM	10.52	104.21	41.55	1914.55	20.76	32.82	22.20	30.89	60.47	315.64	312.90	362.97	118.69	245.98	176.35	35.10	2011.60	678.20	393.64	3.18	0.85	0.79	629.39	77.57	65.70	31.66	55.65	76.38	229.60	17.68	128.48
AVERAGE	8.34	25.51	18.00	620.41	2.50	22.00	17.18	30.06	11.06	160.09	190.33	237.09	15.07	65.01	125.57	20.78	545.53	256.44	172.42	1.23	0.54	0.48	107.37	47.77	57.19	11.92	22.75	63.28	54.12	10.35	53.05

SUMMARY OF REALTIME STACK EMISSION MONITORING DATA TRANSMITTED TO TNPCB CARE AIR CENTRE																															
DAY WISE	PB 4_CO	PB 5_CO	PB 6_CO	PB 7_CO	PB 4_PM	PB 5_PM	PB 6_PM	PB 7_PM	PB 4_SO2	PB 5_SO2	PB 6_SO2	PB 7_SO2	PB 4_NO2	PB 5_NO2	PB 6_NO2	PB 7_NO2	SRP_CO_LK_1	SRP_CO_LK_2	SRP_CO_RB#3	SRP_H2S_LK_1	SRP_H2S_LK_2	SRP_H2S_RB#3	SRP_NOX_LK_1	SRP_NOX_LK_2	SRP_NOX_RB#3	SRP_PM_LK_1	SRP_PM_LK_2	SRP_PM_RB#3	SRP_SO2_LK_1	SRP_SO2_LK_2	SRP_SO2_RB#3
UOM	(mg/Nm3)																ppm						mg/Nm3			ppm					
Sep-24																															
1-Sep-24	0.29	93.76	11.67	1623.01	1.02	19.16	15.28	30.41	7.05	104.7	243.79	288.07	6.93	131.76	151.1	28.22	9.0	416.6	324.67	1.127	0.65	0.33	6.21	46.11	59.92	21.19	36.20	73.51	8.76	14.44	61.41
2-Sep-24	0.29	94.57	14.91	1888.97	1.02	18.72	15.41	30.54	7.05	115.97	208.89	295.25	6.93	132.78	142.11	23.98	5.2	23.9	282.58	1.625	0.01	0.40	5.96	0.14	57.82	24.69	58.01	74.49	7.60	0.86	59.65
3-Sep-24	0.29	95.27	15.73	576.09	1.03	18.36	16.27	30.23	7.05	117.09	226.54	274.57	6.93	135.33	150.86	29.74	47.8	22.8	347.02	1.128	0.01	0.33	16.75	0.06	61.27	26.60	30.53	71.32	50.25	0.15	39.61
4-Sep-24	0.29	94.62	11	756.59	1.03	18.67	16.12	30.19	7.05	114.31	260.61	288.14	6.93	135.34	129.02	36.08	151.7	22.8	329.34	0.872	0.01	0.37	46.70	0.05	59.74	20.74	12.17	73.41	162.39	0.15	69.69
5-Sep-24	1.64	93.58	11.19	16.45	1.03	18.62	15.62	29.41	7.05	116.99	258.16	122.08	6.93	134.98	160.97	21.91	151.1	44.0	390.86	1.758	0.01	0.32	53.85	0.06	59.39	15.22	0.24	64.87	164.74	0.15	43.89
6-Sep-24	0.29	94.74	14.04	4.89	1.03	19.86	15.89	NA	7.05	109.7	118.65	0	6.93	136.14	148.39	1.66	152.8	104.8	236.53	0.890	0.37	0.35	57.69	26.74	59.49	19.11	19.36	63.53	167.31	6.30	43.28
7-Sep-24	0.29	95.41	18.76	0.19	1.02	20.7	15.61	18.2	7.05	110.98	173.94	0	6.93	134.67	127.89	1.21	153.2	318.9	238.13	0.546	0.73	0.39	60.14	47.23	65.36	20.59	5.05	64.15	167.82	14.36	65.23
8-Sep-24	10.98	95.43	11.5	0.05	1.03	20.85	15.25	2.32	7.05	100.15	140.69	0	6.92	133.91	149.61	1.22	153.6	311.2	312.20	0.216	0.81	0.37	62.32	42.97	59.96	30.41	4.24	63.21	170.79	15.45	194.94
9-Sep-24	17.35	94.34	24.34	0.16	17.63	20.26	15.76	2.85	126.33	104.73	171.11	0	217.16	131.94	191.3	0.96	153.8	208.6	374.11	0.324	0.78	0.38	63.15	48.03	51.57	26.39	3.45	62.86	171.69	14.81	213.12
10-Sep-24	17.16	94.02	34.36	0	39.78	20.32	16.35	2.85	172.93	107.01	126.96	0	340.75	132.42	201.46	0.84	153.8	165.9	338.31	0.204	0.68	0.41	62.56	51.17	47.45	21.35	2.78	63.30	171.40	14.39	213.50
11-Sep-24	17.34	94.39	42.52	0.01	31.29	21.12	15.98	2.85	157.31	105.54	77.04	0	312.35	133.45	168.63	0.64	153.0	172.0	422.06	0.276	0.59	0.32	58.95	61.96	56.81	18.21	6.01	64.28	171.16	14.96	193.09
12-Sep-24	17.46	94.52	77.2	0	32.8	20.95	16.25	2.85	163.01	103.18	178.16	0	326.93	133.96	153.7	0.32	152.2	270.7	184.11	0.425	0.43	0.38	53.42	46.49	59.16	18.25	12.75	65.64	170.13	13.12	189.47
13-Sep-24	17.23	94.25	51.82	0	28.51	19.84	15.95	2.85	180.45	108.18	285.79	0	322.39	135.22	156.07	0.35	33.6	49.8	17.44	0.046	0.01	0.45	13.02	0.07	54.30	24.63	65.11	60.62	40.04	0.16	191.05
14-Sep-24	17.34	94.89	33.12	0	49.46	20.04	15.83	2.85	169.97	125.65	186.18	0	309.71	136.41	175.25	0.35	97.6	50.0	185.24	0.808	0.01	0.39	31.12	0.08	55.66	17.66	26.27	56.98	107.96	0.16	187.17
15-Sep-24	17.33	93.99	29.94	0	47.13	21.85	16.1	2.85	152.67	117.54	307.57	0	281.25	132.89	133.51	0.17	151.5	50.7	225.94	3.246	0.01	0.45	47.22	0.08	58.42	28.33	0.33	59.14	166.67	0.23	186.54
16-Sep-24	17.46	94.26	21.59	0	47.01	22.05	16.06	2.85	164.14	105.42	308.31	0	289.79	135.06	130.58	0.18	152.0	73.6	178.18	1.143	0.25	0.49	46.54	22.56	54.79	33.59	10.08	57.76	166.09	4.81	214.27
17-Sep-24	17.39	96.05	15.36	0	49.38	22.53	16.3	2.85	169.28	105.36	306	0	309.09	138.04	137.05	0.23	152.0	309.3	384.97	0.505	0.73	0.35	47.36	58.92	58.23	35.07	10.43	58.77	166.47	15.13	206.13
18-Sep-24	17.41	95.33	18.34	0	48.66	22.08	16.61	2.85	160.11	103.99	300.04	0	291.92	134.94	125.55	0.12	152.4	310.1	387.54	0.224	0.69	0.29	49.95	53.12	56.17	27.80	9.44	61.72	167.96	16.04	197.93
19-Sep-24	17.25	95.06	16.31	0	43.53	21.07	16.59	2.85	161.91	117.43	295.77	0	280.87	135.01	183.56	0.07	152.7	181.6	279.36	0.213	0.72	0.38	53.16	55.64	57.63	21.59	11.84	61.68	169.23	15.86	227.43
20-Sep-24	17.38	94.07	12.5	0	27.26	20.43	16.48	2.85	157.37	110.22	286.47	0	273.28	133.08	178.81	0.05	152.7	91.4	224.79	0.209	0.68	0.44	55.83	58.53	58.71	22.32	7.02	60.12	169.87	14.74	216.86
21-Sep-24	17.57	94.31	16.76	0	30.48	21.17	16.41	2.85	156.8	117.25	276.98	0	280.57	133.45	190.45	0.04	153.0	91.3	197.07	0.217	0.68	0.39	54.28	59.40	57.25	16.33	11.83	61.85	169.57	15.05	194.83
22-Sep-24	17.45	94.25	18.53	0	32.22	21.75	16.2	2.85	153.28	110.93	312.09	0	274.83	134.47	168.24	0.03	153.0	90.4	171.21	0.266	0.68	0.43	54.06	54.30	60.22	16.94	13.04	60.77	168.80	14.14	199.96
23-Sep-24	17.48	95.86	24.27	0	27.2	22.81	16.21	2.85	165.33	112.07	297.11	0	298.26	137.43	120.31	0.02	152.7	262.0	180.79	0.328	0.64	0.34	52.45	50.25	58.20	19.19	12.40	61.04	168.91	15.37	187.70
24-Sep-24	17.3	95.82	50.37	0	32.34	23.29	16.5	2.85	161.32	123.01	288.15	0	313.77	138.03	151.23	0.03	152.6	358.3	161.68	0.371	0.58	0.34	53.19	44.42	57.08	17.53	17.40	60.75	170.16	16.27	185.13
25-Sep-24	17.36	95.72	59.16	0	36.56	22.79	12.16	2.85	165.11	120.61	247.42	0	324.01	137.78	84.69	0.01	152.9	462.2	125.81	0.439	0.47	0.37	55.57	30.56	60.85	20.33	33.45	60.46	170.16	15.35	191.40
26-Sep-24	17.07	97.07	22.02	0	40.72	23.78	16.36	2.85	165.22	115.73	339.47	0	303.43	138.91	179.96	0.02	152.8	133.0	198.22	0.180	0.01	0.30	54.60	0.11	60.73	48.80	43.83	60.51	169.73	0.33	185.18
27-Sep-24	17.09	100.38	29.48	0	39.62	24.36	17.33	2.85	168.53	124.74	304.2	0	298.77	139.35	127.49	0.01	152.4	114.8	281.66	0.133	0.01	0.34	48.18	0.05	53.34	52.46	31.81	60.36	166.73	0.16	192.48
28-Sep-24	17.36	101.08	28.68	37.51	22.46	23.33	16.78	2.85	175.61	130.1	309.77	147.63	267.01	137.08	118.94	36.04	152.3	173.0	281.01	0.122	0.01	0.31	46.78	0.06	60.18	35.98	14.57	61.87	165.04	0.16	213.62
29-Sep-24	17.36	99.99	24.61	0.42	9.41	22.6	16.42	NA	175.75	111.7	293.82	122.46	244.18	140.15	135.52	40.16	152.4	223.2	102.64	0.122	0.01	0.40	47.67	0.06	61.26	24.64	0.66	61.89	166.56	0.20	224.83
30-Sep-24	17.35	96.14	18.34	0.9	10.28	22.53	16.52	9.38	188.11	105.58	290.56	61.18	225.63	139.62	129.85	26.09	152.4	179.6	133.33	0.104	0.19	0.33	48.63	12.74	61.60	27.72	15.44	62.61	166.24	5.30	206.29
MINIMUM	0.29	93.58	11.00	0.00	1.02	18.36	12.16	2.32	7.05	100.15	77.04	0.00	6.92	131.76	84.69	0.01	5.20	22.80	17.44	0.05	0.01	0.29	5.96	0.05	47.45	15.22	0.24	56.98	7.60	0.15	39.61
MAXIMUM	17.57	101.08	77.20	1888.97	49.46	24.36	17.33	30.54	188.11	130.10	339.47	295.25	340.75	140.15	201.46	40.16	153.80	462.20	422.06	3.25	0.81	0.49	63.15	61.96	65.36	52.46	65.11	74.49	171.69	16.27	227.43
AVERAGE	13.20	95.44	25.95	163.51	25.06	21.20	16.02	8.49	122.23	112.53	247.34	53.31	214.71	135.45	150.07	8.36	133.61	176.22	249.89	0.60	0.38	0.37	46.91	29.07	58.09	25.12	17.52	63.12	147.34	8.62	166.52

ANNEXURE III

TNPCB - WATER ANALYSIS REPORT



Report No. DEL/DGL/309

Tamil Nadu Pollution Control Board

DISTRICT ENVIRONMENTAL LABORATORY, DINDIGUL-624 004.

REPORT OF ANALYSIS

1. Name and Address of the Sender : The District Environmental Engineer,
Tamil Nadu Pollution Control Board,
Karur.
2. Date and time of Collection : 30.07.2024 at 10.00AM - 10.30 AM
3. Date and time of Receipt at Laboratory : 30.07.2024 at 05.20 PM.
4. Condition of Seals, Fastening and Container : Sealed and Fastened Condition in
Polythene Carbuoy of 2.5 Lit x 5 Nos.
5. Nature and Number of Samples : Five Nos. of Effluent Samples.

DEE Code No.	Lab Code No.	Point of Collection	T/UT/PT/NM
DEEKAR240122	744	Low BOD Stream	Untreated
DEEKAR240123	745	Inlet of ASL	Untreated
DEEKAR240124	746	Secondary Clarifier Outlet	Treated
DEEKAR240125	747	Seepage Canal	Treated
DEEKAR240126	748	High BOD Stream	Untreated

S.P. Joshi
Environmental Scientist

S.M. A. Komar
Deputy Chief Scientific Officer
DEL, TNPC Board, Dindigul
02/09/24
— Page 2 of 3 —

Sl.No	Parameters	LAB Code	744	745	746	747	748
		DEE Code	DEEKAR240122	DEEKAR240123	DEEKAR240124	DEEKAR240125	DEEKAR240126
1.	pH		6.14	6.61	7.76	7.78	4.37
2.	Total Suspended Solids (mg/l)		486	122	18	08	2568
3.	Total Dissolved Solids at 180° (mg/l)		2084	2108	1764	1872	2008
4.	Chloride (as Cl) (mg/l)		910	920	660	690	850
5.	Sulphate (as SO ₄) (mg/l)		378	391	281	296	363
6.	BOD 3 days at 27° C (mg/l)		597	141	14.0	06	3795
7.	Chemical Oxygen Demand (mg/l)		2352	592	112	72	11680
8.	Ammonical Nitrogen (mg/l)		42.56	26.88	<5.0	<5.0	201.6
9.	Total Kjeldhal Nitrogen (mg/l)		94.64	60.48	8.4	6.72	498.4
10.	Sulphide (as S) (mg/l)		6.4	2.4	1.0	<1.0	9.6
11.	Phenolic Compounds (as Phenol) (mg/l)		0.0960	0.048	<0.0005	<0.0005	0.128
12.	Percent Sodium (%)		36	33	27	29	38

End of the Report


 Environmental Scientist


 Deputy Chief Scientific Officer, 03/09/24
 DEL, TNPC Board, Dindigul.



Report No. DEL/DGL/238

Tamil Nadu Pollution Control Board
DISTRICT ENVIRONMENTAL LABORATORY, DINDIGUL-624 004.

REPORT OF ANALYSIS

1. Name and Address of the Sender : The District Environmental Engineer,
Tamil Nadu Pollution Control Board,
Karur.
2. Date and time of Collection : 27.06.2024 at 10.45AM - 11.35 AM
3. Date and time of Receipt at Laboratory : 28.06.2024 at 04.30 PM.
4. Condition of Seals, Fastening and Container : Sealed and Fastened Condition in
Polythene Carbuoy of 2.5 Lit x 5 Nos.
5. Nature and Number of Samples : Five Nos. of Effluent Samples.

DEE Code No.	Lab Code No.	Point of Collection	T/UT/PT/NM
DEEKAR240066	560	Low BOD Stream	Untreated
DEEKAR240067	561	Inlet of ASL	Untreated
DEEKAR240068	562	Secondary Clarifier Outlat	Treated
DEEKAR240069	563	Seepage Canal	Treated
DEEKAR240070	564	High BOD Stream	Untreated

Environmental Scientist

Deputy Chief Scientific Officer,
DEL, TNPC Board, Dindigul

-----Page 2 of 3-----

Sl.No	Parameters	LAB Code	560	561	562	563	564
		DEE Code	DEEKAR240066	DEEKAR240067	DEEKAR240068	DEEKAR240069	DEEKAR240070
1.	pH		6.20	6.94	7.62	7.70	4.53
2.	Total Suspended Solids (mg/l)		624	186	14	08	1876
3.	Total Dissolved Solids at 180° (mg/l)		2122	2268	1448	1590	1808
4.	Chloride (as Cl) (mg/l)		1080	1130	610	740	850
5.	Sulphate (as SO ₄) (mg/l)		289	168	89	93	148
6.	BOD 3 days at 27° C (mg/l)		702	215	11	5.8	2184
7.	Chemical Oxygen Demand (mg/l)		2480	856	96	48	8640
8.	Ammonical Nitrogen (mg/l)		39.8	24.1	<5.0	<5.0	65.0
9.	Total Kjeldhal Nitrogen (mg/l)		51.5	38.1	<5.0	<5.0	93.5
10.	Sulphide (as S) (mg/l)		4.8	1.6	<1.0	<1.0	7.2
11.	Phenolic Compounds (as Phenol) (mg/l)		0.074	0.046	<0.0005	<0.0005	0.097
12.	Percent Sodium (%)		38	42	34	34	37

End of the Report


Environmental Scientist


Deputy Chief Scientific Officer,
DEL, TNPC Board, Dindigul.




Report No. DEL/DGL/155

Tamil Nadu Pollution Control Board
DISTRICT ENVIRONMENTAL LABORATORY, DINDIGUL-624 004.

REPORT OF ANALYSIS

1. Name and Address of the Sender : The District Environmental Engineer,
Tamil Nadu Pollution Control Board,
Karur.
2. Date and time of Collection : 22.05.2024 at 11.20AM - 11.40 AM
3. Date and time of Receipt at Laboratory : 23.05.2024 at 09.35 AM. (Handed
over to Security on 22.05.2024 at 05.50 PM)
4. Condition of Seals, Fastening and Container : Sealed and Fastened Condition in
Polythene Carbuoy of 2.5 Lit x 5 Nos.
5. Nature and Number of Samples : Five Nos. of Trade Effluent Samples.

DEE Code No.	Lab Code No.	Point of Collection	T/UT/PT/NM
DEEKAR240041	353	Low BOD Stream	Untreated
DEEKAR240042	354	Inlet of ASL Combined Effluent (Low & High BOD)	Partially treated
DEEKAR240043	355	Secondary Clarifier Outlet of ETP	Treated
DEEKAR240044	356	Seepage Canal	---
DEEKAR240045	357	High BOD Stream	Untreated



Environmental Scientist


Deputy Chief Scientific Officer,
DEL, TNPC Board, Dindigul

SLNo	Parameters	LAB Code	353	354	355	356	357
		DEE Code	DEEKAR240041	DEEKAR240042	DEEKAR240043	DEEKAR240044	DEEKAR240045
1.	pH		6.92	7.91	7.88	8.01	4.47
2.	Total Suspended Solids (mg/l)		786	242	10	06	1720
3.	Total Dissolved Solids at 180° (mg/l)		1536	1708	1374	2554	2360
4.	Chloride (as Cl) (mg/l)		650	690	610	1150	1060
5.	Sulphate (as SO ₄) (mg/l)		231	275	187	363	340
6.	BOD 3 days at 27° C (mg/l)		864	260	12	04	1650
7.	Chemical Oxygen Demand (mg/l)		2640	792	104	32	6480
8.	Ammonical Nitrogen (mg/l)		33.0	19.0	<5.0	<5.0	62.2
9.	Total Kjeldhal Nitrogen (mg/l)		70.6	39.2	6.2	<5.0	97.4
10.	Sulphide (as S) (mg/l)		6.4	4.0	<1.0	<1.0	8.8
11.	Phenolic Compounds (as Phenol) (mg/l)		0.086	0.042	<0.0005	<0.0005	0.094
12.	Percent Sodium (%)		31	28	31	27	23

End of the Report


21/6/2024
Environmental Scientist


Deputy Chief Scientific Officer,
DEL, TNPC Board, Dindigul.



Report No. DEL/DGL/60


Tamil Nadu Pollution Control Board
DISTRICT ENVIRONMENTAL LABORATORY, DINDIGUL-624 004.

REPORT OF ANALYSIS

1. Name and Address of the Sender : The District Environmental Engineer,
Tamil Nadu Pollution Control Board,
Karur.
2. Date and time of Collection : 25.04.2024 at 11.20AM - 11.40 AM
3. Date and time of Receipt at Laboratory : 26.04.2024 at 09.00 PM. (Handed
over to Security on 25.04.2024 at 05.50 PM)
4. Condition of Seals, Fastening and Container : Sealed and Fastened Condition in
Polythene Carbuoy of 2.5 Lit x 5 Nos.
5. Nature and Number of Samples : Five Nos. of Trade Effluent Samples.


DEE Code No.	Lab Code No.	Point of Collection	T/UT/PT/NM
DEEKAR240020	0138	Low BOD Stream	Untreated
DEEKAR240021	0139	Inlet of ASL Combined Effluent (Low & High BOD)	Partially treated
DEEKAR240022	0140	Secondary Clarifier Outlet of ETP	Treated
DEEKAR240023	0141	Seepage Canal	---
DEEKAR240024	0142	High BOD Stream	Untreated


Environmental Scientist


Deputy Chief Scientific Officer,
DEL, TNPC Board, Dindigul
-----Page 2 of 3-----

SLNo	Parameters	LAB Code	0138	0139	0140	0141	0142
		DEE Code	DEEKAR240020	DEEKAR240021	DEEKAR240022	DEEKAR240023	DEEKAR240024
1.	pH		6.44	7.10	7.92	8.09	4.78
2.	Total Suspended Solids (mg/l)		932	232	24	06	1550
3.	Total Dissolved Solids at 180° (mg/l)		2816	2208	1552	1284	2340
4.	Chloride (as Cl) (mg/l)		880	680	470	490	570
5.	Sulphate (as SO ₄) (mg/l)		662	402	332	282	12
6.	BOD 3 days at 27° C (mg/l)		882	280	15	04	1635
7.	Chemical Oxygen Demand (mg/l)		2560	800	104	32	6400
8.	Ammonical Nitrogen (mg/l)		17.9	13.4	<5.0	<5.0	34.2
9.	Total Kjeldhal Nitrogen (mg/l)		61.6	43.7	6.7	<5.0	52.1
10.	Sulphide (as S) (mg/l)		7.2	4.8	<1.0	<1.0	8.8
11.	Phenolic Compounds (as Phenol) (mg/l)		0.082	0.040	<0.0005	<0.0005	0.097
12.	Percent Sodium (%)		20	18	21	20	26

End of the Report


Environmental Scientist


Deputy Chief Scientific Officer,
DEL, TNPC Board, Bindigul.

**LATEST NABL ACCREDITED &
MoEF&CC RECOGNIZED
THIRD PARTY LAB – WATER
ANALYSIS TEST REPORT**

TEST REPORT

Test Report No & Date	CTL/CH/N-30108/2024-25 & 05.10.2024
Sample Number	N-30108/24-25
Name of the Customer	M/S. TAMIL NADU NEWSPRINT AND PAPERS LIMITED (MAIN PLANT),
Address	Kagihapuram - 639 136, Karur District, Tamil Nadu.
Sample Drawn by	Laboratory
Sample Name	Effluent Water
Sample Description	Effluent Water
Sampling Location	Righ BOD Stream - Inlet
GPS Reading	11°03'19.32"N & 77°59'56.616"E
Sample Drawn on	24.09.2024
Sample Received on	26.09.2024
Sampling Plan & Procedure	Grab Sample & CTL/QSP/09
Sample Quantity	2 Litres
Sample Condition	Good & Received in Plastic Container
Environmental Conditions	Temperature- 30.0°C and Humidity- 55.0%
Equipment used for Sampling	NA
Analysis Started on	26.09.2024
Analysis Completed on	05.10.2024

Test Results:

The above sample tested as received, and results are as follows:

DISCIPLINE : CHEMICAL

GROUP : POLLUTION AND ENVIRONMENT

S. NO	PARAMETERS	METHOD	UNITS	RESULTS
1	pH @ 25°C	4500 H+ B- APHA 24th Edn	-	4.9
2	Colour	2120 B- APHA 24th Edn	HU	250
3	Total Dissolved Solids	2540 C- APHA 24th Edn	mg/l	2544
4	Total Suspended Solids	2540 D- APHA 24th Edn	mg/l	1990
5	Biochemical Oxygen Demand (BOD) 3 days at 27°C	IS 3025 (Part 44)	mg/l	2197
6	Chemical Oxygen Demand (COD)	5220 B- APHA 24th Edn	mg/l	5744
7	Chloride as Cl	4500 Cl- B- APHA 24th Edn	mg/l	500
8	Sulphate as SO ₄	4500 SO ₄ E- APHA 24th Edn	mg/l	327
9	Oil & Grease	5520 O&G B- APHA 24th Edn (Partition Gravimetric Method)	mg/l	ELQ(LOQ:2.0)
10	Ammonical Nitrogen as N	4500 NH ₃ B, C - APHA 24th Edn	mg/l	56
11	Total Nitrogen as N	4500 - N - APHA 24th Edn	mg/l	124
12	Total Kjeldahl Nitrogen as N	4500 N - B, C- APHA 24th Edn	mg/l	108
13	Phenolic Compounds as C ₆ H ₅ OH	5530 B,C- APHA 24th Edn	mg/l	BLQ(LOQ:0.001)
14	Percent Sodium	CTL/SOP/WATER/60	%	44.6
15	Sulphide as S	4500- S ₂ -F- APHA 24th Edn	mg/l	56.9

BLQ - Below Limit of Quantification; LOQ - Limit of Quantification:

END OF REPORT


Verified by



For Chennai Testing Laboratory Pvt Ltd



Authorised Signatory

A. RAJKUMAR
Head - Water & Soil Division
(CHEMICAL)

Page 1 of 1

The Report shall not be used to malign, defame and for any malicious purpose.
The Report is meant only for sole use of the addressee to promote his/her own business.

A - Super 19, T.V.K. Industrial Estate, Guindy, Chennai - 600 032, Tamil Nadu - India

Phone : +91-44-2250 1757 | E-mail : chennaiestihg@chennaiestihg.com www.ctllabs.in

TEST REPORT

Test Report No & Date	CTL/CH/N-30109/2024-25 & 05.10.2024
Sample Number	N-30109/24-25
Name of the Customer	M/S. TAMIL NAUW NEWSPRINT ANU PAPERS LIMITED (MAIN ELANT),
Address	Kagithapuram - 689 136, Karur District, Tamil Nadu.
Sample Drawn by	Laboratory
Sample Name	Effluent Water
Sample Description	Effluent Water
Sampling Location	Low 30D Stream - lalet
GPS Reading	11°03'16.446"N & 77°59'50.595"E
Sample Urawn ou	24.09.2024
Sample Received eu	26.09.2024
Sampling Plan & Procedure	Grab Sample & CTL/QSP/09
Sample Quantity	2 Litres
Sample Condition	Good & Received in Plastic Container
Environmental Conditions	Temperature- 30.0°C and Humidity- 55.0%
Equipment used for Sampling	NA
Analysis Started ou	26.09.2024
Analysis Completed on	05.10.2024

Test Results:

The above sample tested as received, and results are as follows:


DISCIPLINE : CHEMICAL

GROUP : POLLUTION AND ENVIRONMENT

S. NO	PARAMETERS	METHOD	UNITS	RESULTS
1	pH @ 25°C	4500 H+ B- APHA 24th Edn	-	6.4
2	Colour	2120 E- APHA 24th Edn	HU	150
3	Total Dissolved Solids	2540 C- APHA 24th Edn	mg/l	2612
4	Total Suspended Solids	2540 D- APHA 24th Edn	mg/l	378
5	Biochemical Oxygen Demand (BOD) 3 days at 27°C	IS 3025 (Part 44)	mg/l	560
6	Chemical Oxygen Demand (COD)	5220 B- APHA 24th Edn	mg/l	2076
7	Chloride as Cl	4500 Cl- B- APHA 24th Edn	mg/l	730
8	Sulphate as SO ₄	4500 SO ₄ E- APHA 24th Edn	mg/l	158
9	Oil & Grease	5520 O&G B - APHA 24th Edn (Partition Gravimetric Method)	mg/l	BLQ(LOQ:2.0)
10	Ammonical Nitrogen as N	4500 NH ₃ B, C - APHA 24th Edn	mg/l	26.2
11	Total Nitrogen as N	4500 - N - APHA 24th Edn	mg/l	67.8
12	Total Kjeldahl Nitrogen as N	4500 N - B, C- APHA 24th Edn	mg/l	54.8
13	Phenolic Compounds as C ₆ H ₅ OH	5550 B,C- APHA 24th Edn	mg/l	BLQ(LOQ:0.001)
14	Percent Sodium	CTL/SOP/WATER/60	%	66.9
15	Sulphide as S	4500- S2 -P- APHA 24th Edn	mg/l	28

BLQ - Below Limit of Quantification; LOQ - Limit of Quantification

ENU OF REPDRT

Verified by 



For Chennai Testing Laboratory Pvt Ltd



Authorised Signatory

A. RAJKUMAR
Head - Water & Soil Division
(CHEMICAL)

Page 1 of 1

The Report shall not be used to malign, defame and for any malicious purpose.
The Report is meant help for sole use of the addressee to promote his/her own business.

A - Super 19, T.V.K. Industrial Estate, Guindy, Chennai - 600 032, Tamil Nadu - India

Phone : +91-44-2250 1757 | E-mail : chennaiesting@chennaiestinglab.com www.ctllabs.in

TEST REPORT

Test Report No & Date	CTL/CIL/N-30110/2024-25 & 05.10.2024
Sample Number	N-30110/24-25
Name of the Customer	M/5. TAMIL NADU NEWSPRINT AND PAPERS LIMITED [MAIN PLANT],
Address	Kagithapuram - 639 136, Karur District, Tamil Nadu.
Sample Drawn by	Laboratory
Sample Name	Effluent Water
Sample Description	Effluent Water
Sampling Location	Inlet to ASI
GPS Reading	11°03'9.941"N & 77°59'54.337"E
Sample Drawn on	24.09.2024
Sample Received on	26.09.2024
Sampling Plan & Procedure	Grab Sample & CTL/QSP/D9
Sample Quantity	2 Litres
Sample Condition	Good & Received in Plastic Container
Environmental Conditions	Temperature- 30.0°C and Humidity- 55.0%
Equipment used for Sampling	NA
Analysis Started on	26.09.2024
Analysis Completed on	05.10.2024

Test Results:

The above sample tested as received, and results are as follows:

DISCIPLINE : CHEMICAL

GROUP : POLLUTION AND ENVIRONMENT

S. NO	PARAMETERS	METHOD	UNITS	RESULTS
1	pH @ 25°C	4500 H+ B- APHA 24th Edn	-	7.1
2	Colour	3120 B- APHA 24th Edn	HU	100
3	Total Dissolved Solids	2540 C- APHA 24th Edn	mg/l	2466
4	Total Suspended Solids	2540 D- APHA 24th Edn	mg/l	364
5	Biochemical Oxygen Demand (BOD) 3 days at 27°C	IS 3025 (Part 44)	mg/l	230
6	Chemical Oxygen Demand (COD)	5220 B- APHA 24th Edn	mg/l	680
7	Chloride as Cl	4500 Cl- B- APHA 24th Edn	mg/l	610
8	Sulphate as SO ₄	4500 SO ₄ E- APHA 24th Edn	mg/l	202
9	Oil & Grease	5520 O&G B - APHA 24th Edn (Partition Gravimetric Method)	mg/l	BLQ(LOQ:2.0)
10	Ammonical Nitrogen as N	4500 NH ₃ B, C - APHA 24th Edn	mg/l	16.5
11	Total Nitrogen as N	4500 - N - APHA 24th Edn	mg/l	42.5
12	Total Kjeldahl Nitrogen as N	4500 N - B, C- APHA 24th Edn	mg/l	34.7
13	Phenolic Compounds as C ₆ H ₅ OH	5530 E,C- APHA 24th Edn	mg/l	ELQ(LOQ:0.001)
14	Percent Sodium	CTL/SOP/WATER/60	%	50.1
15	Sulphide as S	4500- S2 -F- APHA 24th Edn	mg/l	9.6

BLQ - Below Limit of Quantification; LOQ - Limit of Quantification.

END OF REPORT


Verified by



For Chennai Testing Laboratory Pvt Ltd



Authorized Signatory

A. RAJKUMAR
Head - Water & Soil Division
(CHEMICAL)

Page 1 of 1

The Report shall not be used to malign, defame and for any malicious purpose.
The Report is meant only for sole use of the addressee to promote his/her own business.

A - Super 19, T.V.K. Industrial Estate, Guindy, Chennai - 600 032, Tamil Nadu - India

Phone : +91-44-2250 1757 | E-mail : chennaiesting@chennaiestinglab.com www.ctllabs.in

TEST REPORT

Test Report No & Date CTL/CH/N-30111/2024-25 & 05.10.2024
Sample Number N-30111/24-25
Name of the Customer M/S. TAMIL NADU NEWSPRINT AND PAPERS LIMITED [MAIN PLANT],
Address Kagithapuram - 639 136,
 Karur District, Tamil Nadu.

Sample Drawn by Laboratory
Sample Name Effluent Water
Sample Description Seepage Water
Sampling Location Seepage Canal
GPS Reading 11°03'17.578"N & 78°00'15.442"E
Sample Drawn on 24.09.2024
Sample Received on 26.09.2024
Sampling Plan & Procedure Grab Sample & CTL/QSP/09
Sample Quantity 2 Litres
Sample Condition Good & Received in Plastic Container
Environmental Conditions Temperature- 30.0°C and Humidity- 55.0%
Equipment used for Sampling NA
Analysis Started on 26.09.2024
Analysis Completed on 05.10.2024

Test Results:

The above sample tested as received, and results are as follows:

DISCIPLINE : CHEMICAL

GROUP : POLLUTION AND ENVIRONMENT

S. NO	PARAMETERS	METHOD	UNITS	RESULTS
1	pH @ 25°C	4500 H+ B- APHA 24th Edn	-	3.2
2	Colour	2120 B- APHA 24th Edn	HU	10
3	Total Dissolved Solids	2540 C- APHA 24th Edn	mg/l	2762
4	Total Suspended Solids	2540 D- APHA 24th Edn	mg/l	11
5	Biochemical Oxygen Demand (BOD) 3 days at 27°C	IS 3025 (Part 44)	mg/l	8
6	Chemical Oxygen Demand (COD)	5220 E- APHA 24th Edn	mg/l	32
7	Chloride as Cl	4500 Cl- B- APHA 24th Edn	mg/l	895
8	Sulphate as SO ₄	4500 SO ₄ E- APHA 24th Edn	mg/l	337
9	Oil & Grease	5520 O&G B- APHA 24th Edn (Partition Gravimetric Method)	mg/l	BLQ(LOQ:2.0)
10	Ammonical Nitrogen as N	4500 ND3 B, C- APHA 24th Edn	mg/l	1.5
11	Total Nitrogen as N	4500 - N - APHA 24th Edn	mg/l	5.1
12	Total Kjeldahl Nitrogen as N	4500 N - B, C- APHA 24th Edn	mg/l	2.7
13	Phenolic Compounds as C ₆ H ₅ OH	5530 B.C- APHA 24th Edn	mg/l	ELQ(LOQ:0.001)
14	Percent Sodium	CTL/SOP/WATER/60	%	63.4
15	Sulphide as S	4500- S2 -F- APHA 24th Edn	mg/l	ELQ(LOQ:0.01)

BLQ - Below Limit of Quantification; LOQ - Limit of Quantification:

*****END OF REPORT*****


Verified by



Eor Chennai Testing Laboratory Pvt ltd



Authorised Signatory

A. RAJKUMAR
Head - Water & Soil Division
(CHEMICAL)

Page 1 of 1

The Report is meant only for sole use of the addressee to promote his/her own business.

A - Super 19, T.V.K. Industrial Estate, Guindy, Chennai - 600 032, Tamil Nadu - India

Phone : +91-44-2250 1757 | E-mail : chennaiesting@chennaiestinglab.com www.ctllabs.in

CIN : U93000TN2000PTC043889

TEST REPORT

Test Report No & Date	CTL/CH/N-30112/2024-25 & 05.10.2024
Sample Number	N-30112/24-25
Name of the Customer	M/S. TAMIL NADD NEWSPRINT AND PAPERS LIMITED [MAIN PLANT],
Address	Kagithapuram - 639 136, Karur District, Tamil Nadu.
Sample Drawn by	Laboratory
Sample Name	Effluent Water
Sample Description	Treated Effluent Water
Sampling Location	Secondary Clarifier Outlet
GPS Reading	11°03'9.805"N & 77°59'59.05"E
Sample Drawn on	24.09.2024
Sample Received on	26.09.2024
Sampling Plan & Precedoce	Grab Sample & CTL/QSP/09
Sample Quantity	2 Litres
Sample Couditiou	Good & Received in Plastic Container
Envircoumental Couditions	Temperature- 30.0°C and Humidity- 55.0%
Equipment used for Sampling	NA
Analysis Started ou	26.09.2024
Analysis Completed on	05.10.2024


Test Results:

The above sample tested as received, and results are as follows:

DISCIPLINE : CHEMICAL

GROUP : POLLUTION AND ENVIRONMENT

S. NO	PARAMETERS	METHOD	UNITS	RESULTS	LIMITS*
1	pH @ 25°C	4500 H+ B- APHA 24th Edn	-	7.9	5.5 to 9.0
2	Colour	2120 E- APHA 24th Edn	HU	50	-
3	Total Dissolved Solids	2540 C- APHA 24th Edn	mg/l	1978	Max.2100
4	Total Suspended Solids	2540 D- APHA 24th Edn	mg/l	29	Max.100
5	Biochemical Oxygen Demand (BOD) 3 days at 27°C	IS 3025 (Part 44)	mg/l	19	Max.30
6	Chemical Oxygen Demand (COD)	5220 E- APHA 24th Edn	mg/l	108	Max.250
7	Chloride as Cl	4500 Cl- B- APHA 24th Edn	mg/l	625	Max.1000
8	Sulphate as SO ₄	4500 SO ₄ E- APHA 24th Edn	mg/l	151	Max.1000
9	Oil & Grease	5520 O&G B- APHA 24th Edn (Partition Gravimetric Method)	mg/l	BLQ(LOQ:2.0)	Max.10
10	Ammonical Nitrogen as N	4500 NH ₃ B, C- APHA 24th Edn	mg/l	5.7	Max.50
11	Total Nitrogen as N	4500 - N - APHA 24th Edn	mg/l	17.1	-
12	Total Kjeldahl Nitrogen as N	4500 N - E, C- APHA 24th Edn	mg/l	9.9	Max.100
13	Phenolic Compounds as C ₆ H ₅ OH	5530 B.C- APHA 24th Edn	mg/l	BLQ(LOQ:0.001)	-
14	Percent Sodium	CTL/SOP/WATER/60	%	51.5	-
15	Sulphide as S	4500- S ₂ -F- APHA 24th Edn	mg/l	BLQ(LOQ:0.01)	Max.2.0

Verified by 



For Chennai Testing Laboratory Pvt Ltd



Authorised Signatory

A. RAJKUMAR
Head - Water & Soil Division
(CHEMICAL)

Page 1 of 2

The Report shall not be used to malign, defame and for any malicious purpose.
The Report is meant only for sole use of the addressee to promote his/her own business.

A - Super 19, T.V.K. Industrial Estate, Guindy, Chennai - 600 032, Tamil Nadu - India

Phone : +91-44-2250 1757 | E-mail : chennaiesting@chennaiestinglab.com www.ctllabs.in

TEST REPORT


Test Report No & Date	CTL/CH/N-30112/2024-25 & 05.10.2024
----------------------------------	-------------------------------------

S. NO	PARAMETERS	METHOD	DNITS	RESULTS	LIMITS*
16	Total Organic Carbon (TOC)	5310-C-APHA 24th Edn	mg/l	40.6	-
17	AOX	EPA 1653, 5021& 3260	mg/l	1.2	-

BLQ - Below Limit of Quantification; LOQ - Limit of Quantification; Max - Maximum.

*Limits as per TNPCB Norms for Trade Effluent

*****END OF REPORT*****



Verified by

Eer Chennai Testing Laboratory Pvt Ltd



Authorised Signatory

A. RAJKUMAR
Head - Water & Soil Division
(CHEMICAL)

Page 2 of 2

ANNEXURE IV

ONLINE – WATER QUALITY WATCH MONITORING DATA

ONLINE WATER QUALITY WATCH MONITORING DATA

Date	ETP_1_OUTLET-BOD (mg/l)	ETP_1_OUTLET-COD (mg/l)	ETP_1_OUTLET-TSS (mg/l)	ETP_1_OUTLET-pH
Apr-24				
01-04-2024	7.55	67.62	13.51	8.16
02-04-2024	9.84	89.54	19.92	8.19
03-04-2024	9.37	84.96	19.48	8.19
04-04-2024	8.53	77.45	17.11	8.2
05-04-2024	7.44	67.26	13.98	8.21
06-04-2024	8.96	81.36	16.97	8.17
07-04-2024	7.00	63.10	12.17	8.23
08-04-2024	8.66	78.62	14.81	8.18
09-04-2024	5.41	48.55	8.05	8.32
10-04-2024	4.61	41.09	34.46	7.94
11-04-2024	8.42	76.3	20.06	8.19
12-04-2024	8.75	79.48	31.24	8.14
13-04-2024	7.33	66.1	26.45	8.03
14-04-2024	10.06	91.49	30.51	8.14
15-04-2024	10.27	93.41	24.92	8.08
16-04-2024	9.14	83.00	23.73	8.08
17-04-2024	8.37	75.92	13.86	8.15
18-04-2024	6.01	53.97	9.61	8.13
19-04-2024	9.57	86.92	16.48	8.09
20-04-2024	9.54	86.71	18.52	8.08
21-04-2024	10.64	96.71	24.51	8.04
22-04-2024	9.46	86.06	36.77	8.05
23-04-2024	9.07	82.37	18.46	8.12
24-04-2024	8.39	76.15	15.36	8.17
25-04-2024	8.59	77.89	14.45	8.19
26-04-2024	9.19	83.42	16.05	8.17
27-04-2024	8.66	78.56	14.9	8.2
28-04-2024	7.75	70.13	13.76	8.24
29-04-2024	8.79	79.73	17.26	8.19
30-04-2024	10.02	91.06	21.58	8.17
MINIMUM	4.61	41.09	8.05	7.94
MAXIMUM	10.64	96.71	36.77	8.32
AVERAGE	255.39	2314.93	578.94	244.44

ONLINE WATER QUALITY WATCH MONITORING DATA

Date	ETP_1_OUTLET-BOD (mg/l)	ETP_1_OUTLET-COD (mg/l)	ETP_1_OUTLET-TSS (mg/l)	ETP_1_OUTLET-pH
May-24				
01-05-2024	10.46	95.05	26.26	8.11
02-05-2024	10.82	98.55	29.81	8.08
03-05-2024	10.38	94.4	27.76	8.1
04-05-2024	9.69	88.15	23.02	8.08
05-05-2024	6.81	61.6	13.84	8.1
06-05-2024	5.69	50.99	9.42	8.17
07-05-2024	7.76	70.27	15.37	8.15
08-05-2024	8.16	73.95	18.76	8.08
09-05-2024	7.42	67.22	22.4	8.02
10-05-2024	8.62	78.1	26.09	8.06
11-05-2024	7.05	63.75	24.36	8.09
12-05-2024	4.99	44.73	20.41	7.71
13-05-2024	4.43	39.39	29.14	7.76
14-05-2024	7.23	65.37	25.52	7.99
15-05-2024	6.88	62.04	23.96	8.07
16-05-2024	6.2	55.75	18.41	8.11
17-05-2024	7.55	68.23	23.76	8.16
18-05-2024	7.41	67.01	21.23	8.2
19-05-2024	7.42	67.03	21.09	8.21
20-05-2024	6.9	62.17	21.46	8.16
21-05-2024	6.14	55.22	32.42	7.88
22-05-2024	5.29	47.37	26.37	7.47
23-05-2024	3.62	31.93	15.96	7.78
24-05-2024	5.51	49.23	25.31	8.09
25-05-2024	5.13	45.78	27.56	8.07
26-05-2024	6.6	59.44	21.38	8.12
27-05-2024	7.01	63.19	24.87	8.14
28-05-2024	7.3	65.82	24.99	8.19
29-05-2024	7.21	65.08	17.45	8.25
30-05-2024	7.71	69.58	20.13	8.26
31-05-2024	5.97	53.49	17.81	7.99
MINIMUM	3.62	31.93	9.42	7.47
MAXIMUM	10.82	98.55	32.42	8.26
AVERAGE	7.08	63.87	22.46	8.05

ONLINE WATER QUALITY WATCH MONITORING DATA

Date	ETP_1_OUTLET-BOD (mg/l)	ETP_1_OUTLET-COD (mg/l)	ETP_1_OUTLET-TSS (mg/l)	ETP_1_OUTLET-pH
Jun-24				
01-06-2024	8.07	72.89	27.19	8.02
02-06-2024	7.88	71.3	22.24	8.06
03-06-2024	7.06	63.59	18.95	8.05
04-06-2024	7.13	64.25	17.39	8.04
05-06-2024	7.22	65.03	22.2	8.03
06-06-2024	6.1	54.8	23.27	7.96
07-06-2024	6.22	55.96	27.58	8.16
08-06-2024	4.83	42.99	26.02	7.98
09-06-2024	5.16	45.97	24	7.98
10-06-2024	6.14	55.16	18.84	8.13
11-06-2024	6.06	54.3	23.63	8.1
12-06-2024	8.88	80.43	25.23	8.19
13-06-2024	8.16	73.89	23.88	8.2
14-06-2024	6.23	55.88	12.54	8.18
15-06-2024	8.05	72.79	28.2	8.17
16-06-2024	8.38	75.84	30.03	8.19
17-06-2024	8.06	72.96	30.05	8.14
18-06-2024	8.43	76.3	27.91	8.09
19-06-2024	8.18	74.13	22.65	8
20-06-2024	7.88	71.25	21.69	8.08
21-06-2024	10.35	93.89	21.15	8.06
22-06-2024	7.82	70.82	14.24	8.06
23-06-2024	9.6	86.97	19.82	8.09
24-06-2024	8.88	80.52	18.31	8.04
25-06-2024	9.65	87.58	19.16	8.01
26-06-2024	9.73	88.35	21.75	8.07
27-06-2024	9.79	88.9	20.67	8.01
28-06-2024	8.64	78.31	16.46	8.05
29-06-2024	9.43	85.38	20.78	8.1
30-06-2024	8.28	75.07	23.67	8.05
MINIMUM	4.83	42.99	12.54	7.96
MAXIMUM	10.35	93.89	30.05	8.20
AVERAGE	7.88	71.18	22.32	8.08

ONLINE WATER QUALITY WATCH MONITORING DATA

Date	ETP_1_OUTLET-BOD (mg/l)	ETP_1_OUTLET-COD (mg/l)	ETP_1_OUTLET-TSS (mg/l)	ETP_1_OUTLET-pH
Jul-24				
01-07-2024	8.26	74.77	15.19	8.07
02-07-2024	8.65	77.89	18.42	8.05
03-07-2024	10.4	94.56	17.8	8.15
04-07-2024	5.91	53.08	13.35	8.15
05-07-2024	5.75	51.64	12.4	8.15
06-07-2024	6.46	58.12	16	8.22
07-07-2024	7.13	64.31	14.07	8.23
08-07-2024	9.23	83.7	13.47	8.18
09-07-2024	11.13	101.31	16.24	8.17
10-07-2024	8.24	74.42	13.91	8.18
11-07-2024	10.86	98.7	18.23	8.17
12-07-2024	10.24	93.08	16.73	8.16
13-07-2024	11.12	101.09	18.85	8.19
14-07-2024	10.27	93.38	18.43	8.2
15-07-2024	11.88	108.13	26	8.18
16-07-2024	10.1	91.68	17.6	8.2
17-07-2024	9.77	88.74	17.99	8.15
18-07-2024	7.62	69.01	9.35	7.95
19-07-2024	8.12	73.48	11.22	8.11
20-07-2024	6.91	62.32	8.95	8.18
21-07-2024	7.32	66.09	17.29	8.25
22-07-2024	8.56	77.45	18.93	8.28
23-07-2024	11.32	102.99	17.38	8.26
24-07-2024	10.88	98.98	15.92	8.28
25-07-2024	7.88	71.22	10.07	8.33
26-07-2024	9.68	87.84	13	8.33
27-07-2024	10.01	91.03	12.92	8.31
28-07-2024	8.48	76.66	12.13	8.16
29-07-2024	9.19	83.21	14	8.28
30-07-2024	9.17	83.19	13.9	8.32
31-07-2024	8.63	78.19	17.99	8.36
MINIMUM	5.75	51.64	8.95	7.95
MAXIMUM	11.88	108.13	26.00	8.36
AVERAGE	9.01	81.62	15.41	8.20



ONLINE WATER QUALITY WATCH MONITORING DATA

Date	ETP_1_OUTLET-BOD (mg/l)	ETP_1_OUTLET-COD (mg/l)	ETP_1_OUTLET-TSS (mg/l)	ETP_1_OUTLET-pH
Aug-24				
01-08-2024	9.38	85.08	19.53	8.29
02-08-2024	7.02	63.26	13.07	8.23
03-08-2024	7.75	70.06	13.63	7.87
04-08-2024	8.49	76.88	14.58	7.88
05-08-2024	7.07	63.79	12.66	7.88
06-08-2024	5.71	51.19	13.11	7.56
07-08-2024	5.75	51.51	14.91	7.28
08-08-2024	7.1	63.97	24.03	7.64
09-08-2024	5.58	49.99	24.41	7.67
10-08-2024	5.36	47.94	24.35	7.61
11-08-2024	3.53	31	26.9	7.47
12-08-2024	5.06	45.11	15.56	7.87
13-08-2024	3.75	33.02	21.77	7.96
14-08-2024	8.78	79.43	25.81	8.08
15-08-2024	5.81	52.09	18.3	7.64
16-08-2024	7.9	71.52	21.33	7.82
17-08-2024	6.94	62.37	26.61	7.6
18-08-2024	4.78	42.55	20.14	7.6
19-08-2024	10.16	91.95	24.15	7.69
20-08-2024	13.56	123.46	26.72	7.82
21-08-2024	12.3	112.1	23.48	7.82
22-08-2024	10.99	99.59	19.56	7.84
23-08-2024	8.52	77.3	13.52	7.86
24-08-2024	10.74	97.29	13.74	7.91
25-08-2024	9.35	84.96	13.57	7.94
26-08-2024	10.26	92.92	17.02	7.92
27-08-2024	9.63	87.42	15.88	7.9
28-08-2024	11.38	103.32	19.63	7.89
29-08-2024	10.55	95.85	20.03	7.93
30-08-2024	10.72	97.68	32.17	7.94
31-08-2024	8.04	72.59	19.53	7.75
MINIMUM	3.53	31.00	12.66	7.28
MAXIMUM	13.56	123.46	32.17	8.29
AVERAGE	8.13	73.46	19.67	7.81

ONLINE WATER QUALITY WATCH MONITORING DATA

Date	ETP_1_OUTLET-BOD (mg/l)	ETP_1_OUTLET-COD (mg/l)	ETP_1_OUTLET-TSS (mg/l)	ETP_1_OUTLET-pH
Sep-24				
01-09-2024	8.36	75.68	16.38	8.02
02-09-2024	10.07	91.55	18.6	7.94
03-09-2024	9.38	84.76	16.81	7.9
04-09-2024	10.08	91.58	19.5	7.95
05-09-2024	8.01	72.59	14.39	7.94
06-09-2024	9.61	87.07	19.16	7.96
07-09-2024	6.71	60.58	15.55	8.08
08-09-2024	7.84	70.81	16.69	7.91
09-09-2024	7.53	67.66	15.19	7.88
10-09-2024	8.41	76.03	14.83	7.89
11-09-2024	10.94	99.54	22.31	7.85
12-09-2024	6.45	58.21	20.31	7.65
13-09-2024	7.31	66.06	21.72	7.82
14-09-2024	8.71	78.84	24.84	7.91
15-09-2024	7.74	69.96	17.74	7.9
16-09-2024	10.29	93.35	16.65	7.97
17-09-2024	10.67	96.88	17.02	7.94
18-09-2024	9.96	90.56	15.83	7.91
19-09-2024	10	90.65	16.68	7.95
20-09-2024	9.24	83.8	16.1	8
21-09-2024	7.24	65.48	11.87	7.95
22-09-2024	7.29	65.85	11.46	7.94
23-09-2024	6.32	56.81	9.26	7.91
24-09-2024	8.24	74.66	12.6	7.92
25-09-2024	9.39	85.13	13.45	7.93
26-09-2024	8.89	80.51	12.32	8
27-09-2024	7.39	66.9	10.52	7.96
28-09-2024	9.72	88.25	15.75	7.95
29-09-2024	9.01	81.66	14.41	7.97
30-09-2024	8.48	76.88	17.08	7.97
MINIMUM	6.32	56.81	9.26	7.65
MAXIMUM	10.94	99.54	24.84	8.08
AVERAGE	8.64	78.28	16.17	7.93

ANNEXURE V

TNPCB - GROUND WATER ANALYSIS REPORT



Report No. DEL/DGL/240

Tamil Nadu Pollution Control Board


DISTRICT ENVIRONMENTAL LABORATORY, DINDIGUL-624 004.

REPORT OF ANALYSIS

1. Name and Address of the Sender : The District Environmental Engineer,
Tamil Nadu Pollution Control Board,
Karur.
2. Date and time of Collection : 27.06.2024 at 01.00 PM to 01.30 PM.
3. Date and time of Receipt at Laboratory : 28.06.2024 at 04.30 PM.
4. Condition of Seals, Fastening and Container : Sealed and Fastened Condition in
Polythene Carbuoy of 2.5 Lit x 5 Nos.
5. Nature and Number of Samples : Five Nos. of Well water Samples.

DEE Code No.	Lab Code No.	Point of Collection	T/UT/PT/NM
DEEKAR240073	567	Palamapuram Bhagavathi Amman Temple	Untreated
DEEKAR240074	568	Mr. Periyasamy Open well	Untreated
DEEKAR240075	569	Mr. Ponnusamy irrigation open well	Untreated
DEEKAR240076	570	Pandipalayam Hand Pump	Untreated
DEEKAR240077	571	Pandipalayam Open well	Untreated


Environmental Scientist


Deputy Chief Scientific Officer,
DEL, TNPC Board, Dindigul
—Page 2 of 3—

SLNO	PARAMETERS	LAB Code	567	568	569	570	571
		DEE Code	DEEKAR240073	DEEKAR240074	DEEKAR240075	DEEKAR240076	DEEKAR240077
1	pH		7.14	7.24	6.85	7.96	7.24
2	Total Suspended Solids (mg/l)		06	08	04	06	08
3	Total Dissolved Solids (mg/l)		3014	2924	3274	2376	2720
4	Chloride (as Cl) (mg/l)		1780	1570	1890	1160	1300
5	Sulphate (as SO ₄) (mg/l)		368	412	488	308	324
6	BOD 3 days at 27°C (mg/l)		04	3.8	03	04	05
7	Chemical Oxygen Demand (mg/l)		40	32	24	32	40
8	Fluoride (as F) (mg/l)		<1.0	<1.0	<1.0	<1.0	<1.0
9	Alkalinity (as CaCO ₃) (mg/l)		240	260	280	200	260
10	Total Hardness (as CaCO ₃) (mg/l)		1420	1360	1690	1180	1270
11	Calcium (as Ca) (mg/l)		341	352	393	329	337
12	Magnesium (as Mg) (mg/l)		139	117	173	87	104

* Total Coliform – Facility is not available

End of the Report

[Signature]
Environmental Scientist

[Signature]
Deputy Chief Scientific Officer,
DEL, TNPC Board, Dindigul.



Report No. DEL/DGL/241


Tamil Nadu Pollution Control Board


DISTRICT ENVIRONMENTAL LABORATORY, DINDIGUL-624 004.

REPORT OF ANALYSIS

1. Name and Address of the Sender : The District Environmental Engineer,
Tamil Nadu Pollution Control Board,
Karur.
2. Date and time of Collection : 27.06.2024 at 01.35 PM to 02.00 PM.
3. Date and time of Receipt at Laboratory : 28.06.2024 at 04.30 PM.
4. Condition of Seals, Fastening and Container : Sealed and Fastened Condition in
Polythene Carhuoy of 2.5 Lit x 4 Nos.
5. Nature and Number of Samples : Four Nos. of water Samples.

DEE Code No.	Lab Code No.	Point of Collection	T/UT/PT/NM
DEEKAR240078	572	Moolimangalam Pandipalayam Road (Open well)	Untreated
DEEKAR240079	573	Mr. E. Palanisamy Open Well	Untreated
DEEKAR240080	574	Mr. Thangavei Open well	Untreated
DEEKAR240081	575	Mr. Periyasamy Open well Sakthi pallam	Untreated


Environmental Scientist


Deputy Chief Scientific Officer,
DEL, TNPC Board, Dindigul

—Page 2 of 3—

SLNO	PARAMETERS	LAB Code	572	573	574	575
		DEE Code	DEEKAR240078	DEEKAR240079	DEEKAR240080	DEEKAR240081
1	pH		7.45	7.34	7.38	6.88
2	Total Suspended Solids (mg/l)		08	12	06	10
3	Total Dissolved Solids (mg/l)		2286	1978	2100	3244
4	Chloride (as Cl) (mg/l)		1250	980	1010	1800
5	Sulphate (as SO ₄) (mg/l)		282	231	308	467
6	BOD 3 days at 27°C (mg/l)		04	06	04	05
7	Chemical Oxygen Demand (mg/l)		32	48	32	40
8	Fluoride (as F) (mg/l)		<1.0	<1.0	<1.0	<1.0
9	Alkalinity (as CaCO ₃) (mg/l)		260	180	200	280
10	Total Hardness (as CaCO ₃) (mg/l)		1080	990	1000	1590
11	Calcium (as Ca) (mg/l)		289	269	260	393
12	Magnesium (as Mg) (mg/l)		87	78	85	148

* Total Coliform - Facility is not available
End of the Report

G. P. S. I. S. I.
Environmental Scientist

[Signature]
29/07/2024
Deputy Chief Scientific Officer,
DEL, TNPC Board, Dindigul.

**LATEST NABL ACCREDITED &
MoEF&CC RECOGNIZED
THIRD PARTY LAB – GROUND
WATER ANALYSIS TEST
REPORT**

TEST REPORT

Test Report No & Date CTL/CH/N-30113/2024-25 & 05.10.2024
Sample Number N-S0113/24-25
Name of the Customer M/S. TAMIL NADU NEWSPRINT AND PAPERS LIMITED [MAIN PLANT],
Address Kagithapuram - 639 136,
 Karur District, Tamil Nadu.

Sample Drawn by Laboratory
Sample Name Ground Water
Sample Description Ground Water
Sampling Location Palazapuram Bhagavathi Amman Temple Irrigation Open Well
GPS Reading 11°01'11.259"N & 78°00'42.063"E
Sample Drawn on 24.09.2024
Sample Received on 26.09.2024
Sampling Plan & Procedure Grab Sample & CTL/QSP/09
Sample Quantity 2 Litres
Sample Condition Good & Received in Plastic Container
Environmental Conditions Temperature- 30.0°C and Humidity- 55.0%
Equipment used for Sampling NA
Analysis Started on 36.09.2024
Analysis Completed on 05.10.2024

Test Results:

The above sample tested as received, and results are as follows:

DISCIPLINE : CHEMICAL & BIOLOGICAL


GROUP : WATER

S. NO	PARAMETERS	METHOD	UNITS	RESULTS
1	Colour	IS 3025 (Part 4)	HU	2
2	Odour	IS 3025 (Part 5)	-	Agreeable
3	pH @ 25°C	IS 3025 (Part 11)	-	7.7
4	Taste	IS 3025 (Part 8)	-	Disagreeable
5	Turbidity	IS 3025 (Part 10)	NTU	4
6	Total Dissolved Solids	IS 3025 (Part 16)	mg/l	3458
7	Calcium as Ca	IS 3025 (Part 40)	mg/l	204
8	Chloride as Cl ⁻	IS 3025 (Part 32)	mg/l	1270
9	Fluoride as F	IS 3025 (Part 60)	mg/l	0.43
10	Iron as Fe	IS 3025 (Part 53)	mg/l	0.68
11	Magnesium as Mg	IS 3025 (Part 46)	mg/l	126
12	Phenolic Compounds as C ₆ H ₅ OH	IS 3025 (Part 43/Sec 1)	mg/l	BLQ(LOQ:0.001)
13	Sulphate as SO ₄	IS 3025 (Part 24/Sec 1)	mg/l	461
14	Total Alkalinity as CaCO ₃	IS 3025 (Part 23)	mg/l	690
15	Total Hardness as CaCO ₃	IS 3025 (Part 21)	mg/l	1027
16	Cyanide as CN	IS 3025 (Part 27/Sec 1)	mg/l	BLQ(LOQ:0.001)
17	Total Suspended Solids	IS 3025 (Part 17)	mg/l	7
18	Biochemical Oxygen Demand (BOD) 3 days at 27°C	IS 3025 (Part 44)	mg/l	BLQ(LOQ:2.0)
19	Chemical Oxygen Demand (COD)	IS 3025 (Part 58)	mg/l	10
20	Potassium as K	IS 3025 (Part 45)	mg/l	60
21	Dissolved Oxygen	IS 3025 (Part 38)	mg/l	6.7
22	Chromium as Cr	IS 3023 (Part 2)	mg/l	BLQ(LOQ:0.0025)
23	Mercury as Hg		mg/l	BLQ(LOQ:0.001)
24	Arsenic as As		mg/l	BLQ(LOQ:0.001)

Verified by 



For Chennai Testing Laboratory Pvt Ltd



Authorised Signatory

A. RAJKUMAR
Head - Water & Soil Division
(CHEMICAL)

TEST REPORT

Test Report No & Date	CTL/CH/N-30113/2024-25 & 05.10.2024
----------------------------------	-------------------------------------

S. NO	PARAMETERS	METHOD	UNITS	RESULTS
25	Nitrate Nitrogen as N	IS 3025 (Part 54/Sec 1)	mg/l	1.9
26	Percent Sodium	CTL/SOP/WATER/60	%	59.9
27	Sodium absorption ratio	IS 11624	-	10.3
28	Oil & Grease	IS 3025 (Part 39)	mg/l	BLQ(LOQ:2.0)

*****END OF REPORT*****

[Signature]
Verified by

Eor Chennai Testing Laboratory Pvt ltd

[Signature]

Authorised Signatory

A. RAJKUMAR

Head - Water & Soil Division
(CHEMICAL)

Page 2 of 2

TEST REPORT

Test Report No & Date	CTL/CH/N-30114/2024-25 & 05.10.2024
Sample Number	N-30114/24-25
Name of the Customer	M/S. TAMIL NADU NEWSPRINT AND PAPERS LIMITED [MAIN PLANT],
Address	Kagithapuram - 639 136, Karur District, Tamil Nadu.
Sample Drawn by	Laboratory
Sample Name	Ground Water
Sample Description	Ground Water
Sampling Location	Periyasamy Open Well, Sakthipallam
GPS Reading	11°00'54.519"N & 77°59'28.836"E
Sample Drawn on	24.09.2024
Sample Received on	26.09.2024
Sampling Plan & Procedure	Grab Sample & CTL/Q3P/09
Sample Quantity	2 Litres
Sample Condition	Good & Received in Plastic Container
Environmental Conditions	Temperature- 30.0°C and Humidity- 55.0%
Equipment used for Sampling	NA
Analysis Started on	26.09.2024
Analysis Completed on	05.10.2024


Test Results:

The above sample tested as received, and results are as follows:

DISCIPLINE : CHEMICAL & BIOLOGICAL

GROUP : WATER

S. NO	PARAMETERS	METHOD	UNITS	RESULTS
1	Colour	IS 3025 (Part 4)	HU	2
2	Odour	IS 3025 (Part 5)	-	Agreeable
3	pH @ 25°C	IS 3025 (Part 11)	-	7.4
4	Taste	IS 3025 (Part 8)	-	Disagreeable
5	Turbidity	IS 3025 (Part 10)	NTU	1
6	Total Dissolved Solids	IS 3025 (Part 16)	mg/l	4060
7	Calcium as Ca	IS 3025 (Part 40)	mg/l	385
8	Chloride as Cl ⁻	IS 3025 (Part 32)	mg/l	1585
9	Fluoride as F	IS 3025 (Part 60)	mg/l	0.52
10	Iron as Fe	IS 3025 (Part 53)	mg/l	0.13
11	Magnesium as Mg	IS 3025 (Part 46)	mg/l	148
12	Phenolic Compounds as C ₆ H ₅ OH	IS 3025 (Part 43/Sec 1)	mg/l	BLQ(LOQ:0.001)
13	Sulphate as SO ₄	IS 3025 (Part 24/Sec 1)	mg/l	535
14	Total Alkalinity as CaCO ₃	IS 3025 (Part 23)	mg/l	330
15	Total Hardness as CaCO ₃	IS 3025 (Part 21)	mg/l	1569
16	Cyanide as CN	IS 3025 (Part 27/Sec 1)	mg/l	BLQ(LOQ:0.001)
17	Total Suspended Solids	IS 3025 (Part 17)	mg/l	3
18	Biochemical Oxygen Demand (BOD) 3 days at 27°C	IS 3023 (Part 44)	mg/l	BLQ(LOQ:2.0)
19	Chemical Oxygen Demand (COD)	IS 3025 (Part 58)	mg/l	10
20	Potassium as K	IS 3025 (Part 45)	mg/l	80
21	Dissolved Oxygen	IS 3025 (Part 38)	mg/l	6.9
22	Chromium as Cr	IS 3023 (Part 2)	mg/l	BLQ(LOQ:0.0025)
23	Mercury as Hg		mg/l	BLQ(LOQ:0.001)
24	Arsenic as As		mg/l	BLQ(LOQ:0.001)

Verified by 



For Chennai Testing Laboratory Pvt Ltd



Authorised Signatory

A. RAJKUMAR
Head - Water & Soil Division
(CHEMICAL)

Page 1 of 2

The Report shall not be used to malign, defame and for any malicious purpose.
The Report is meant only for sole use of the addressee to promote his/her own business.

A - Super 19, T.V.K. Industrial Estate, Guindy, Chennai - 600 032, Tamil Nadu - India

Phone : +91-44-2250 1757 | E-mail : chennaiesting@chennaiestinglab.com www.ctllabs.in

CIN : U93000TN2000PTC043889

TEST REPORT

Test Report No & Date	CTL/CH/N-30114/2024-25 & 05.10.2024
----------------------------------	--


S. NO	PARAMETERS	METHOD	UNITS	RESULTS
23	Nitrate Nitrogen as N	IS 3025 (Part 34/Sec 1)	mg/l	3.3
26	Percent Sodium	CTL/30P/WATER/60	%	56.7
27	Sodium absorption ratio	IS 11624	-	1.1.1
33	Oil & Grease	IS 3025 (Part 39)	mg/l	BLQ(LOQ:2.0)

BLQ - Below Limit of Quantification; LOQ - Limit of Quantification:

*****END OF REPORT*****


Verified by

For Chennai Testing Laboratory Pvt ltd



Authorized Signatory

A. RAJKUMAR

Head - Water & Soil Division
(CHEMICAL)

Page 2 of 2

The Report shall not be used to malign, defame and for any malicious purpose.
The Report is meant only for sole use of the addressee to promote his/her own business.

A - Super 19, T.V.K. Industrial Estate, Guindy, Chennai - 600 032, Tamil Nadu - India

Phone : +91-44-2250 1757 | E-mail : chennaiesting@chennaiestinglab.com www.ctllabs.in

CIN : U93000TN2000PTC043889

TEST REPORT

Test Report No & Date	CTL/CH/N-30115/2024-25 & 05.10.2024
----------------------------------	--

S. NO	PARAMETERS	METHOD	UNITS	RESULTS
23	Nitrate Nitrogen as N	IS 3025 (Part 34/Sec 1)	mg/l	2.9
26	Percent Sodium	CTL/SOP/WATER/6C	%	64.3
27	Sodium absorption ratio	IS 11624	-	13.2
23	Oil & Grease	IS 3025 (Part 39)	mg/l	BLQ(LOQ:2.0)

BLQ - Below Limit of Quantification; LOQ - Limit of Quantification.

*****END OF REPORT*****


Verified by

For Chennai Testing Laboratory Pvt Ltd


Authorized Signatory
A. RAJKUMAR
Head - Water & Soil Division
(CHEMICAL)

Page 2 of 2

The Report shall not be used to malign, defame and for any malicious purpose.
The Report is meant only for sole use of the addressee to promote his/her own business.

A - Super 19, T.V.K. Industrial Estate, Guindy, Chennai - 600 032, Tamil Nadu - India

Phone : +91-44-2250 1757 | E-mail : chennaifesting@chennaifestinglab.com www.ctllabs.in

TEST REPORT

Test Report No & Date	CTL/CH/N-30116/2024-25 & 05.10.2024
Sample Number	N-30116/24-25
Name of the Customer	M/S. TAMIL NADU NEWSPRINT AND PAPERS LIMITED [MAIN PLANT],
Address	Kagithaparam - 639 136, Karur District, Tamil Nadu.
Sample Drawn by	Laboratory
Sample Name	Ground Water
Sample Description	Ground Water
Sampling Location	Pandipalayam Hand Pump
GPS Reading	11°01'39.44"N & 77°69'44 61"E
Sample Drawn on	24.09.2024
Sample Received on	26.09.2024
Sampling Plan & Procedure	Grab Sample & CTL/Q3P/09
Sample Quantity	2 Litres
Sample Condition	Good & Received in Plastic Container
Environmental Conditions	Temperature- 30.0°C and Humidity- 55.0%
Equipment used for Sampling	NA
Analysis Started on	26.09.2024
Analysis Completed on	05.10.2024


Test Results

The above sample tested as received, and results are as follows:

DISCIPLINE : CHEMICAL & BIOLOGICAL


GROUP : WATER

S. NO	PARAMETERS	METHOD	UNITS	RESULTS
1	Colour	IS 3025 (Part 4)	HU	2
2	Odour	IS 3025 (Part 5)	-	Agreeable
3	pH @ 25°C	IS 3025 (Part 11)	-	7.5
4	Taste	IS 3025 (Part 8)	-	Disagreeable
5	Turbidity	IS 3025 (Part 10)	NTU	1
6	Total Dissolved Solids	IS 3025 (Part 16)	mg/l	3330
7	Calcium as Ca	IS 3025 (Part 40)	mg/l	202
8	Chloride as Cl ⁻	IS 3025 (Part 32)	mg/l	1076
9	Fluoride as F	IS 3025 (Part 60)	mg/l	0.37
10	Iron as Fe	IS 3025 (Part 53)	mg/l	0.26
11	Magnesium as Mg	IS 3025 (Part 46)	mg/l	105
12	Phenolic Compounds as C ₆ H ₅ OH	IS 3025 (Part 43/Sec 1)	mg/l	BLQ(LOQ:0.001)
13	Sulphate as SO ₄	IS 3025 (Part 24/Sec 1)	mg/l	445
14	Total Alkalinity as CaCO ₃	IS 3025 (Part 23)	mg/l	773
15	Total Hardness as CaCO ₃	IS 3025 (Part 21)	mg/l	936
16	Cyanide as CN	IS 3025 (Part 27/Sec 1)	mg/l	BLQ(LOQ:0.001)
17	Total Suspended Solids	IS 3025 (Part 17)	mg/l	3
18	Biochemical Oxygen Demand (BOD) 3 days at 27°C	IS 3023 (Part 44)	mg/l	BLQ(LOQ:2.0)
19	Chemical Oxygen Demand (COD)	IS 3025 (Part 58)	mg/l	BLQ(LOQ:4.0)
20	Potassium as K	IS 3025 (Part 45)	mg/l	62
21	Dissolved Oxygen	IS 3025 (Part 38)	mg/l	7.1
22	Chromium as Cr	IS 3025 (Part 2)	mg/l	BLQ(LOQ:0.0025)
23	Mercury as Hg		mg/l	BLQ(LOQ:0.001)
24	Arsenic as As		mg/l	BLQ(LOQ:0.001)

Verified by 



For Chennai Testing Laboratory Pvt Ltd



Authorised Signatory

A. RAJKUMAR
Head - Water & Soil Division
(CHEMICAL)

Page 1 of 2

The report shall not be used to malign, disparage and for any malicious purpose.
The Report is meant only for sole use of the addressee to promote his/her own business.

A - Super 19, T.V.K. Industrial Estate, Guindy, Chennai - 600 032, Tamil Nadu - India

Phone : +91-44-2250 1757 | E-mail : chennaiesting@chennaiestinglab.com www.ctllabs.in

CIN : U93000TN2000PTC043889


TEST REPORT

Test Report No & Date	CTL/CH/N-30116/2024-25 & 05.10.2024
----------------------------------	--


S. NO	PARAMETERS	METHOD	UNITS	RESULTS
25	Nitrate Nitrogen as N	IS 3025 (Part 34/Sec 1)	mg/l	6.5
26	Percent Sodium	CTL/SOP/WATER/60	%	62.39
27	Sodium absorption ratio	IS 11624	-	11.01
28	Oil & Grease	IS 3025 (Part 39)	mg/l	BLQ(LOQ:2.0)

BLQ - Below Limit of Quantification, LOQ - Limit of Quantification.

*****END OF REPORT*****


Verified by

For Chennai Testing Laboratory Pvt Ltd



Authorised Signatory

A. RAJKUMAR
Head - Water & Soil Division
(CHEMICAL)

Page 2 of 2

The Report shall not be used to malign, defame and for any malicious purpose.
The Report is meant only for sole use of the addressee to promote his/her own business.

A - Super 19, T.V.K. Industrial Estate, Guindy, Chennai - 600 032, Tamil Nadu - India

Phone : +91-44-2250 1757 | E-mail : chennaiesting@chennaiestinglab.com www.ctlilabs.in

TEST REPORT

Test Report No & Date	CTL/CH/N-30117/2024-25 & 05.10.2024
Sample Number	N-30117/24-25
Name of the Customer	M/S. TAMIL NADU NEWSPRINT AND PAPERS LIMITED (MAIN PLANT),
Address	Kagithapuram - 639 136, Karur District, Tamil Nadu.
Sample Drawn by	Laboratory
Sample Name	Ground Water
Sample Description	Ground Water
Sampling Location	Rasappan Open Well, Moolimangalam
GPS Reading	11°01'47.588"N & 77°59'44.073"E
Sample Drawn on	24.09.2024
Sample Received on	26.09.2024
Sampling Plan & Procedure	Grab Sample & CTL/QSE/09
Sample Quantity	2 Litres
Sample Condition	Good & Received in Plastic Container
Environmental Conditions	Temperature- 30.0°C and Humidity- 55.0%
Equipment used for Sampling	NA
Analysis Started on	26.09.2024
Analysis Completed on	05.10.2024

Test Results

The above sample tested as received, and results are as follows:

DISCIPLINE : CHEMICAL & BIOLOGICAL


GROUP : WATER

S. NO	PARAMETERS	METHOD	UNITS	RESULTS
1	Colour	IS 3025 (Part 4)	HU	10
2	Odour	IS 3025 (Part 5)	-	Agreeable
3	pH @ 25°C	IS 3025 (Part 11)	-	7.7
4	Taste	IS 3025 (Part 8)	-	Disagreeable
5	Turbidity	IS 3025 (Part 10)	NTU	3
6	Total Dissolved Solids	IS 3025 (Part 16)	mg/l	2970
7	Calcium as Ca	IS 3025 (Part 40)	mg/l	190
8	Chloride as Cl ⁻	IS 3025 (Part 32)	mg/l	927
9	Fluoride as F	IS 3025 (Part 60)	mg/l	0.56
10	Iron as Fe	IS 3025 (Part 53)	mg/l	0.72
11	Magnesium as Mg	IS 3025 (Part 46)	mg/l	83
12	Phenolic Compounds as C ₆ H ₅ OH	IS 3025 (Part 43/Sec 1)	mg/l	BLQ(LOQ:0.001)
13	Sulphate as SO ₄	IS 3025 (Part 24/Sec 1)	mg/l	386
14	Total Alkalinity as CaCO ₃	IS 3025 (Part 23)	mg/l	711
15	Total Hardness as CaCO ₃	IS 3025 (Part 21)	mg/l	815
16	Cyanide as CN	IS 3025 (Part 27/Sec 1)	mg/l	BLQ(LOQ:0.001)
17	Total Suspended Solids	IS 3025 (Part 17)	mg/l	7
18	Biochemical Oxygen Demand (BOD) 3 days at 27°C	IS 3025 (Part 44)	mg/l	BLQ(LOQ:2.0)
19	Chemical Oxygen Demand (COD)	IS 3025 (Part 58)	mg/l	BLQ(LOQ:4.0)
20	Potassium as K	IS 3025 (Part 45)	mg/l	54
21	Dissolved Oxygen	IS 3025 (Part 38)	mg/l	6.8
22	Chromium as Cr		mg/l	BLQ(LOQ:0.0025)
23	Mercury as Hg	IS 3025 (Part 2)	mg/l	BLQ(LOQ:0.001)
24	Arsenic as As		mg/l	BLQ(LOQ:0.001)

Verified by 



For Chennai Testing Laboratory Pvt Ltd



Authorised Signatory

A. RAJNIMAR
Head - Water & Soil Division
(CHEMICAL)

TEST REPORT

Test Report No & Date	CTL/CH/N-30117/2024-25 & 05.10.2024
----------------------------------	-------------------------------------

S. NO	PARAMETERS	METHOD	UNITS	RESULTS
25	Nitrate Nitrogen as N	IS 3025 (Part 34/Sec 1)	mg/l	7.23
26	Percent Sodium	CTL/SOP/WATER/60	%	63.74
27	Sodium absorption ratio	IS 11624	-	10.79
28	Oil & Grease	IS 3025 (Part 39)	mg/l	3LQ(LDQ:2.0)

BLQ - Below Limit of Quantification; LOQ - Limit of Quantification;

END OF REPORT



Verified by

For Chennai Testing Laboratory Pvt Ltd



Authorized Signatory

A. RAJKUMAR
Head - Water & Soil Division
(CHEMICAL)

Page 2 of 2

TEST REPORT

Test Report No & Date	CTL/CR/N-30118/2024-25 & 05.10.2024
Sample Number	N-30118/24-25
Name of the Customer	M/S. TAMIL NADU NEWSPRINT AND PAPERS LIMITED [MAIN PLANT],
Address	Kagithapuram - 639 136, Karur District, Tamil Nadu.
Sample Drawn by	Laboratory
Sample Name	Ground Water
Sample Description	Ground Water
Sampling Location	E Palanisamy Open Well
GPS Reading	11°00'49.21"N & 78°05'44.31"E
Sample Drawn on	24.09.2024
Sample Received on	26.09.2024
Sampling Plan & Procedure	Grab Sample & CTL/QSP/09
Sample Quantity	2 Litres
Sample Condition	Good & Received in Plastic Container
Environmental Conditions	Temperature- 30.0°C and Humidity- 55.0%
Equipment used for Sampling	NA
Analysis Started on	26.09.2024
Analysis Completed on	05.10.2024


Test Results:

The above sample tested as received, and results are as follows:

DISCIPLINE : CHEMICAL & BIOLOGICAL


GROUP : WATER

S. NO	PARAMETERS	METHOD	UNITS	RESULTS
1	Colour	IS 3025 (Part 4)	HU	2
2	Odour	IS 3025 (Part 5)	-	Agreeable
3	pH @ 25°C	IS 3025 (Part 11)	-	7.5
4	Taste	IS 3025 (Part 8)	-	Disagreeable
5	Turbidity	IS 3025 (Part 10)	NTU	1
6	Total Dissolved Solids	IS 3025 (Part 16)	mg/l	2950
7	Calcium as Ca	IS 3025 (Part 40)	mg/l	244
8	Chloride as Cl ⁻	IS 3025 (Part 32)	mg/l	941
9	Fluoride as F	IS 3025 (Part 60)	mg/l	0.36
10	Iron as Fe	IS 3025 (Part 53)	mg/l	0.69
11	Magnesium as Mg	IS 3025 (Part 46)	mg/l	170
12	Phenolic Compounds as C ₆ H ₅ OH	IS 3025 (Part 43/Sec 1)	mg/l	BLQ(LOQ:0.001)
13	Sulphate as SO ₄	IS 3025 (Part 24/Sec 1)	mg/l	418
14	Total Alkalinity as CaCO ₃	IS 3025 (Part 23)	mg/l	525
15	Total Hardness as CaCO ₃	IS 3025 (Part 21)	mg/l	1308
16	Cyanide as CN	IS 3025 (Part 27/Sec 1)	mg/l	BLQ(LOQ:0.001)
17	Total Suspended Solids	IS 3025 (Part 17)	mg/l	3
18	Biochemical Oxygen Demand (BOD) 3 days at 27°C	IS 3025 (Part 44)	mg/l	BLQ(LOQ:2.0)
19	Chemical Oxygen Demand (COD)	IS 3025 (Part 58)	mg/l	BLQ(LOQ:4.0)
20	Potassium as K	IS 3025 (Part 45)	mg/l	55
21	Dissolved Oxygen	IS 3025 (Part 38)	mg/l	7.2
22	Chromium as Cr	IS 3025 (Part 2)	mg/l	BLQ(LOQ:0.0025)
23	Mercury as Hg		mg/l	BLQ(LOQ:0.001)
24	Arsenic as As		mg/l	BLQ(LOQ:0.001)

Verified by 



For Chennai Testing Laboratory Pvt Ltd



Authorised Signatory

A. RAJKUMAR
Head - Water & Soil Division
(CHEMICAL)

Page 1 of 2

The Report shall not be used to malign, defame and for any malicious purpose.
The Report is meant only for sole use of the addressee to promote his/her own business.

A - Super 19, T.V.K. Industrial Estate, Guindy, Chennai - 600 032, Tamil Nadu - India

Phone : +91-44-2250 1757 | E-mail : chennaiesting@chennaiestinglab.com www.ctllabs.in


TEST REPORT

Test Report No & Date	CTL/CH/N-30118/2024-25 & 05.10.2024
----------------------------------	--

S. NO	PARAMETERS	METHOD	UNITS	RESULTS
25	Nitrate Nitrogen as N	IS 3025 [Part 34/Sec 1]	mg/l	7.0
26	Percent Sodium	CTL/SOP /WATER/60	%	53.14
27	Sodium absorption ratio	IS 11624	-	3.64
28	Oil & Grease	IS 3025 [Part 39]	mg/l	5LQ(LOQ 2.0)

BLQ - Below Limit of Quantification. LOQ - Limit of Quantification.

*****END OF REPORT*****


Verified by

For Chennai Testing Laboratory Pvt Ltd



Authorised Signatory

A. RAJKUMAR

Head - Water & Soil Division
(CHEMICAL)

Page 2 of 2

TEST REPORT

Test Report No & Date	CTL/CH/N-30119/2024-25 & 05.10.2024
Sample Number	N-30119/24-25
Name of the Customer	M/S. TAMIL NADU NEWSPRINT AND PAPERS LIMITED [MAIN PLANT],
Address	Kagithapuram - 639 136, Karur District, Tamil Nadu.
Sample Drawn by	Laboratory
Sample Name	Ground Water
Sample Description	Ground Water
Sampling Location	Pandipalayam Open Well
GPS Reading	11°01'20.005"N & 77°59'45.562"E
Sample Drawn on	24.09.2024
Sample Received on	26.09.2024
Sampling Plan & Procedure	Grab Sample & CTL/QSP/09
Sample Quantity	2 Litres
Sample Condition	Good & Received in Plastic Container
Environmental Conditions	Temperature- 30.0°C and Humidity- 55.0%
Equipment used for Sampling	NA
Analysis Started on	26.09.2024
Analysis Completed on	05.10.2024

Test Results:

The above sample tested as received, and results are as follows:

DISCIPLINE : CHEMICAL & BIOLOGICAL

GROUP : WATER

S. NO	PARAMETERS	METHOD	UNITS	RESULTS
1	Colour	IS 3025 (Part 4)	HU	2
2	Odour	IS 3025 (Part 5)	-	Agreeable
3	pH @ 25°C	IS 3025 (Part 11)	-	7.5
4	Taste	IS 3025 (Part 8)	-	Disagreeable
5	Turbidity	IS 3025 (Part 10)	NTU	2
6	Total Dissolved Solids	IS 3025 (Part 16)	mg/l	3050
7	Calcium as Ca	IS 3025 (Part 40)	mg/l	194
8	Chloride as Cl ⁻	IS 3025 (Part 32)	mg/l	973
9	Fluoride as F	IS 3025 (Part 60)	mg/l	0.64
10	Iron as Fe	IS 3025 (Part 53)	mg/l	0.74
11	Magnesium as Mg	IS 3025 (Part 46)	mg/l	83
12	Phenolic Compounds as C ₆ H ₅ OH	IS 3025 (Part 43/Sec 1)	mg/l	BLQ(LOQ:0.001)
13	Sulphate as SO ₄	IS 3025 (Part 24/Sec 1)	mg/l	408
14	Total Alkalinity as CaCO ₃	IS 3025 (Part 23)	mg/l	700
15	Total Hardness as CaCO ₃	IS 3025 (Part 21)	mg/l	825
16	Cyanide as CN	IS 3025 (Part 27/Sec 1)	mg/l	BLQ(LOQ:0.001)
17	Total Suspended Solids	IS 3025 (Part 17)	mg/l	5
18	Biochemical Oxygen Demand (BOD) 3 days at 27°C	IS 3025 (Part 44)	mg/l	BLQ(LOQ:2.0)
19	Chemical Oxygen Demand (COD)	IS 3025 (Part 58)	mg/l	BLQ(LOQ:4.0)
20	Potassium as K	IS 3025 (Part 45)	mg/l	50
21	Dissolved Oxygen	IS 3025 (Part 38)	mg/l	7.0
22	Chromium as Cr	IS 3025 (Part 2)	mg/l	BLQ(LOQ:0.0025)
23	Mercury as Hg		mg/l	BLQ(LOQ:0.001)
24	Arsenic as As		mg/l	BLQ(LOQ:0.001)

Verified by 



For Chennai Testing Laboratory Pvt Ltd

A. Rajkumar

Authorised Signatory

A. RAJKUMAR
Head - Water & Soil Division
(CHEMICAL)

Page 1 of 2

The Report shall not be used to malign, defame and for any malicious purpose
The Report is meant only for sole use of the addressee to promote his/her own business.

A - Super 19, T.V.K. Industrial Estate, Guindy, Chennai - 600 032, Tamil Nadu - India

Phone : +91-44-2250 1757 | E-mail : chennaiesting@chennaiestinglab.com www.ctllabs.in

CIN : U93000TN2000PTC043889

TEST REPORT

Test Report No & Date	CTL/CH/N-30119/2024-25 & 05.10.2024
----------------------------------	--

S. NO	PARAMETERS	METHOD	UNITS	RESULTS
23	Nitrate Nitrogen as N	IS 5025 (Part S4/Sec 1)	mg/l	5.87
26	Percent Sodium	CTL/SOP/WATER/60	%	62.94
27	Sodium absorption ratio	IS 11624	-	10.42
23	Oil & Grease	IS 3029 (Part 29)	mg/l	BLQ[LOQ:2.0]

BLQ - Below Limit of Quantification, LOQ - Limit of Quantification.

*****END OF REPORT*****


Verified by

For Chennai Testing Laboratory Pvt Ltd



Authorised Signatory

A. RAJKUMAR

Head - Water & Soil Division
(CHEMICAL)

Page 3 of 2

The Report shall not be used to malign, defame and for any malicious purpose.
The Report is meant only for sole use of the addressee to promote his/her own business.

A - Super 19, T.V.K. Industrial Estate, Guindy, Chennai - 600 032, Tamil Nadu - India

Phone : +91-44-2250 1757 | E-mail : chennaifesting@chennaifestinglab.com www.ctllabs.in

TEST REPORT

Test Report No & Date	CTC/CH/N-30120/2024-25 & 05.10.2024
Sample Number	N-30120/24-25
Name of the Customer	M/S. TAMIL NADU NEWSPRINT AND PAPERS LIMITED [MAIN PLANT],
Address	Kagithapuram - 659 136, Karur District, Tamil Nadu.
Sample Drawn by	Laboratory
Sample Name	Ground Water
Sample Description	Ground Water
Sampling Location	Thangavelu Open Well
GPS Reading	11°00'57.235"N & 77°59'48.272"E
Sample Drawn on	24.09.2024
Sample Received on	26.09.2024
Sampling Plan & Procedure	Grab Sample & CFL/QSP/09
Sample Quantity	2 Litres
Sample Condition	Good & Received in Plastic Container
Environmental Conditions	Temperature- 30.0°C and Humidity- 55.0%
Equipment used for Sampling	NA
Analysis Started on	26.09.2024
Analysis Completed on	05.10.2024

Test Results


The above sample tested as received, and results are as follows:

DISCIPLINE : CHEMICAL & BIOLOGICAL
GROUP : WATER

S. NO	PARAMETERS	METHOD	UNITS	RESULTS
1	Colour	IS 3025 (Part 4)	HU	5
2	Odour	IS 3025 (Part 5)	-	Agreeable
3	pH @ 25°C	IS 3025 (Part 11)	-	7.7
4	Taste	IS 3025 (Part 8)	-	Disagreeable
5	Turbidity	IS 3025 (Part 10)	NTU	3
6	Total Dissolved Solids	IS 3025 (Part 16)	mg/l	2350
7	Calcium as Ca	IS 3025 (Part 40)	mg/l	194
8	Chloride as Cl ⁻	IS 3025 (Part 32)	mg/l	664
9	Fluoride as F	IS 3025 (Part 60)	mg/l	0.49
10	Iron as Fe	IS 3025 (Part 53)	mg/l	0.84
11	Magnesium as Mg	IS 3025 (Part 46)	mg/l	45
12	Phenolic Compounds as C ₆ H ₅ OH	IS 3025 (Part 43/Sec 1)	mg/l	BLQ(LOQ:0.001)
13	Sulphate as SO ₄	IS 3025 (Part 24/Sec 1)	mg/l	215
14	Total Alkalinity as CaCO ₃	IS 3025 (Part 23)	mg/l	680
15	Total Hardness as CaCO ₃	IS 3025 (Part 21)	mg/l	669
16	Cyanide as CN	IS 3025 (Part 27/Sec 1)	mg/l	BLQ(LOQ:0.001)
17	Total Suspended Solids	IS 3025 (Part 17)	mg/l	7
18	Biochemical Oxygen Demand (BOD) 3 days at 27°C	IS 3025 (Part 44)	mg/l	BLQ(LOQ:2.0)
19	Chemical Oxygen Demand (COD)	IS 3025 (Part 58)	mg/l	4
20	Potassium as K	IS 3025 (Part 45)	mg/l	37
21	Dissolved Oxygen	IS 3025 (Part 38)	mg/l	6.8
22	Chromium as Cr		mg/l	BLQ(LOQ:0.0025)
23	Mercury as Hg	IS 3025 (Part 2)	mg/l	BLQ(LOQ:0.001)
24	Arsenic as As		mg/l	BLQ(LOQ:0.001)


 Verified by


For Chennai Testing Laboratory Pvt Ltd



Authorised Signatory

A. RAJKUMAR

 Head - Water & Soil Division
(CHEMICAL)

Page 1 of 2

 This report shall not be used to malign, accuse and for any malicious purpose.
 The Report is meant only for sole use of the addressee to promote his/her own business.

A - Super 19, T.V.K. Industrial Estate, Guindy, Chennai - 600 032, Tamil Nadu - India

Phone : +91-44-2250 1757 | E-mail : chennaiesting@chennaiestinglab.com www.ctllabs.in

CIN : U93000TN2000PTC043889

TEST REPORT

Test Report No & Date	CTL/CH/N-30120/2024-25 & 05.10.2024
----------------------------------	--

S. NO	PARAMETERS	METHOD	UNITS	RESULTS
25	Nitrate Nitrogen as N	IS 3025 (Part 34/Sec 1)	mg/l	7.7
26	Percent Sodium	CTL/SOP/WATER/60	%	61.17
27	Sodium absorption ratio	IS 11624	-	8.72
23	Oil & Grease	IS 3025 (Part 39)	mg/l	SLQ(LOQ:2.0)

BLQ - Below Limit of Quantification; LOQ - Limit of Quantification.

*****END OF REPORT*****


Verified by

For Chennai Testing Laboratory Pvt Ltd



Authorized Signatory

A. RAJKUMAR

Head - Water & Soil Division
(CHEMICAL)

Page 2 of 2

The Report shall not be used to malign, defame and for any malicious purpose.
The Report is meant only for sole use of the addressee to promote his/her own business.

A - Super 19, T.V.K. Industrial Estate, Guindy, Chennai - 600 032, Tamil Nadu - India

Phone : +91-44-2250 1757 | E-mail : chennaiesting@chennaiestinglab.com www.ctllabs.in

TEST REPORT

Test Report No & Date	CTL/CH/N-30121/2024-25 & CS.10.2024
Sample Number	N-30121/24-25
Name of the Customer	M/S TAMIL NADU NEWSPRINT AND PAPERS LIMITED [MAIN PLANT],
Address	Kagithapuram - 639 136, Karur District, Tamil Nadu.
Sample Drawn by	Laboratory
Sample Name	Ground Water
Sample Description	Ground Water
Sampling Location	Periyasamy Open Well, Thathampalayam
GPS Reading	11°01'36.904"N & 70°00'47.622"E
Sample Drawn on	24.09.2024
Sample Received on	26.09.2024
Sampling Plan & Procedure	Grab Sample & CTL/QSP/09
Sample Quantity	2 Litres
Sample Condition	Good & Received in Plastic Container
Environmental Conditions	Temperature- 90.0°C and Humidity- 55.0%
Equipment used for Sampling	NA
Analysis Started on	26.09.2024
Analysis Completed on	05.10.2024


Test Results

The above sample tested as received, and results are as follows:

DISCIPLINE : CHEMICAL & BIOLOGICAL


GROUP : WATER

S. NO	PARAMETERS	METHOD	UNITS	RESULTS
1	Colour	IS 3025 (Part 4)	HU	2
2	Odour	IS 3025 (Part 5)	-	Agreeable
3	pH @ 25°C	IS 3025 (Part 11)	-	8.2
4	Taste	IS 3025 (Part 8)	-	Disagreeable
5	Turbidity	IS 3025 (Part 10)	NTU	BLQ(LOQ:1.0)
6	Total Dissolved Solids	IS 3025 (Part 16)	mg/l	2580
7	Calcium as Ca	IS 3025 (Part 40)	mg/l	173
8	Chloride as Cl	IS 3025 (Part 32)	mg/l	814
9	Fluoride as F	IS 3025 (Part 60)	mg/l	0.34
10	Iron as Fe	IS 3025 (Part 53)	mg/l	0.64
11	Magnesium as Mg	IS 3025 (Part 46)	mg/l	58
12	Phenolic Compounds as C ₆ H ₅ OH	IS 3025 (Part 49/Sec 1)	mg/l	BLQ(LOQ:0.001)
13	Sulphate as SO ₄	IS 3025 (Part 24/Sec 1)	mg/l	363
14	Total Alkalinity as CaCO ₃	IS 3025 (Part 23)	mg/l	494
15	Total Hardness as CaCO ₃	IS 3025 (Part 21)	mg/l	670
16	Cyanide as CN	IS 3025 (Part 27/Sec 1)	mg/l	BLQ(LOQ:0.001)
17	Total Suspended Solids	IS 3025 (Part 17)	mg/l	4
18	Biochemical Oxygen Demand (BOD) 3 days at 27°C	IS 3025 (Part 44)	mg/l	BLQ(LOQ:2.0)
19	Chemical Oxygen Demand (COD)	IS 3025 (Part 58)	mg/l	BLQ(LOQ:4.0)
20	Potassium as K	IS 3025 (Part 45)	mg/l	47
21	Dissolved Oxygen	IS 3025 (Part 38)	mg/l	6.9
22	Chromium as Cr	IS 3025 (Part 2)	mg/l	BLQ(LOQ:0.0025)
23	Mercury as Hg		mg/l	BLQ(LOQ:0.001)
24	Arsenic as As		mg/l	BLQ(LOQ:0.001)

Verified by 



For Chennai Testing Laboratory Pvt Ltd



Authorised Signatory

A. RAJKUMAR
Head - Water & Soil Division
(CHEMICAL)

CIN : U93000TN2000PTC043889

TEST REPORT

Test Report No & Date	CTL/CH/N-30121/2024-25 & 05.10.2024
----------------------------------	-------------------------------------

S. NO	PARAMETERS	METHOD	UNITS	RESULTS
25	Nitrate Nitrogen as N	IS 3025 (Part 34/Sec 1)	mg/l	9.25
26	Percent Sodium	CTL/SOP/WATER/60	%	66.76
27	Sodium absorption ratio	IS 11624	-	11.33
28	Oil & Grease	IS 3025 (Part 39)	mg/l	BLQ(LOQ:2.0)

BLQ - Below Limit of Quantification; LOQ - Limit of Quantification.

*****END OF REPORT*****


Verified by

For Chennai Testing Laboratory Pvt Ltd



Authorised Signatory

A. RAJKUMAR

Head - Water & Soil Division
(CHEMICAL)

Page 2 of 2

The Report shall not be used to malign, defame and for any malicious purpose.
The Report is meant only for sole use of the addressee to promote his/her own business.

A - Super 19, T.V.K. Industrial Estate, Guindy, Chennai - 600 032, Tamil Nadu - India

Phone : +91-44-2250 1757 | E-mail : chennaifesting@chennaifestinglab.com www.ctllabs.in

TEST REPORT

Test Report No & Date	CTL/CH/N-30122/2024-25 & 05.10.2024
Sample Number	N-30122/24-25
Name of the Customer	M/S. TAMIL NADU NEWSPRINT AND PAPERS LIMITED [MAIN PLANT],
Address	Kagithapuram - 639 136, Karur District, Tamil Nadu.
Sample Drawn by	Laboratory
Sample Name	Ground Water
Sample Description	Ground Water
Sampling Location	Ayyampalayam Upstream
GPS Reading	11°04'21.454"N & 78°01'37.872"E
Sample Drawn on	24.09.2024
Sample Received on	26.09.2024
Sampling Plan & Procedure	Grab Sample & CTL/QSP/09
Sample Quantity	3 Litres
Sample Condition	Good & Received in Plastic Container
Environmental Conditions	Temperature 30.0°C and Humidity- 55.0%
Equipment used for Sampling	NA
Analysis Started on	26.09.2024
Analysis Completed on	05.10.2024

Test Results

The above sample tested as received, and results are as follows.

DISCIPLINE: CHEMICAL & BIOLOGICAL

GROUP : WATER

S. NO	PARAMETERS	METHOD	UNITS	RESULTS
1	Colour	IS 3025 (Part 4)	HU	2
2	Odour	IS 3025 (Part 5)	-	Agreeable
3	pH @ 25°C	IS 3025 (Part 11)	-	7.7
4	Taste	IS 3025 (Part 8)	-	Disagreeable
5	Turbidity	IS 3025 (Part 10)	NTU	4
6	Total Dissolved Solids	IS 3025 (Part 16)	mg/l	260
7	Calcium as Ca	IS 3025 (Part 40)	mg/l	39
8	Chloride as Cl ⁻	IS 3025 (Part 32)	mg/l	41
9	Fluoride as F	IS 3025 (Part 60)	mg/l	0.29
10	Iron as Fe	IS 3025 (Part 53)	mg/l	1.11
11	Magnesium as Mg	IS 3025 (Part 46)	mg/l	12
12	Phenolic Compounds as C ₆ H ₅ OH	IS 3025 (Part 43/Sec 1)	mg/l	BLQ(LOQ:0.001)
13	Sulphate as SO ₄	IS 3025 (Part 24/Sec 1)	mg/l	4
14	Total Alkalinity as CaCO ₃	IS 3025 (Part 23)	mg/l	134
15	Total Hardness as CaCO ₃	IS 3025 (Part 21)	mg/l	147
16	Cyanide as CN	IS 3025 (Part 27/Sec 1)	mg/l	BLQ(LOQ:0.001)
17	Total Suspended Solids	IS 3025 (Part 17)	mg/l	13
18	Biochemical Oxygen Demand (BOD) 3 days at 27°C	IS 3025 (Part 44)	mg/l	BLQ(LOQ:2.0)
19	Chemical Oxygen Demand (COD)	IS 3025 (Part 58)	mg/l	8
20	Potassium as K	IS 3025 (Part 45)	mg/l	2
21	Dissolved Oxygen	IS 3025 (Part 38)	mg/l	6.8
22	Chromium as Cr		mg/l	BLQ(LOQ:0.0025)
23	Mercury as Hg	IS 3025 (Part 2)	mg/l	BLQ(LOQ:0.001)
24	Arsenic as As		mg/l	BLQ(LOQ:0.001)

Verified by



For Chennai Testing Laboratory Pvt Ltd

A. Rajkumar

Authorised Signatory

A. RAJKUMAR
Head - Water & Soil Division
(CHEMICAL)

Page 1 of 2

The Report shall not be used to malign, defame and for any malicious purpose.
The Report is meant only for sole use of the addressee to promote his/her own business.

A - Super 19, T.V.K. Industrial Estate, Guindy, Chennai - 600 032, Tamil Nadu - India

Phone : +91-44-2250 1757 | E-mail : chennaiesting@chennaiestinglab.com www.ctllabs.in


TEST REPORT

Test Report No & Date	CTL/CH/N-30122/2024-25 & 05.10.2024
----------------------------------	-------------------------------------

S. NO	PARAMETERS	METHOD	UNITS	RESULTS
25	Nitrate Nitrogen as N	IS 3025 (Part 34/Sec 1)	mg/l	0.60
26	Percent Sodium	CTL/SOP/WATER/60	%	27.44
27	Sodium absorption ratio	IS 11624	-	0.93
23	Oil & Grease	IS 3025 (Part 39)	mg/l	BLQ(LOQ:2.0)

BLQ - Below Limit of Quantification; LOQ - Limit of Quantification.

*****END OF REPORT*****


 Verified by

For Chennai Testing Laboratory Pvt Ltd



Authorized Signatory

A. RAJKUMAR

Head - Water & Soil Division
(CHEMICAL)

Page 2 of 2

TEST REPORT

Test Report No & Date	CTL/CH/N-30123/2024-2S & 05.10.2024
Sample Number	N-30123/24-2S
Name of the Customer	M/S. TAMIL NADU NEWSPRINT AND PAPERS LIMITED [MAIN PLANT],
Address	Kagithapuram - 639 138, Karur District Tamil Nadu.
Sample Drawn by	Laboratory
Sample Name	Ground Water
Sample Description	Ground Water
Sampling Location	Ayyampafayam Downstream
GPS Reading	11°03'50.271"N & 78°02'21.352"E
Sample Drawn on	24.09.2024
Sample Received on	26.09.2024
Sampling Plan & Procedure	Grab Sample & CTL/QSP/09
Sample Quantity	2 Litres
Sample Condition	Good & Received in Plastic Container
Environmental Conditions	Temperature- 30.0°C and Humidity- 55.0%
Equipment used for Sampling	NA
Analysis Started on	26.09.2024
Analysis Completed on	05.10.2024

Test Results

The above sample tested as received, and results are as follows:

DISCIPLINE : CHEMICAL & BIOLOGICAL

GROUP : WATER

S. NO	PARAMETERS	METHOD	UMITS	RESULTS
1	Colour	IS 3025 (Part 4)	HU	2
2	Odour	IS 3025 (Part 5)	-	Agreeable
3	pH @ 25°C	IS 3025 (Part 11)	-	7.8
4	Taste	IS 3025 (Part 8)	-	Disagreeable
5	Turbidity	IS 3025 (Part 10)	NTU	2
6	Total Dissolved Solids	IS 3025 (Part 16)	mg/l	282
7	Calcium as Ca	IS 3025 (Part 40)	mg/l	40
8	Chloride as Cl ⁻	IS 3025 (Part 32)	mg/l	49
9	Fluoride as F	IS 3025 (Part 60)	mg/l	0.11
10	Iron as Fe	IS 3025 (Part 53)	mg/l	0.26
11	Magnesium as Mg	IS 3025 (Part 46)	mg/l	12
12	Phenolic Compounds as C ₆ H ₅ OH	IS 3025 (Part 43/Sec 1)	mg/l	BLQ(LOQ:0.001)
13	Sulphate as SO ₄	IS 3025 (Part 24/Sec 1)	mg/l	19
14	Total Alkalinity as CaCO ₃	IS 3025 (Part 23)	mg/l	140
15	Total Hardness as CaCO ₃	IS 3025 (Part 21)	mg/l	149
16	Cyanide as CN	IS 3025 (Part 27/Sec 1)	mg/l	BLQ(LOQ:0.001)
17	Total Suspended Solids	IS 3025 (Part 17)	mg/l	6
18	Biochemical Oxygen Demand (BOD) 3 days at 27°C	IS 3025 (Part 44)	mg/l	ELQ(LOQ:2.0)
19	Chemical Oxygen Demand (COD)	IS 3025 (Part 58)	mg/l	10
20	Potassium as K	IS 3025 (Part 45)	mg/l	3
21	Dissolved Oxygen	IS 3025 (Part 38)	mg/l	6.7
22	Chromium as Cr	IS 3028 (Part 2)	mg/l	BLQ(LOQ:0.0025)
23	Mercury as Hg		mg/l	BLQ(LOQ:0.001)
24	Arsenic as As		mg/l	BLQ(LOQ:0.001)

[Signature]
Verified by



Eor Chennai Testing Laboratory Pvt Ltd

[Signature]

Authorised Signatory

A. RAJKUMAR
Heard - Water & Soil Division
(CHEMICAL)

Page 1 of 2

This report shall not be used to malign, accuse and for any malicious purpose.
The Report is meant only for sole use of the addressee to promote his/her own business.

A - Super 19, T.V.K. Industrial Estate, Guindy, Chennai - 600 032, Tamil Nadu - India

Phone : +91-44-2250 1757 | E-mail : chennaiesting@chennaiestinglab.com www.ctllabs.in

CIN : U93000TN2000PTC043889

TEST REPORT

Test Report No & Date	CTL/CH/N-30123/2024-25 & 05.10.2024
----------------------------------	--


S. NO	PARAMETERS	METHOD	UNITS	RESULTS
25	Nitrate Nitrogen as N	IS 8025 (Part 34/Sec 1)	mg/l	0.76
26	Percent Sodium	CTL/SOP/WATER/60	%	18.54
27	Sodium absorption ratio	IS 11624	-	0.8
28	Oil & Grease	IS 3025 (Part 39)	mg/l	BLQ[LOQ:2.0]

BLQ - Below Limit of Quantification; LOQ - Limit of Quantification.

*****END OF REPORT*****


Verified by

For Chennai Testing Laboratory Pvt Ltd



Authorised Signatory

A. RAJKUMAR
Head - Water & Soil Division
(CHEMICAL)

Page 2 of 2

The Report shall not be used to malign, defame and for any malicious purpose.
The Report is meant only for sole use of the addressee to promote his/her own business.

A - Super 19, T.V.K. Industrial Estate, Guindy, Chennai - 600 032, Tamil Nadu - India

Phone : +91-44-2250 1757 | E-mail : chennaiesting@chennaiestinglab.com www.ctllabs.in

ANNEXURE VI

**LATEST NABL ACCREDITED &
MoEF&CC RECOGNIZED
THIRD PARTY LAB - AOX AND
TOC TEST REPORT**

INTER OFFICE MEMORANDUM

From <p style="text-align: center;">AGM (Lab)</p>	To <p style="text-align: center;">DGM (Env)</p>
---	---

23.10.2024

S. Laxmi Akshay
24/10/24
Thro' DGM (R&D)

AOX & TOC analysis report of final treated effluent water sample collected on 24.9.2024

S.No	Particulars	Unit	Results
1	Volume of effluent water discharged	m ³	26512
2	Paper Production	Tons	1307.85
3	AOX generated per ton of Paper	kg/t	0.02
4	TOC generated per ton of Paper	kg/t	0.82

Remarks: Norms: AOX -1kg / ton of paper (Maximum). TOC- No Norms.

R. S. Srinivasan
AGM (LAB)

CC:

CGM (D)
CM (ENV)
File - 95

CIN : U93000TN2000PTC043869

TEST REPORT

Test Report No & Date CTL/CH/N-30112/2024-25 & 05.10.2024
Sample Number N-30112/24-25
Name of the Customer M/S. TAMIL NADU NEWSPRINT AND PAPERS LIMITED [MAIN PLANT],
Address Kagithapuram - 639 136,
 Karur District, Tamil Nadu.

Sample Drawn by Laboratory
Sample Name Effluent Water
Sample Description Treated Effluent Water
Sampling Location Secondary Clarifier Outlet
GPS Reading 11°03'9.805"N & 77°59'59.05"E
Sample Drawn on 24.09.2024
Sample Received on 26.09.2024
Sampling Plan & Procedure Grab Sample & CTL/QSP/09
Sample Quantity 2 Litres
Sample Condition Good & Received in Plastic Container
Environmental Conditions Temperature- 30.0°C and Humidity- 55.0%
Equipment used for Sampling NA
Analysis Started on 26.09.2024
Analysis Completed on 05.10.2024

Test Results:


The above sample tested as received, and results are as follows:

DISCIPLINE : CHEMICAL

GROUP : POLLUTION AND ENVIRONMENT


S. NO	PARAMETERS	METHOD	UNITS	RESULTS	LIMITS*
1	pH @ 25°C	4500 H+ B- APHA 24th Edn	-	7.9	5.5 to 9.0
2	Colour	2120 B- APHA 24th Edn	HU	50	-
3	Total Dissolved Solids	2540 C- APHA 24th Edn	mg/l	1978	Max.2100
4	Total Suspended Solids	2540 D- APHA 24th Edn	mg/l	29	Max.100
5	Biochemical Oxygen Demand (BOD) 3 days at 27°C	IS 3025 (Part 44)	mg/l	19	Max.30
6	Chemical Oxygen Demand (COD)	5220 B- APHA 24th Edn	mg/l	108	Max.250
7	Chloride as Cl	4500 Cl- E- APHA 24th Edn	mg/l	625	Max.1000
B	Sulphate as SO ₄	4500 SO ₄ E- APHA 24th Edn	mg/l	151	Max.1000
9	Oil & Grease	5520 O&G B - APHA 24th Edn (Partition Gravimetric Method)	mg/l	BLQ(LOQ:2.0)	Max.10
10	Ammonical Nitrogen as N	4500 NH ₃ E, C - APHA 24th Edn	mg/l	5.7	Max.50
11	Total Nitrogen as N	4500 - N - APHA 24th Edn	mg/l	17.1	-
12	Total Kjeldahl Nitrogen as N	4500 N - B, C- APHA 24th Edn	mg/l	9.9	Max.100
13	Phenolic Compounds as C ₆ H ₅ OH	5530 B,C- APHA 24th Edn	mg/l	BLQ(LOQ:0.001)	-
14	Percent Sodium	CTL/SOP/WATER/60	%	51.5	-
15	Sulphide as S	4500- S ₂ -F- APHA 24th Edn	mg/l	BLQ(LOQ:0.01)	Max.2.0

For Chennai Testing Laboratory Pvt Ltd

Verified by 



The Report shall not be used for any other purpose and for any malicious purpose. The Report is meant only for sole use of the addressee to promote his/her own business.

Authorized Signatory 

A - Super 19, T.V.K. Industrial Estate, Guindy, Chennai - 600 032, Tamil Nadu, India

A. RAJKUMAR
 Head - Water & Soil Division

Phone : +91-44-2250 1757 | E-mail : chennaiesting@chennaiesting.com www.cctlabs.in



CIN : U93000TN2000PTC043869

TEST REPORT

Test Report No & Date	CTL/CH/N-30112/2024-25 & 05.10.2024
-----------------------	-------------------------------------


S. NO	PARAMETERS	METHOD	UNITS	RESULTS	LIMITS*
16	Total Organic Carbon (TOC)	5310-C-APHA 24th Edn	mg/l	40.6	-
17	AOX	EPA 1653, 5021& 0260	mg/l	1.2	-


BLQ - Below Limit of Quantification; LOQ - Limit of Quantification; Max. - Maximum.

*Limits as per TNPCB Norms for Trade Effluent

END OF REPORT

For Chennai Testing Laboratory Pvt ltd


Verified by


Authorised Signatory

A. RAJKUMAR
Head - Water & Soil Division
(CHEMICAL)

Page 2 of 2

The Report shall not be used to malign, defame and for any malicious purpose.
The Report is meant only for sole use of the addressee to promote his/her own business.

A - Super 19, T.V.K. Industrial Estate, Guindy, Chennai - 600 032, Tamil Nadu - India

Phone : +91-44-2250 1757 | E-mail : chennaietesting@chennaietestinglab.com www.ctllabs.in

INTER OFFICE MEMORANDUM

From AGM (Lab)	To DGM (Env)
------------------------------	----------------------------

14.9.2024

Slavin Ahmad
14/9/24
Thro' ~~DGM (R&D)~~

AOX & TOC analysis report of final treated effluent water sample collected on 28.8.2024

S.No	Particulars	Unit	Results
1	Volume of effluent water discharged	m ³	26232
2	Paper Production	Tnns	1007.74
3	AOX generated per ton of Paper	kg/t	0.05
4	TDC generated per ton of Paper	kg/t	0.84

Remarks: Norms: AOX -1kg / ton of paper (Maximum), TOC- No Norms.

R. S. Tamborany
AGM (LAB)

CC:

CGM (O)
CM (ENV)
File - 95



CIN : U93000TN2000PTC043869

TEST REPORT

Test Report No & Date: CTL/CH/N-28441/2024-25 & 05.09.2024
 Sample Number: N-28441/24-25
 Name of the Customer: M/S. TAMIL NADU NEWSPRINT AND PAPERS LIMITED (MAIN PLANT).
 Address: Kagithapuram - 639 136, Karur District, Tamil Nadu.

Sample Drawn by: Laboratory
 Sample Name: Effluent Water
 Sample Description: Treated Effluent Water
 Sampling Location: Secondary Clarifier Outlet
 GPS Reading: 11°03'9.805"N & 77°59'59.05"E
 Sample Drawn on: 28.08.2024
 Sample Received on: 30.08.2024
 Sampling Plan & Procedure: Grab Sample & CTL/QSP/09
 Sample Quantity: 2 Litres
 Sample Condition: Good & Received in Plastic Container
 Environmental Conditions: Temperature- 31.5°C and Humidity- 58.0%
 Equipment used for Sampling: NA
 Analysis Started on: 30.08.2024
 Analysis Completed on: 05.09.2024

Test Results:

The above sample tested as received, and results are as follows:

S. NO	PARAMETERS	METHOD	UNITS	RESULTS	LIMITS*
1	pH @ 25°C	IS 3025 (Part 11)-1983 (RA.2017)	-	7.9	5.5 to 9.0
2	Colour	IS : 3025 (Part 4)- 2021	HU	100	-
3	Total Dissolved Solids	IS 3025 (Part 16)-1984 (RA.2017)	mg/l	2070	Max.2100
4	Total Suspended Solids	IS 3025 (Part 17) -1984 (RA.2021)	mg/l	34	Max.100
5	Biochemical Oxygen Demand (BOD) 3 days at 27°C	IS 3025 (Part 44) -1993 (RA.2019)	mg/l	20	Max.30
6	Chemical Oxygen Demand (COD)	IS 3025 (Part 58)-2006 (RA.2017)	mg/l	86	Max.250
7	Chloride as Cl	IS 3025 (Part 32)-1988 (RA.2019)	mg/l	622	Max.1000
8	Sulphate as SO ₄	IS 3025 (Part 24/sec -1) - 2022	mg/l	233	Max.1000
9	Oil & Grease	IS 3025 (Part 39) - 2021	mg/l	< 2	Max.10
10	Ammonical Nitrogen as N	IS 3025 (Part 34)-1998 (RA.2019)	mg/l	5.3	Max.50
11	Total Nitrogen as N	IS 3025 (Part 34)-1988 (RA.2019)	mg/l	14.8	-
12	Total Kjeldahl Nitrogen as N	IS 3025 (Part 34)-1988 (RA.2019)	mg/l	10.4	Max.100
13	Phenolic Compounds as C ₆ H ₅ OH	IS 3025 (Part 43/sec 1) 2022	mg/l	BDL(DL:0.001)	-
14	Percent Sodium	CTL/SOP/WATER/60-2022	%	58.49	-
15	Sulphide as S	IS 3025 (Part 29)-1986 (RA.2019)	mg/l	BDL(OL:0.01)	Max.2.0

For Chennai Testing Laboratory Pvt Ltd

[Signature]
 Head of Laboratory

[Signature]
 Authorised Signatory

The Report shall not be used to malign, defame and for any malicious purpose. The Report is meant only for sole use of the addressee to promote his/her own business.

A. RAJKUMAR

A - Super 19, T.V.K. Industrial Estate, Guindy, Chennai - 600 032, Tamil Nadu, India. Page 1 of 2

Phone : +91-44-2250 1757 | E-mail : chennaiteesting@chennaiteestinglab.com www.ctllabs.in



CIN : U93000TN2000PTC043869

TEST REPORT

Test Report No & Date	CTL/CH/N-28441/2024-25 & 05.09.2024
-----------------------	-------------------------------------


S. NO	PARAMETERS	METHOD	UNITS	RESULTS	LIMITS*
16	Total Organic Carbon (TOC)	5310-C-APHA 23rd Ed.2017	mg/l	32.30	-
17	AOX	EPA 1653.5021&8260	mg/l	1.8	-

BDL - Below Detection Limit; DL - Detection limit; Max. - Maximum.

*Limits as per TNPCB Norms for Trade Effluent

END OF REPORT

For Chennai Testing Laboratory Pvt Ltd


Authorised Signatory

A. RAJKUMAR
Head - Water & Soil Division
(CHEMICAL)

Page 2 of 2

The Report shall not be used to malign, defame and for any malicious purpose.
The Report is meant only for sole use of the addressee to promote his/her own business.

A - Super 19, T.V.K. Industrial Estate, Guindy, Chennai - 600 032, Tamil Nadu - India
Phone : +91-44-2250 1757 | E-mail : chennaiesting@cbennaiestinglab.com www.ctllabs.in

INTER OFFICE MEMORANDUM

From <p style="text-align: center;">AGM (Lab)</p>	To <p style="text-align: center;">DGM (Env)</p>
---	---

13.9.2024

Shan-Mun
13/29/24
Thro' ~~DGM~~ (R&D)

AOX & TOC analysis report of final treated effluent water sample collected on 29.7.2024

S.No	Particulars	Unit	Results
1	Volume of effluent water discharged	m ³	26578
2	Paper Production	Tons	1011.77
3	AOX generated per ton of Paper	kg/t	0.07
4	TOC generated per ton of Paper	kg/t	1.18

Remarks: Norms: AOX -1kg / ton of paper (Maximum). TOC- No Norms.

R. S. Sundaraj
AGM (LAB)

CC:

CGM (O)
CM (ENV)
File - 95



CIN : U93000TN2000PTC043869

TEST REPORT

Test Report No & Date: CTL/CH/N-26863/2024-25 & 07.08.2024
 Sample Number: N-26863/24-25
 Name of the Customer: M/S. TAMIL NADU NEWSPRINT AND PAPERS LIMITED [MAIN PLANT],
 Address: Kagithapuram - 639 136,
 Karur District, Tamil Nadu.

Sample Drawn by: Laboratory
 Sample Name: Effluent Water
 Sample Description: Treated Effluent Water
 Sampling Location: Secondary Clarifier Outlet
 GPS Reading: 11°03'9.805"N & 77°59'59.05"E
 Sample Drawn on: 29.07.2024
 Sample Received on: 30.07.2024
 Sampling Plan & Procedure: Grab Sample & CTL/QSP/09
 Sample Quantity: 2 Litres
 Sample Condition: Good & Received in Plastic Container
 Environmental Conditions: Temperature- 29.5°C and Humidity- 58.7%
 Equipment used for Sampling: NA
 Analysis Started on: 30.07.2024
 Analysis Completed on: 07.08.2024

Test Results:

The above sample tested as received, and results are as follows:

S. NO	PARAMETERS	METHOD	UNITS	RESULTS	LIMITS*
1	pH @ 25°C	IS 3025 (Part 11)-1983 (RA.2017)	-	7.7	5.5 to 9.0
2	Colour	IS : 3025 (Part 4)- 2021	HU	100	-
3	Total Dissolved Solids	IS 3025 (Part 16)-1984 (RA.2017)	mg/l	1960	Max.2100
4	Total Suspended Solids	IS 3025 (Part 17) -1984 (RA.2021)	mg/l	50	Max.100
5	Biochemical Oxygen Demand (BOD) 3 days at 27°C	IS 3025 (Part 44) -1993 (RA.2019)	mg/l	26	Max.30
6	Chemical Oxygen Demand (COD)	IS 3025 (Part 58)-2006 (RA:2017)	mg/l	120	Max.250
7	Chloride as Cl	IS 3025 (Part 32)-1988 (RA.2019)	mg/l	646	Max.1000
8	Sulphate as SO ₄	IS 3025 (Part 24/sec -1) - 2022	mg/l	312	Max.1000
9	Oil & Grease	IS 3025 (Part 39) - 2021	mg/l	< 2	Max.10
10	Ammonical Nitrogen as N	IS 3025 (Part 34)-1988 (RA.2019)	mg/l	5.6	Max.50
11	Total Nitrogen as N	IS 3025 (Part 34)-1988 (RA.2019)	mg/l	14.9	-
12	Total Kjeldahl Nitrogen as N	IS 3025 (Part 34)-1988 (RA.2019)	mg/l	10.4	Max.100
13	Phenolic Compounds as C ₆ H ₅ OH	IS 3025 (Part 43/sec 1) 2022	mg/l	BDL(DL:0.001)	-
14	Percent Sodium	CTL/SOP/WATER/60-2022	%	54.60	-
15	Sulphide as S	IS 3025 (Part 29)-1986 (RA.2019)	mg/l	BDL(DL:0.01)	Max.2.0

For Chennai Testing Laboratory Pvt Ltd

Verified by

The Report shall not be used to malign, defame and for any malicious purpose. The Report is meant only for sole use of the addressee to promote his/her own business.

Authorized Signatory

A. RAJKUMAR

Head, Water & Soil Division
(CHEMICAL)

A - Super 19, T.V.K. Industrial Estate, Guindy, Chennai - 600 032, Tamil Nadu, India Page 1 of 2

Phone : +91-44-2250 1757 | E-mail : chennaiesting@chennaiestinglab.com www.ctllabs.in



CIN : U93000TN2000PTC043889

TEST REPORT

Test Report No & Date	CTL/CH/N-26863/2024-25 & 07.08.2024
-----------------------	-------------------------------------

S. NO	PARAMETERS	METHOD	UNITS	RESULTS	LIMITS*
16	Total Organic Carbon (TOC)	5310-C-APHA 23rd Ed.2017	mg/l	45.11	-
17	AOX	EPA 1653,5021&B260	mg/l	2.7	-

BDL - Below Detection Limit; DL - Detection limit; Max. - Maximum.

*Limits as per TNPCB Norms for Trade Effluent

END OF REPORT

For Chennai Testing Laboratory Pvt Ltd

Verified by 


Authorised Signatory

A. RAJKUMAR
Head - Water & Soil Division
(CHEMICAL)

Page 2 of 2

The Report shall not be used to malign, defame and for any malicious purpose.
The Report is meant only for safe use of the addressee to promote his/her own business.

A - Super 19, T.V.K. Industrial Estate, Guindy, Chennai - 600 032, Tamil Nadu - India

Phone : +91-44-2250 1757 | E-mail : chennai@testinglab.com www.ctlabs.in

INTER OFFICE MEMORANDUM

From	To
AGM (Lab)	DGM (Env)

13.9.2024

Shen-Mun
07/9/24

Thro' DGM (R&D)

AOX & TOC analysis report of final treated effluent water sample collected on 25.6.2024

S.No	Particulars	Unit	Results
1	Volume of effluent water discharged	m ³	26491
2	Paper Production	Tons	1202.89
3	AOX generated per ton of Paper	kg/t	0.07
4	TOC generated per ton of Paper	kg/t	1.71

Remarks: Norms: AOX -1kg / ton of paper (Maximum). TOC- No Norms.

R. S. Tamilaraj
AGM (LAB)

CC:

CGM (D)
CM (ENV)
File - 95



CIN : U93000TN2000PTC043869

TEST REPORT

Test Report No & Date	CTL/CH/N-25029/2024-25 & 05.07.2024
Sample Number	N-25029/24-25
Name of the Customer	M/S. TAMIL NADU NEWSPRINT AND PAPERS LIMITED [MAIN PLANT],
Address	Kagithapuram - 639 136, Karur District, Tamil Nadu.
Sample Drawn by	Laboratory
Sample Name	Effluent Water
Sample Description	Treated Effluent Water
Sampling Location	Secondary Clarifier Outlet
GPS Reading	11°03'9.805"N & 77°59'59.05"E
Sample Drawn on	25.06.2024
Sample Received on	27.06.2024
Sampling Plan & Procedure	Grab Sample & CTL/QSP/09
Sample Quantity	2 Litres
Sample Condition	Good & Received in Plastic Container
Environmental Conditions	Temperature- 32.8°C and Humidity- 56.6%
Equipment used for Sampling	NA
Analysis Started on	27.06.2024
Analysis Completed on	05.07.2024

Test Results:


The above sample tested as received, and results are as follows:

S. NO	PARAMETERS	METHOD	UNITS	RESULTS	LIMITS*
1	pH @ 25°C	IS 3025 (Part 11)-1983 (RA.2017)	-	7.7	5.5 to 9.0
2	Colour	IS : 3025 (Part 4)- 2021	HU	60	-
3	Total Dissolved Solids	IS 3025 (Part 16)-1984 (RA.2017)	mg/l	1950	Max.2100
4	Total Suspended Solids	IS 3025 (Part 17) -1984 (RA.2021)	mg/l	40	Max.100
5	Biochemical Oxygen Demand (BOD) 3 days at 27°C	IS 3025 (Part 44) -1993 (RA.2019)	mg/l	28	Max.30
6	Chemical Oxygen Demand (COD)	IS 3025 (Part 58)-2006 (RA.2017)	mg/l	206	Max.250
7	Chloride as Cl	IS 3025 (Part 32)-1988 (RA.2019)	mg/l	725	Max.1000
8	Sulphate as SO ₄	IS 3025 (Part 24/sec -1) - 2022	mg/l	426	Max.1000
9	Oil & Grease	IS 3025 (Part 39) - 2021	mg/l	< 2	Max.10
10	Ammonical Nitrogen as N	IS 3025 (Part 34)-1988 (RA.2019)	mg/l	4.3	Max.50
11	Total Nitrogen as N	IS 3025 (Part 34)-1988 (RA.2019)	mg/l	14.2	-
12	Total Kjeldahl Nitrogen as N	IS 3025 (Part 34)-1988 (RA.2019)	mg/l	8.8	Max.100
13	Phenolic Compounds as C ₆ H ₅ OH	IS 3025 (Part 43/sec 1) 2022	mg/l	BDL(DL:0.001)	-
14	Percent Sodium	CTL/SOP/WATER/60-2022	%	49.02	-
15	Sulphide as S	IS 3025 (Part 29)-1986 (RA.2019)	mg/l	BDL(DL:0.01)	Max.2.0

For Chennai Testing Laboratory Pvt Ltd

Verified by 
A. Super 19, T.V.K. Industrial Estate, Guindy, Chennai - 600 032.

The Report shall not be used to malign, defame and for any malicious purpose.
The Report is meant only for sole use of the addressee to promote his/her own business.


A. A. RAJKUMAR
Head Water & Soil Division
(CHEMICAL)



CIN : U93000TN2000PTC043869

TEST REPORT

Test Report No & Date	CTL/CH/N-25029/2024-25 & 05.07.2024
-----------------------	-------------------------------------

S. NO	PARAMETERS	METHOD	UNITS	RESULTS	LIMITS*
16	Total Organic Carbon (TOC)	5310-C-APHA 23rd Ed.2017	mg/l	77.44	-
17	AOX	EPA 1653,5021&8260	mg/l	3.4	-


BDL - Below Detection Limit; DL - Detection limit; Max - Maximum.

*Limits as per TNPCB Norms for Trade Effluent

END OF REPORT

For Chennai Testing Laboratory Pvt Ltd

Verified by 


Authorised Signatory
A. RAJKUMAR
Head - Water & Soil Division
(CHEMICAL)

Page 2 of 2

The Report shall not be used to malign, defame and for any malicious purpose.
The Report is meant only for sole use of the addressee to promote his/her own business.

A - Super 19, T.V.K. Industrial Estate, Guindy, Chennai - 600 032, Tamil Nadu - India

Phone : +91-44-2250 1757 | E-mail : chennaiesting@chennaiestinglab.com www.ctllabs.in

INTER OFFICE MEMORANDUM

From <p style="text-align: center;">AGM (Lab)</p>	To <p style="text-align: center;">DGM (Env)</p>
---	---

25.10.2024

Slavin Akshay
25/10/24
Thro' ~~DGM (R&D)~~

AOX & TOC analysis report of final treated effluent water sample collected on 22.5.2024

S.No	Particulars	Unit	Results
1	Volume of effluent water discharged	m ³	24672
2	Paper Production	Tons	1010.22
3	AOX generated per ton of Paper	kg/t	0.09
4	TOC generated per ton of Paper	kg/t	1.59

Remarks: Norms: AOX -1kg / ton of paper (Maximum). TOC- No Norms.


R. S. Tamilarany
AGM (LAB)

CC:

CGM (O)

CM (ENV) ✓

File - 95



CIN : U93000TN2000PTC043869

TEST REPORT

Test Report No & Date	CTL/CH/N-22712/2024-25 & 30.05.2024
Sample Number	N-22712/24-25
Name of the Customer	M/S. TAMIL NADU NEWSPRINT AND PAPERS LIMITED [MAIN PLANT].
Address	Kagithapuram - 639 136, Karur District, Tamil Nadu.
Sample Drawn by	Laboratory
Sample Name	Effluent Water
Sample Description	Treated Effluent Water
Sampling Location	Secondary Clarifier Outlet
GPS Reading	11°03'9.805"N & 77°59'59.05"E
Sample Drawn on	22.05.2024
Sample Received on	23.05.2024
Sampling Plan & Procedure	Grab Sample & CTL/QSP/09
Sample Quantity	2 Litres
Sample Condition	Good & Received in Plastic Container
Environmental Conditions	Temperature- 33.9°C and Humidity- 54.2%
Equipment used for Sampling	NA
Analysis Started on	23.05.2024
Analysis Completed on	30.05.2024

Test Results:

The above sample tested as received, and results are as follows:

S. NO	PARAMETERS	METHOD	UNITS	RESULTS	LIMITS*
1	pH @ 25°C	IS 3025 (Part 11)-1983 (RA.2017)	-	7.8	5.5 to 9.0
2	Colour	IS : 3025 (Part 4)- 2021	HU	50	-
3	Total Dissolved Solids	IS 3025 (Part 16)-1984 (RA.2017)	mg/l	2040	Max.2100
4	Total Suspended Solids	IS 3025 (Part 17) -1984 (RA.2021)	mg/l	25	Max.100
5	Biochemical Oxygen Demand (BOD) 3 days at 27°C	IS 3025 (Part 44) -1993 (RA.2019)	mg/l	15	Max.30
6	Chemical Oxygen Demand (COD)	IS 3025 (Part 58)-2006 (RA:2017)	mg/l	74	Max.250
7	Chloride as Cl	IS 3025 (Part 32)-1988 (RA.2019)	mg/l	599	Max.1000
8	Sulphate as SO ₄	IS 3025 (Part 24/sec -1) - 2022	mg/l	357	Max.1000
9	Oil & Grease	IS 3025 (Part 39) - 2021	mg/l	< 2	Max.10
10	Ammonical Nitrogen as N	IS 3025 (Part 34)-1988 (RA.2019)	mg/l	4.1	Max.50
11	Total Nitrogen as N	IS 3025 (Part 34)-1988 (RA.2019)	mg/l	15.6	-
12	Total Kjeldahl Nitrogen as N	IS 3025 (Part 34)-1988 (RA.2019)	mg/l	9.4	Max.100
13	Phenolic Compounds as C ₆ H ₅ OH	IS 3025 (Part 43/sec 1) 2022	mg/l	BDL(DL:0.001)	-
14	Percent Sodium	CTL/SOP/WATER/60-2022	%	51.62	-
15	Sulphide as S	IS 3025 (Part 29)-1986 (RA.2019)	mg/l	BDL(DL:0.01)	Max.2.0

For Chennai Testing Laboratory Pvt Ltd

Verified by 

The Report shall not be used to malign, defame and for any malicious purpose. The Report is meant only for safe use of the addressee to promote his/her own business.

A - Super 19, T.V.K. Industrial Estate, Guindy, Chennai - 600 032
 Head - Water & Soil Division (CHEMICAL)

Phone : +91-44-2250 1757 | E-mail : chennaiesting@chennaiestinglab.com www.ctllabs.in



CIN : U93000TN2000PTC043869

TEST REPORT

Test Report No & Date	CTL/CH/N-22712/2024-25 & 30.05.2024
-----------------------	-------------------------------------

S. NO	PARAMETERS	METHOD	UNITS	RESULTS	LIMITS*
16	Total Organic Carbon (TOC)	5310-C-APHA 23rd Ed.2017	mg/l	65.4	-
17	AOX	EPA 1653.S021&8260	mg/l	3.9	-

BDL - Below Detection Limit; DL - Detection limit; Max. - Maximum.

*Limits as per TNPCB Norms for Trade Effluent

END OF REPORT

For Chennai Testing Laboratory Pvt It

Verified by 


Authorised Signatory

A. RAJKUMAR
Head - Water & Soil Division
(CHEMICAL)

Page 2 of

The Report shall not be used to malign, defame and for any malicious purpose.
The Report is meant only for safe use of the addressee to promote his/her own business.

INTER OFFICE MEMORANDUM

*File
thru
cm@ms*

From AGM (Lab)	To AGM (WM)
-----------------------	--------------------

5.6.2024

*Shamini Mani
5/6/24*
Thro' DGM (R&D)

AOX & TOC analysis report of final treated effluent water sample collected on 23.4.2024

S.No	Particulars	Unit	Results
1	Volume of effluent water discharged	m ³	26894
2	Paper Production	Tons	1103.38
3	AOX generated per ton of Paper	kg/t	0.09
4	TOC generated per ton of Paper	kg/t	1.67

Remarks: Norms: AOX -1kg / ton of paper (Maximum). TOC- No Norms.

R. S. Sambasany
AGM (LAB)

CC:

CGM (O) - I/e
AGM (ENV)
CM (ENV)
File - 95



CIN : U93000TN2000PTC043869

www.ctllabs.in

TEST REPORT

Test Report No & Date: CTL/CH/N-21396/2024-25 & 02.05.2024
 Sample Number: N-21396/24-25
 Name of the Customer: M/S. TAMIL NADU NEWSPRINT AND PAPERS LIMITED (MAIN PLANT),
 Address: Kagithapuram - 639 136,
 Karur District, Tamil Nadu.

Sample Drawn by: Laboratory
 Sample Name: Effluent Water
 Sample Description: Treated Effluent Water
 Sampling Location: Secondary Clarifier Outlet
 GPS Reading: 11°03'9.805"N & 77°59'59.05"E
 Sample Drawn on: ~~23.04.2024~~
 Sample Received on: 25.04.2024
 Sampling Plan & Procedure: Grab Sample & CTL/QSP/09
 Sample Quantity: 2 Litres
 Sample Condition: Good & Received in Plastic Container
 Environmental Conditions: Temperature- 34.6°C and Humidity- 53.3%
 Equipment used for Sampling: NA
 Analysis Started on: 25.04.2024
 Analysis Completed on: 02.05.2024

Test Results:

The above sample tested as received, and results are as follows:

S. NO	PARAMETERS	METHOD	UNITS	RESULTS	LIMITS*
1	pH @ 25°C	IS 3025 (Part 11)-1983 (RA.2017)	-	7.9 /	5.5 to 9.0
2	Colour	IS : 3025 (Part 4)- 2021	HU	50	-
3	Total Dissolved Solids	IS 3025 (Part 16)-1984 (RA.2017)	mg/l	2050 /	Max.2100
4	Total Suspended Solids	IS 3025 (Part 17) -1984 (RA.2021)	mg/l	18	Max.100
5	Biochemical Oxygen Demand (BOD) 3 days at 27°C	IS 3025 (Part 44) -1993 (RA.2019)	mg/l	18 /	Max.30
6	Chemical Oxygen Demand (COD)	IS 3025 (Part 58)-2006 (RA.2017)	mg/l	182 /	Max.250
7	Chloride as Cl	IS 3025 (Part 32)-1988 (RA.2019)	mg/l	618 /	Max.1000
8	Sulphate as SO ₄	IS 3025 (Part 24/sec-1) - 2022	mg/l	307 /	Max.1000
9	Oil & Grease	IS 3025 (Part 39) - 2021	mg/l	< 2	Max.10
10	Ammonical Nitrogen as N	IS 3025 (Part 34)-1988 (RA.2019)	mg/l	3.7	Max.50
11	Total Nitrogen as N	IS 3025 (Part 34)-1988 (RA.2019)	mg/l	11.9 /	-
12	Total Kjeldahl Nitrogen as N	IS 3025 (Part 34)-1988 (RA.2019)	mg/l	7.5 /	Max.100
13	Phenolic Compounds as C ₆ H ₅ DH	IS 3025 (Part 43/sec 1) 2022	mg/l	BDL(DL:0.001)	-
14	Percent Sodium	CTL/SOP/WATER/60-2022	%	50.96	-
15	Sulphide as S	IS 3025 (Part 29)-1986 (RA.2019)	mg/l	BDL(DL:0.01)	Max.2.0

For Chennai Testing Laboratory Pvt Ltd

Verified by

The Report shall not be used to malign, defame and for any malicious purpose. Authorised Signatory
 The Report is meant only for sole use of the addressee to annote his/her own lab.

A. Raj Kumar

 A. RAJKUMAR
 Head - Water & Soil Division
 CHENNAI

A - Super 19, T.V.K. Industrial Estate, Guindy, Chennai - 600 032, Tamil Nadu - India Page 1 of 2

Phone : +91-44-2250 1757 } E-mail : chennai@testinglab.com



CIN : U93000TN2000PTC043869

www.ctlilabs.in

TEST REPORT

Test Report No & Date	CTL/CH/N-21396/2024-25 & 02.05.2024
-----------------------	-------------------------------------

S. NO	PARAMETERS	METHOD	UNITS	RESULTS	LIMITS*
16	Total Organic Carbon (TOC)	5310-C-APHA 23rd Ed.2017	mg/l	68.42	-
17	AOX	EPA 1653.5021&8260	mg/l	3.6	-

BDL - Below Detection Limit; DL - Detection limit; Max. - Maximum.

*Limits as per TNPCS Norms for Trade Effluent

END OF REPORT

For Chennai Testing Laboratory Pvt Ltd

Verified by 


Authorised Signatory

Page 2 of 2

A. RAJKUMAR
Head - Water & Soil Division
(CHEMICAL)

AOX

TOC

pdn -

The Report shall not be used to malign, defame and for any malicious purpose.
The Report is meant only for sole use of the addressee to promote his/her own business.

A - Super 19, T.V.K. Industrial Estate, Guindy, Chennai - 600 032, Tamil Nadu - India

Phone : +91-44-2250 1757 } E-mail : chennaiesting@chennaiestinglab.com

ANNEXURE VII

COMPREHENSIVE WATER MANAGEMENT PLAN

WATER AND WASTE WATER RECYCLING MANAGEMENT IN TNPL

TNPL has completed Mill Development Plan (MDP) in May'08 with a capital expenditure of Rs.612 crores and is successfully operating to achieve more environmental friendly operational performance of the mill by adopting *state of the art* Elemental Chlorine Free bleaching technique and simultaneously accomplished the objective of modernization of the process technology with a marginal increase in production capacity. Further, TNPL has implemented Mill Expansion Plan (MEP) by installing a third Paper Machine to enhance the production capacity from 245,000 tpa to 400,000 tpa and reduced specific water consumption.

The mill has implemented the following major water conservation (To reduce waste water generation) and waste water recycling (To reduce TDS in Waste water) projects to improve the overall environmental performance of the mill operations.

To reduce TDS in Waste water

- Recycling of around 1800M³ EOP alkaline filtrate in post Oxygen washer in hardwood fiber line operations by close looping Extraction stage effluent from hardwood into the brown loop to reduce TDS in the waste water.
- Return of soft water back to soft water plant after usage in NIPCO hydraulic system to reduce soft water re-generation.
- Recycling any chemical Bagasse fibre line EOP filtration in the post oxygen press to close the brown loop to reduce TDS in Waste water.

To reduce waste water generation

- Polishing excess clear filtrate of PM#1 using Algas filter.
- Recycling of around 9000 M³ Paper Machine Effluent after clarification in raw material preparation
- Recovery of steam condensate from chlorine vaporiser and pumping to cooling tower
- Use of excess hot water from hardwood fiber line for pulp washing in Chemical bagasse ECF bleach plant.
- Recovery of pump seal cooling water and pumping to cooling tower
- Re-circulation of chlorine di-oxide generator cooling process water to cooling tower
- Recovery of dilution air compressor water and pumping to cooling tower
- Re-circulation of New Hardwood fibreline Hydraulic cooling water to water treatment plant
- Replacing of freshwater with cooling water for Recovery Boiler-3 feed pump cooling system
- Re-circulation of the chlorine di-oxide plant transformer rectifier cooling water to cooling tower
- Reusing of white liquor clarifier disc (WLCD) compressor sealing water and condenser cooling water
- Use of process condensate in brown stock washing in bagasse pulping line.
- Replacing of freshwater with cooling water for Recovery Boiler-3 spout cooling system

- Re-circulation of CB-ECF plant Hydraulic cooling water within the system
- Replacement of conventional drum washers with twin roll presses to reduce water consumption
- Adaptation of improved technologies to re-use super clear filtrate from Paper Machine #3 backwater to minimize the fresh water usage.
- Recycling of Pick-up Uhle Box Water to White water chest/seal water tank to minimize make up in Fresh water in PM#2
- Use of PM/c back water for cationic starch cooking instead of fresh water
- Diversion of Algas filter water to culvert pit make up to avoid fresh water make up in PM#1.
- Replacement of fresh water with EOP filtrate for Optimization of fresh water for scrubber dilution in HW street
- Replacement of hot water with EOP filtrate in Post Oxygen Washer (POW) 2 Press in Chemical Bagasse street.
- Replacement of fresh water with Machine backwater for wet lap #2 and #3 usage and reuse of Wetlap # 2 filtrate in De-inking plant (through Wetlap # 3)
- Replacement of fresh water / process condensate with Back Water Clarification System water in flushing box at digester in Chemical Bagasse street
- Buffering Wetlap 1 Filtrate / PM/c back water in Mechanical Bagasse Pulp tower and reuse at HW
- final tower stand pipe dilution Replacement of fresh water with Machine backwater for wet lap #1 usage
- Diversion of Algas filter water to culvert pit make up to avoid fresh water make up in PM#1.
- Recycling of Uhle Box Water to White water chest to minimize make up in Fresh water in PM#2
- Use of PM/c back water for cationic starch cooking instead of fresh water
- Online dilution for A-PAM and C-PAM (RDA) in Paper Machine
- Return of water after usage from Alfa-2 evaporator and RB#3 to water treatment plant
- Recycling of water after usage from Alfa-1 evaporator to chemical bagasse plant
- Usage of excess process condensate in causticizing pumps and Alfa 1 evaporator pumps
- Diversion of algas filter drain to WW-2 PM#1.
- Installation of Water collection tray for bottom press felt in PM#1
- Utilization of Machine backwater for floor cleaning in PM#1,2 &3
- Replacement of high pressure shower nozzle size (0.7 mm from 1.0 mm) of Bottom & Top press fabrics in PM#1
- Diversion of tertiary screen reject to WW2 by processing through vibrating screen in PM#1
- Collection and diversion of bottom press felt high pressure shower water to vacuum pump sever pit in PM#2
- Replacement of fresh water with machine back water for cationic starch preparation in PM#3
- Replacement of fresh water with machine back water for online dilution of A-PAM & C-PAM in PM#3

Collection of filler unloading and dosing pump seal water and transfer to warm water tank at CCK (PM#3)

- Diversion of excess cloudy filtrate over flow water to clear chest in PM#3
- Replacement of fresh water with machine back water to dilute cationic starch slurry at CCK
- Replacement of existing 0.9 & 0.7 mm H.P shower nozzles size with 0.7 & 0.6 mm for forming and press fabric at PM#3
- Replacement of fresh water with machine back water for dispersing Machine discharge pump and line flushing at CCK
- Replacement of fresh water with machine back water for WPC/WGCC slurry unloading pump and line flushing at CCK
- Replacement of fresh water with machine back for save- all cleaning in paper machine#3.
- The sulphide stripping plant is operating continuously and the strip-off gas is incinerated in lime kiln along with non - condensable gases. After removal of sulphide from the Evaporator Vacuum Pump seal water of 1000 KLD is recycled to process conserving an equivalent amount of fresh water.

In order to further reduce water consumption, a dedicated team of executives has been formed with members drawn from various departments. The team is identifying and implementing various water conservations schemes without affecting quality of product and treated effluent.

These steps have paved way to reduce

- Overall water consumption from 70,000 M³/day during 2007 to about 40,000M³/day during 2016-17 even after increasing the paper production from 205000 tpa to 400000 tpa and in house pulp production from 165000 tpa to 264000 tpa.
- Specific water consumption from 102 M³/Ton of machine production during 2007 to about 23 M³/Ton of machine production during Apr'24 to Sep'24.

ANNEXURE VIII

**COPIES OF FLY ASH DETAILS
SUBMITTED TO O/O. JCEE,
TNPCB, TRICHY**



Tamil Nadu Newsprint and Papers Limited

(A Government of Tamil Nadu Enterprise)

Kagithapuram - 639 136, Pugalur Taluk, Karur Dist. Tamil Nadu, India.

Phone: (0091) 04324-277001 to 10 - (10 Lines) Cell : 94860 41341 to 41343

ENV/02/24

October 8, 2024

The Joint Chief Environmental Engineer,
Tamilnadu Pollution Control Board (TNPCB),
No: 25, SIDCO Industrial Estate, Thuvakudi,
Trichy - 620 015.

Sir,

Sub: TNPL Captive Power Plant - Disposal of Fly Ash - Submission of Action Taken Report against the instruction issued- reg.

Ref: Letter No. JCEE (M)/TNPCB/F.67/KARUR/TNPL-CPP/2019 dated 06.11.2019.

We hereby acknowledge the receipt of the letter cited under reference.

It is submitted that the fly ash quantity generated from the TNPL Captive Power Plant are being utilized in the Cement Production at TNPL Mini Cement Plant (LSFM) unit details for the period between 01/07/2024 and 30/09/2024 is submitted hereunder for your kind information.

All values are in MT

Period	Fly ash opening Balance	Fly ash generation	Fly ash utilized for TNPL Cement Production	Fly ash disposed to outside agencies, if any	Fly ash Closing Balance
01/07/2024 to 31/07/2024	504.30	3534	3718.25	0	320.05
01/08/2024 to 31/08/2024	320.05	4011	4030.73	0	300.32
01/09/2024 to 30/09/2024	300.32	2962	3011.05	0	251.27

It is pertinent to note that the fly ash generated during last three months were utilized only for Cement Production in compliance to the directions issued vide reference cited above.

This is for your kind information and records.

Thanking you.

Yours faithfully,
for M/s Tamil Nadu Newsprint and Papers Limited,


Chief Manager (Environment)

TNPL Corporate Office

67, Mount Road, Guindy, Chennai, TN, India - 600 032.
Phone: 044-22354415, 16, 18 22301094 to 97
E - mail: response@tnpl.co.in, Web: www.tnpl.com
Corporate ID No : L 22121 TN 1979 PL C 007799

TNPL Unit - II - Board Plant

Kagitha Nagar, Mondipatti, K.Periyapatti Post,
Manapparai Taluk, Tiruchirappalli District,
Tamil Nadu, India - 621 306.
Phone: 04332-261600 Cell: 94890 12793



TNPL - MAKER OF BAGASSE BASED ECO - FRIENDLY PAPER



Tamil Nadu Newsprint and Papers Limited

(A Government of Tamil Nadu Enterprise)

Kagithapuram - 639 136, Pugaiur Taiuk, Karur Dist. Tamil Nadu, india.

Phone: (0091) 04324-277001 to 10 - (10 Lines) Cell : 94860 41341 to 41343

ENV/02/24

July 5, 2024

The Joint Chief Environmental Engineer (Monitoring),
No: 9, 4th cross street, Brindhavan road, Fairlands,
Tamilnadu Pollution Control Board (TNPCCB),
Saïem - 636016

Sir,

Sub: TNPL Captive Power Plant – Disposal of Fly Ash - Submission of Action Taken Report against the instruction issued- reg.

Ref: Letter No. JCEE (M)/TNPCCB/F.67/KARUR/TNPL-CPP/2019 dated 06.11.2019.

We hereby acknowledge the receipt of the letter cited under reference.

It is submitted that the fly ash quantity generated from the TNPL Captive Power Plant are being utilized in the Cement Production at TNPL Mini Cement Plant (LSFM) unit details for the period between 01/04/2024 and 30/06/2024 is submitted hereunder for your kind information.

All values are in MT


Period	Fly ash opening Balance	Fly ash generation	Fly ash utilized for TNPL Cement Production	Fly ash disposed to outside agencies, if any	Fly ash Closing Balance
01/04/2024 to 30/04/2024	648.82	3693.4	4027.42	0	314.80
01/05/2024 to 31/05/2024	314.8	3189.02	3024.88	0	478.94
01/06/2024 to 30/06/2024	478.94	4045.00	4019.64	0	504.30

It is pertinent to note that the fly ash generated during last three months were utilized only for Cement Production in compliance to the directions issued vide reference cited above.

This is for your kind information and records.

Thanking you.

Yours faithfully,
for M/s Tamil Nadu Newsprint and Papers Limited,


Chief Manager (Environment)

TNPL Corporate Office

67, Mount Road, Guindy, Chennai, TN, india - 600 032.
Phone: 044-22354415,16,18 22301094 to 97
E - mail: response@tnpl.co.in, Web: www.tnpl.com
Corporate ID No : L 22121 TN 1979 PL C 007799

TNPL Unit - II - Board Plant

Kagitha Nagar, Mondipatti, K.Periyapatti Post,
Manapparai Taluk, Tiruchirappalli District,
Tamil Nadu, India - 621 306.
Phone: 0432-261600 Cell: 94890 12793

TNPL – MAKER OF BAGASSE BASED ECO – FRIENDLY PAPER



ANNEXURE IX

GREEN BELT DETAILS

GREEN BELT DEVELOPMENT AT TNPL - 2023-24

ABSTRACT

SL. NO	LOCATION	TOTAL AREA. IN HA	AREA TO BE COVERED UNDER GREEN COVER (33%) IN HA	GREEN COVER DEVELOPED IN HA	NO. OF TREES DEVELOPED	% OF GREEN BELT VS TOTAL AREA
1	MAIN PLANT	83.56	27.57 (33%)	32.11	103304	38.42%
2	CAPTIVE POWER PLANT	38.16	12.59(33%)	16.17	45503	42.37%
	TOTAL	121.72	40.16 (33%)	48.28	148807	40.39%

MAIN PLANT

SL.N O	Name of the Tree	No.of Trees
1	Peltophorum ferrugineum(Copper pod tree)	3095
2	Bahinia purpurea (Orchid tree)	893
3	Casia siamea	65
4	Pongamia pinnata (Pungam)	3990
5	Porasus flabelifer (Palmyrah)	18
6	Caryota urens (Fish tail palm)	9
7	Tecoma stans	26
8	Samania saman (Rain tree)	208
9	Mangifera indica (Mango)	3
10	Cocos neusifera (Coconut)	116
11	Terminalia catapa (Badam)	100
12	Ficus religiosa (Peepal)	10
13	Lagerstroemia speciosa (Pride of India)	20
14	Azadirachta indica (Neem)	5600
15	Polyalthia longifolia (Ashoka)	300
16	Syzizium cumini (Naval)	25
17	Tabebuia argentea	34
18	Acacia auriculiformis(Australian wattle)	1000
19	Eucalyptus sps	25151
20	Leucaena leucocephala (Subabul)	2000
21	Tamarindus indica (Tamarind)	90
22	Spthodea companulata (African tulip tree)	20
23	Albizzia lebbek (Vagai)	300
24	Sterculia foetida	3
25	Delonix regia (Gulmohar)	300
26	Casuarina equisetifolia	48480
27	Bamboosa sps (Bamboo)	200
28	Dalbergia sissoo	9622
29	Ailanthus excelsa	102
30	Glaricidia maculata	129
31	Kaya	103
32	Melia dubia (Malai vembu)	500
33	Swietenia mahagoni	223
34	Tectona grandis (Teak)	48
35	Callophyllum innophyllum	32
36	Terminalia arjuna	60
37	Singapore cherry	316
38	Millingtonia hortensis (Tree jasmine)	60
39	Madhuca latifolia (Iluppai)	10
40	Ficus bengalensis (Banyan)	3
41	Mimosops elengi (Makilam)	10
42	Cassia fistula (Golden shower)	10
43	Achrus sapota (Sapota)	10
44	Phyllanthus emblica (Amla)	10
	Total	103304


CAPTIVE POWER PLANT

SL.N O	Name of the Tree	No.of Trees
1	Peltophorum ferrugineum(Copper pod tree)	2200
2	Bahinia purpurea (Orchid tree)	264
3	Pongamia pinnata (Pungam)	1621
4	Samania saman (Rain tree)	100
5	Terminalia catapa (Badam)	60
6	Ficus religiosa (Peepal)	7
7	Azadirachta indica (Neem)	4828
8	Polyalthia longifolia (Ashoka)	24
9	Syzizium cumini (Naval)	15
10	Acacia auriculiformis(Australian wattle)	318
11	Eucalyptus sps	10100
12	Leucaena leucocephala (Subabul)	1164
13	Tamarindus indica (Tamarind)	30
14	Albizia lebbek (Vagai)	164
15	Delonix regia (Gulmohar)	82
16	Casuarina equisetifolia	21080
17	Bamboosa sps (Bamboo)	106
18	Dalbergia sissoo	2696
19	Melia dubia (Malai vembu)	380
20	Singapore cherry	238
21	Millingtonia hortensis (Tree jasmine)	24
22	Ficus bengalensis (Banyan)	2
	Total	45503





TNPL MINI CEMENT PLANT - GREENARY DETAILS		
S.NO	NAME OF LOCATION	LATITUDE, LONGITUDE
18	CEMENT PLANT - ENTRANCE	11.03876, 78.00635 11.03716, 78.00701
19	CEMENT PLANT - COAL SHED AREA	11.03806, 78.00836 11.03650, 78.00915
20	CEMENT PLANT - RAMP	11.03834, 78.00851 11.03654, 78.00999
21	CEMENT PLANT - COMPOUND	11.03872, 78.00784 11.03858, 78.01030 11.03697, 78.01034



Search Google Maps

See travel times, traffic and nearby places

Sign in

TNPL FACTORY - GREENARY DETAILS		
ID NO	NAME OF LOCATION	LATITUDE LONGITUDE
16	ADMIN BLOCK & MAIN GATE	11.05740, 77.99192 11.05530, 77.99077
17	COOLING TOWER AREA	11.05369, 77.99327 11.05281, 77.99495



Search Google Maps

See travel times, traffic and nearby places

11.04907, 78.00038

14.BR #5 AREA 2

11.04565, 78.00174

Sri Sakthi Vinayagar Temple

Clonal Propagation & Research Centre...

11.04410, 78.00370

11.04310, 78.00817

TNPL Water Treatment

15.BR #3 & 4 AREA

11.03877, 78.00956

11.03820, 78.00600 Cement

TNPL FACTORY - GREENARY DETAILS		
S.NO	NAME OF LOCATION	LATITUDE, LONGITUDE
14	BR #5 AREA 2	11.04565, 78.00174 11.04907, 78.00038
15	BR #3 & 4 AREA	11.04410, 78.00370 11.04310, 78.00817 11.04410, 78.00370 11.03877, 78.00956

Map

Google

Imagery ©2021 CNES / Airbus, Landsat / Copernicus, Mazar Technologies, Map data ©2021 India Terms Send feedback 200 m



TNPL FACTORY - GREENARY DETAILS		
S.NO	NAME OF LOCATION	LATITUDE, LONGITUDE
4	BR#2 - ETP AREA	11.056669, 78.001924 11.051862, 78.001927
5	ASL LAGOON - ETP AREA	11.051279, 78.001232 11.049440, 78.001060 11.052612, 77.997906
6	CLARIFIER - ETP AREA	11.052104, 78.001451 11.052462, 77.999145 11.051138, 77.999628
7	ANAEROBIC LAGOON	11.056921, 77.999947 11.054034, 77.998891
8	PRIMARY CLARIFIER #2 AREA	11.054268, 77.999256 11.053087, 77.999682 11.055362, 77.999030

ANNEXURE X

**OCCUPATIONAL HEALTH AND
SAFETY REPORT**

OCCUPATIONAL HEALTH CENTRE

Tamil Nadu Newsprint and Papers Limited (TNPL) take great care of health of its employees and their dependants. Various schemes in vogue stand a testimony to the care and concern shown by the company towards the health of its employees and their dependants.

OCCUPATIONAL HEALTH CENTRE (OHC):-

TNPL has an Occupational Health Centre manned by qualified and experienced 5 Medical Officers, paramedical staff of 3 nurses, 2 pharmacists, one ANM, 2 male attenders, 3 female attenders and 10 Ambulance drivers.

The scope of the TNPL Occupational Health Centre includes Preventing occupational hazards at work, protecting workers against hazards at work, help in adapting work and the work environment to the capabilities of the worker, promoting the physical, mental and social well-being of workers and rehabilitation of accidental occupational injuries.

The main objective of the TNPL OHC are,

- To provide medical treatment and support in case of an emergency illness or accident.
- To monitor, manage and modify any adverse health effects which may occur at the workplace.
- To promote good health at the workplace.
- To plan and execute health education and awareness programmes for employees.

The major activities at TNPL are,

- Medical surveillance through measures such as periodical medical check-ups.
- Pre-employment medical check-ups.
- Medical treatment for illness and accidents.
- Conducting health education programmes.
- Providing first aid and other related training to the employees.
- Promoting health awareness and wellness measures among employees.

The OHC renders free Medical treatment and guidance to the employees and their family members. An Amount of Rs. 6.00 lakhs per annum is spent towards medicines. Apart from the above facility, Specialists from various hospitals visit OHC on Sundays. Ambulance facility is extended to the employees to provide emergency treatment. TNPL conducts medical camp every month to attend to the health needs of the neighborhood population. Special medical camps in various specialties are conducted once in 3 months.

MEDICAL EQUIPMENTS:

Oxygenator:

Oxygenator is equipment which supplies pure oxygen from the normal atmospheric air. It works on 230v AC power. It is useful equipment for those patients suffering from Asthma, other Bronchial diseases. It's a good replacement for the oxygen cylinders. It need not be refilled and the same is maintained well.

T.N.P.L. Occupational Health Centre has an latest up to date model of Oxygenator, which is used for patients with Respiratory Difficulty.



Nebulizer:



Nebulizers are commonly used for treatment of cystic fibrosis, asthma, COPD and other respiratory diseases. Nebulizers use oxygen, compressed air or ultrasonic power to break up medical solutions and suspensions into small aerosol droplets that can be directly inhaled from the mouthpiece of the device.

T.N.P.L. Occupational Health centre has 2 latest versions of Nebulizers which render great service in treating Respiratory problems.

Suction Apparatus:

Suction Apparatus is a device for removing liquids or gases by suction, especially an instrument that uses suction to remove substances, such as mucus or serum, from a body cavity. It is used to create a partial vacuum. A suction machine helps to remove secretions and mucus from the airways. In addition, a suction machine may be needed when a patient has moist cough, or unable to effectively clear secretions from the throat, or are having difficulty in breathing or feel that they cannot get enough air.

The Occupational Health Centre is well equipped with 2 Suction Apparatus to handle any kind of emergencies.



Electro Cardiogram Machine:

ECG is used to measure the rate and regularity of heartbeats as well as the size and position of the chambers, the presence of any damage to the heart, and the effects of drugs or devices used to regulate the heart.

The Occupational Health Centre in T.N.P.L. has 2 latest model Electro Cardiogram Machines, which helps immensely in the early detection of Cardiac Diseases among the employees and their families.



Microscope:



A microscope is an instrument used to see objects that are too small for the naked eye. This is an optical instrument containing one or more lenses producing an enlarged image of a sample placed in the focal plane.

A latest model Microscope is used in the T.N.P.L. OHC, for various sample identifications.

Traction Apparatus:

Traction is applied to the cervical or lumbar spine through harnesses fastened to the head or pelvic area. This widens the inter-vertebral spaces which relieves nerve root compression by the inter-vertebral discs. The compression of the nerve roots causes sensations of pain, burning, tingling in the neck, shoulders and arms, or in the back, buttocks, legs and feet. Traction force is determined by the patient's tolerance.

T.N.P.L. OHC has an Electronic Traction apparatus that is used to treat muscular



Ophthalmoscope:

Ophthalmoscopy (funduscopy or funduscopy) is a test that allows a health professional to see inside the fundus of the eye and other structures using an ophthalmoscope (funduscope). It is done as part of an eye examination and this is used as a part of a routine physical examination. It is crucial in determining the health of the retina and the vitreous humor.

The Occupational Health Centre has an Ophthalmoscope that is used in early detection of Diseases like Hypertension and Diabetes Mellitus.



Otoscope:



An Otoscope or auriscope is a medical device which is used to look into the ears. Health care provides use otoscopes to screen for illness during regular check-ups and also for investigating the symptoms involving the ears. With an otoscope, it is possible to see the outer ear and middle ear. The Otoscope in the Occupational Health Centre is used in ailments like, Foreign Body in Ear etc.

Automated External Defibrillator (AED):

A Defibrillator is a device that gives a high energy electric shock to the heart of the patient who is in Cardiac arrest. This high energy shock is called defibrillation and it's an essential part in trying to save the life of the patient, who is in Cardiac Arrest.



Ambulance:

TNPL Occupational Health Centre has 3 state of the art Ambulance vehicles which render yeoman service to the working community for transportation of sick and injured persons for treatment.



Cyclotron:



A Cyclotron is a type of particle accelerator. It is used in blood samples preparations.

TNPL Occupational Health Centre has to its credit a wide range of Drugs, Suture materials, emergency medicines (including anti-venom) for managing any kind Industrial Accidents, and other medicines for Clinical Emergencies and regular Outpatient Treatment.

Medicine Storage room:

The OHC has a well stocked Medicine Storage room.

A dedicated team of Doctors, staff nurses, pharmacists and paramedical staff, ensure the efficient and correct, timely health management and treatment is provided at the T.N.P.L. Occupational Health Centre, round the clock.



SPECIALIST DOCTORS VISIT TO TNPL OCCUPATIONAL HEALTH CENTRE:

For the benefit of TNPL Employees and their families, every Sunday forenoon a Specialist Doctor visits the Premise of Occupational Health Centre. The TNPL Employees and their families avail this opportunity to have their health examined. The names and their field of specialist are furnished below:

- | | |
|--|------------------------|
| 01. Dr. P. Ramesh, M.S. | - Ophthalmic Surgeon |
| 02. Dr. D.M.T. Saravanan, MBBS, MRCP (UK). | - Cardiologist |
| 03. Dr. R. Karuppaiah, M.S. | - Orthopaedic Surgeon |
| 04. Dr. K. Ramachandran, B.D.S. | - Dental Surgeon |
| 05. Dr. D. Gurusamy Nachimuthu, M.S. | - Orthopaedic Surgeon |
| 06. Dr. S. Kiruthika, MBBS, DDVL. | - Dermatologist |
| 07. Dr. V. Shankar, M.D.D.M. | - Gastro Entero Logist |

- | | | |
|--------------------------------------|---|---------------------|
| 08. Dr. S. Shankar, M.S. | - | General Surgeon |
| 09. Dr. G. Sathish, M.S. | - | Orthopaedic Surgeon |
| 10. Dr. K.S. Murugesan, D.D. | - | Dermatologist |
| 11. Dr. C. Balakrishnan, M.D. | - | General Physician |
| 12. Dr. R. Hariprasad, M.D. | - | Pulmonologist |
| 14. Dr. K. Madheswaran, M.Ch (Neuro) | - | Neuro Surgeon |

Monthly Free Rural Medical Camps & Health Awareness:

The most important reason why the development of rural life in India is excessively slow is because of lack of education which further impacts every simple aspect of life. The medical know-how of the rural people is almost missing. **Medical awareness** is very important for the overall **development of the weaker and socially, educationally, and economically backward sections of the society.**

We in Tamilnadu Newsprint and Papers Limited are aware, that for a prosperous country, the villages must be kept healthy. Each one needs to be socially aware and educated to have knowledge of various kinds of diseases and that a doctor needs to be consulted whenever he undergoes any kind of health problem rather than practice anything else. The backward class people are not so affluent that they can afford doctors for every simple disease condition.

The significance of medical camps is felt here. Medical camps are instituted not only to provide free medical service and checkup to the rural population, but they also focus on issues related to hygienic conditions of rural living, awareness of mothers and children who the most vulnerable to diseases. Awareness is imparted on how to live smartly.

Diseases are categorized and explained to the village folk telling them more about the health conditions that can be treated at home the ways in which they can be treated, diseases that need Doctor's prescription, diseases that require Doctor's care for a longer period of time, and diseases that require hospitalization immediately. The rural population tends to get panicked about any health hazards because they are not aware of the pros and cons of those.

They get emotionally disturbed about it easily. India is known for its poverty and depression because of health problems which is essentially due to lack of medical awareness.

Keeping this in mind, for the past Twenty Four Years, Doctors from the T.N.P.L. Occupational Health Centre visit the nearby villages every month and conduct Free, comprehensive, Health Awareness & Treatment camps. The villages that are benefited are Onavakkalmedu, Nalliyampalayam, Sottaiyur, Kandhasamipalayam, Nanaparappu, Moolimangalam,

Pazhamapuram, Masagoundanpudur, Kurrukupalayam. So far 296 Free Rural Medical camps have been conducted by TNPL.

In Rural Camps, the deficiencies like Acid Peptic Disease, Impetigo, Low Back Ache, Myalgia, Upper Respiratory Infection, Worm Infection, AGE, Head Ache, Pyrexia unknown Origin, Migraine, Blood Pressure and General cases are treated and medicines at free of cost are also provided.

The approach towards health is now changing from cure to prevention. The engineering approach is to ensure safer processes, an integrated systems approach and better occupational environment, whereas the medical approach emphasizes identifying the health risks and their prevention of occupational diseases.

TNPL OHC is well equipped and updated with the latest medical technology in order to give efficient and comprehensive health care to the Working Community.

MASTER HEALTH CHECK-UP

Ever year, all the permanent employees who have completed 40 years, 45 years, 50 years, 52 years, 54 years, 56 years, 58 years and 59 years of age are sponsored for a comprehensive Master Health check-up by the management. For this year 2023-24, we have arranged Master Health check-up at Royal Care Super Speciality Hospital, Coimbatore at the rate of Rs.3,500/- for male employee and Rs.5,000/- for female employee through tender processing. The employee attended details from **01.04.2024 to 30.09.2024** for Master Health check-up is detailed below:

Category of Age	No of employees attended	
	Male	Female
40 yrs	1	-
45 yrs	-	-
50 yrs	1	-
52 yrs	29	-
54 yrs	6	1
56 yrs	4	-
59 yrs	-	-
Total	41	1

EYE TEST:

Employees who are operating heavy vehicles viz., equipment operators and drivers have undergone eye test.

Distant Vision, near vision, color vision and fundal examination were performed. An amount of Rs.58,500/- was incurred towards Eye Test in the year, 2023 on 09.03.2023.

EYE TEST REPORT:

	Total No of Personnel tested	Normal	Abnormal
Regular employees and Contract Workmen	234	234	-

AUDIOMETRY TEST:

Audiometry test was done to employees, those who were exposed to high noise levels. An amount of Rs.35,800/- was incurred for Audiometry Test in the year, 2024 on 26.07.2024 .

The summary of expenditure incurred for the health care of the employees is given below:

PURE TONE AUDIOGRAM REPORT

No. of Employees Tested	Normal Audiogram	Abnormal Audiogram
143	143	NIL

All employees who are exposed to noise in the work environment are provided with good quality **ear muffs** to protect their hearing capacity.

PRE-EMPLOYMENT MEDICAL EXAMINATION:

The candidates, who are selected for jobs in TNPL, undergo Pre-Employment Medical Tests as advised by the Occupational Health Centre, TNPL.

They are advised to undergo the following Medical Tests in reputed laboratories.

1. Blood Tests – Urea, Creatinine, Blood Sugar, Cholesterol.
2. Urine Tests – Urine Routine, Specific Gravity, Urine Albumin, Urine Sugar.
3. Chest X-ray.
4. Electro Cardio Gram (ECG).

5. Pulmonary Function Test (PFT).
6. Pure Tone Audiogram.
7. Ophthalmic Evaluation.
8. E.N.T Surgeon's Opinion.
9. Ophthalmic Surgeon's Opinion.
10. General Physician's Opinion.

INDUSTRIAL ACCIDENT:

When employees sustain injuries while on duty, Company bears the entire medical expenses. For the period April, 2024 to September, 2024 an amount of Rs.23.79 lakhs was incurred towards entire medical expenses by the company.

MEDICAL ASSISTANCE UNDER SERIOUS AILMENTS SCHEME:

Company pays the entire hospitalization charges for employees, who suffer from the following Serious Ailments:

1. Heart Ailment
2. Cancer
3. Kidney Transplantation
4. Paralysis
5. Leprosy
6. Tuberculosis
7. Brain Surgery
8. Acute Pancreatitis
9. Liver disease

The company has a list of approved hospitals in major cities, where employees can take treatment for the above 9 Serious Ailments.

180 days of Special Leave is sanctioned to those employees, who suffer from any one of the above Serious Ailments. The employees who have exhausted the Special Leave are sanctioned additional 180 days of Special Leave on case to case basis depending upon the severity of the ailments. The expense incurred towards the above medical facility for the period, **April, 2024 to September, 2024** was Rs.91.89 lakhs.

SPECIAL MEDICAL ASSISTANCE SCHEME:

If the employee's medical expenditure is more than Rs.3,000/- and that there is a minimum period of 2 days of hospitalization, approximately 50% of the medical expenses are borne by the company for the medical expenses incurred for the employees and their dependants. The expenses incurred towards the above medical facility for the period **April, 2024 to September, 2024** was Rs.121.65 lakhs.

ANNEXURE XI

FIRE PROTECTION FACILITIES

**1. FIRE FIGHTING FACILITIES AVAILABLE IN TNPL MAIN SITE
AS ON 30.09.2024**

Sl. No.	PARTICULARS	CAPACITY
1	Fire Tender vehicles (FTV)	Two Numbers of Fire Tender Vehicles are available. FTV No.1 & 2 Tank Capacities are 4500 Ltrs and 5000 Ltrs respectively with foam making specialities.
2	Pumps (Effluent Treated Water)	3 Nos (All Rated 150kw/1500 rpm/720m ³ /hr) Two pumps are in continuous operation for hydrant lines only.
3	Standby Diesel Operated Fire Water Pumps	3 Nos of Diesel Engines 1. No.503, 155 kw
		2. No.506, 113 kw / 410 m ³ / hr / Bhp 231 / rpm 1500
		3. No.507 113 kw / 410 m ³ / hr / Bhp 231 / rpm 1500
4	Standby Electrical Motor Operated Jockey Pumps	1 No. 37 kw / 240 m ³ / hr / rpm 3000
5	Diesel Driven Booster Pump	273m ³ /hr @ 88 m/133 HP / 1800 rpm
6	Standby Electrical Motor Operated Pump No.1	273m ³ /hr @ 88 m/120 HP / 90 kw / 2900 rpm
7	Standby Electrical Motor Operated Pump No.2	273m ³ /hr @ 88 m/120 HP / 90 kw / 2900 rpm
8	Electrical Motor Operated Jockey Pump	273m ³ /hr @ 88 m/ 11KW / 2900 rpm
9	Boilers 1 ,2 ,3 & 4 Booster Pump	273m ³ /hr @ 88 m/ 15KW / 2900 rpm
10	Boiler No. 5 Booster Pump	273m ³ /hr @ 88 m/ 11KW / 2900 rpm
11	Boilers 6 & 7 Booster Pump	273m ³ /hr @ 88 m/ 22KW / 2955 rpm
12	Recovery Boiler area Booster Pump(Electrical Motor)	273m ³ /hr @ 88 m/ 45 KW / 2900 rpm
13	Coal Yard Booster Pump	273m ³ /hr @ 88 m/ 22KW / 2955 rpm
14	Electrical Driven Fire Pump at Cement Plant	273m ³ /hr @ 88 m/ 110 KW / 2900 rpm
15	Total nos. of Fire Hydrants and Line pressure	674 NOS. and 4.8 Kg / cm ² to 7 Kg/cm ²
16	Fire Extinguishers (Various types)	1670
17	Fire buckets and Stands	Fire Buckets Stand - 246 Buckets filled with sand and water - 1108
18	Water Availability in the Tanks for Fire Fighting	Reservoir - I - 174000 M ³
		Reservoir - III - 650000 M ³
		Reservoir - IV - 650000 M ³
		Reservoir - V - 180000 M ³
		Calarifloculator - I - 8150 M ³
		Calarifloculator - II - 11400 M ³
19	Fire Fighting Crew	Fire Fighting Crew is Available Round the Clock
20	Reserve Personnel for Fire Fighting	Plant Personnel are Trained in Fire Fighting on Regular Basis

2. STATUS OF FIRE EQUIPMENTS AS ON 30.09.2024

(A) FIRST AID FIRE FIGHTING EQUIPMENTS

SLNO	EXTINGUISHER NAME	MAIN SITE	OFF SITE & WIND FARM	TOTAL	REMARKS
1	WATER CO ₂ 9 LTR	311	62	373	
2	FOAM (AFFF) 9 LTR	204	15	219	
3	FOAM 160 LTR (AFFF)	9	0	9	
4	DCP 6 KG	419	50	469	
5	DCP 9 KG	184	10	194	
6	CO ₂ 2 KG	17	0	17	
7	CO ₂ 4.5 KG	378	115	493	
8	CO ₂ 6 KG	2	0	2	
9	CO ₂ 6.5 KG	6	0	6	
10	CO ₂ 6.8 KG	8	0	8	
11	CO ₂ 9 KG	7	0	7	
12	CO ₂ 22.5 KG	25	0	25	
13	CLEAN AGENT - 1 KG	19	0	19	
14	CLEAN AGENT - 2 KG	66	0	66	
15	ABC 02 KG	15	0	15	
TOTAL		1670	252	1922	

(B) OTHER FIRE FIGHTING APPLIANCES

SLNO	EXTINGUISHER NAME	MAIN SITE	OFF SITE & WIND FARM	TOTAL	REMARKS
1	FIRE BUCKET STAND	246	24	270	
2	FIRE BUCKETS	1108	122	1230	
3	HOSE BOXES	213	8	221	
4	FIRE HOSE - 30 MTRS	82	25	107	
5	FIRE HOSE - 15 MTRS	172	18	190	
6	FIRE HOSE - 7.5 MTRS	83	10	93	
7	BRANCH PIPE /NOZZLE	206	16	222	
8	HYDRANT POINTS	674	0	674	
	SINGLE HYD. - 306+10+05+12=333				
	DOUBLE HYD. - 65				
	IS HYDRANTS - 50				
	FE HYDRANTS - 115				
	COAL SPRIN.+ SH - 4+4+8+63 = 79				
	MONITOR HYD. - 08+02+02= 12				
CEMENT PLANT SH - 20					
TOTAL		2784	223	3007	

3. FIRE TENDER DETAILS AS ON 30.09.2024

SI. No.	DESCRIPTION	FIRE TENDER NO 1	FIRE TENDER NO 2
1	AUTO SL.NO	405	442
2	REGN.NO.	TN47 D 8310	TN 47 AT 9389
3	MODEL	1996	2016
4	TYPE	SL54	1616 IL
5	MAKE	ASHOK LEYLAND / COMET	ASHOK LEYLAND
6	PUMP	SHRI GANESH FIRE EQUIPMENT (P) LTD., NEW DELHI. C.E MARK NO: CE 98/37.559.00, PRODUCT: FIRE PUMP EN-1028:1&2 SLNO. 475, MODEL NO. CNMHL-2230, YEAR 2013 PUMP CAPACITY:2250LPM, RPM:3000	FIRE FLY PUMP. CAPACITY 2250 LPM AT 7 KG/CM2 (NORMAL PRESSURE) AND 250 LPM AT 30 KG/CM2 (HIGH PRESSURE). TYPE - CENTERFUGAL HIGH PRESSURE AND LOW PRESSURE. MATERIAL - GUN METAL
7	BUILDER	SAKTHI FIRE EQUIPMENT , CHENNAI	M/S AAREL INDUSTRIES , NO:52 SECTOR "A" SANWER ROAD, INDORE.
8	DIESEL CAPACITY	200 LTRS	200 LTRS
9	TANK CAPACITY	4500 LTRS	5000 LTRS
10	FC DUE	26.03.2025	07.06.2025

4. FIRE CALLS ATTENDED

SL. NO	YEAR	TNPL CALLS			OUT SIDE CALLS			TOTAL CALLS ATTENDED
		MILL AREA	OUT SIDE MILL AREA	TOTAL	OUT SIDE CALLS	SPECIAL ASSISTANCE	TOTAL	
1	1996	34	5	39	7	0	7	46
2	1997	40	30	70	4	0	4	74
3	1998	29	19	48	5	1	6	54
4	1999	36	22	58	10	2	12	70
5	2000	13	1	14	14	2	16	30
6	2001	28	3	31	7	0	7	38
7	2002	23	-	23	11	2	13	36
8	2003	13	-	13	2	0	2	15
9	2004	12	2	14	2	0	2	16
10	2005	6	6	12	3	0	3	15
11	2006	16	-	16	6	1	7	23
12	2007	21	2	23	3	2	5	28
13	2008	23	-	23	5	0	5	28
14	2009	29	2	31	7	0	7	38
15	2010	21	-	21	5	0	5	26
16	2011	21	4	25	5	0	5	30
17	2012	51	1	52	12	0	12	64
18	2013	21	4	25	7	1	8	33
19	2014	30	4	34	6	0	6	40
20	2015	23	5	28	7	3	10	38
21	2016	39	3	42	5	1	6	48
22	2017	24	7	31	16	4	20	51
23	2018	27	2	29	4	0	4	33
24	2019	26	5	31	1	2	3	34
25	2020	19	7	26	2	0	2	28
26	2021	9	2	11	4	1	5	16
27	2022	14	2	16	5	3	8	24
28	2023	22	5	27	4	1	5	32
29	2024 (Sep)	5	5	10	6	0	6	16
		675	148	823	175	26	201	1024

5. MAIN SITE - PLANT WISE FIRE EXTINGUISHERS PLACEMENT DETAILS AS ON 30.09.2024

SL. NO	DEPARTMENTS	W/ CO ₂	FOAM			DCP		CO ₂						CLEAN AGENT		ABC 02 KG	TOTAL	FIRE BUCKETS		HOSE BOX	HOSES			Nozzle	
		09 LTR	09 LTR	150 LTR	06 KG	09 KG	02 KG	4.5 KG	6 KG	6.5 KG	6.8 KG	09 KG	22.5 KG	01 KG	02 KG			STAND	NOS		30 MTR	15 MTR	7.5 MTR		
1	FIRE OFFICE / SECURITY OFFICE	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	0	0	0	0	0	0	0	
2	ADMIN / IT BUILDINGS	9	0	0	0	9	0	0	12	0	1	0	0	1	8	11	0	51	2	9	2	2	1	1	2
3	CANTEEN / TELE EX/TIME OFFICE	1	3	0	6	1	0	7	0	0	0	0	0	0	2	0	20	2	8	0	0	0	0	0	
4	WTP	0	5	0	9	6	1	8	0	0	0	1	0	0	0	0	30	3	12	4	0	6	2	4	
5	WOOD YARD CHIPPER HOUSE SILO	8	3	0	12	1	0	6	0	0	0	0	0	0	1	0	31	0	0	11	1	17	3	11	
6	MBP MILL	0	2	0	3	1	0	0	0	0	0	0	1	0	0	0	7	1	4	0	0	0	0	0	
7	HARD WOOD PULP MILL	2	5	0	10	6	0	7	0	0	0	0	1	0	1	0	32	4	20	6	3	4	4	6	
8	OLD WETLAB / PULP FEEDING	3	0	0	2	1	0	2	0	0	0	0	0	0	0	0	8	1	4	1	0	1	1	1	
9	WORKS OFFICE / LAB	3	0	0	3	0	5	7	0	0	0	0	1	2	8	0	29	1	4	1	0	2	0	1	
10	PAPER MACHINE III	24	23	1	38	15	0	38	0	0	0	0	3	0	9	0	151	18	85	28	14	19	7	28	
11	PAPER MACHINE II	15	13	1	10	12	0	16	0	1	0	0	3	0	2	0	73	13	62	8	4	4	1	8	
12	PAPER MACHINE I	29	19	2	11	16	0	19	1	1	4	0	1	0	3	0	106	15	75	12	12	9	3	8	
13	CAP GODOWN I & II	2	0	0	2	0	0	3	0	0	0	0	0	0	1	0	8	0	0	4	0	4	4	4	
14	PAPER GODOWN "A" & NEW F/H	24	0	0	7	0	0	4	0	0	0	0	0	0	0	0	35	3	12	4	1	4	1	4	
15	OLD FIN. HOUSE / EMPL. CUTTER	11	0	0	1	1	1	3	0	0	0	0	0	0	0	0	17	3	14	3	1	2	1	3	
16	WILE CUTTER & BIELOMATIC I & II	9	0	0	3	0	0	6	0	1	0	0	0	0	0	0	19	2	8	1	0	1	1	1	
17	PASABAN CUTTER	2	1	0	5	0	0	4	0	0	0	0	0	0	0	0	12	0	0	2	0	2	2	2	
18	ASRS GODOWN I & II / SHRINK	10	2	0	9	0	0	4	0	0	0	0	0	0	1	0	26	4	17	4	0	5	2	4	
19	OLD REEL GODOWN I	14	0	0	7	0	0	4	0	0	0	0	0	0	0	0	25	8	39	10	5	15	2	10	
20	NEW REEL GODOWN II	8	0	0	1	2	0	3	0	0	0	0	0	0	0	0	14	2	10	2	0	2	2	2	
21	MARKETING / OS OFFICE	5	0	0	1	0	0	2	0	0	0	0	0	2	1	0	11	3	15	3	1	2	1	3	
22	PROJECT GATE	0	0	0	1	0	0	0	0	0	0	0	0	1	0	0	2	1	4	1	1	0	0	1	
23	GENERAL STORES	13	4	0	6	2	0	9	0	0	0	0	0	1	2	0	37	2	9	1	1	0	0	1	
24	KRAFT PAPER GODOWN I & II	6	0	0	0	0	0	0	0	0	0	0	0	0	0	0	6	2	8	1	1	0	0	1	
25	CENTRAL / ELE WORK SHOP	2	2	0	4	1	1	2	0	0	0	0	0	0	0	0	12	2	9	0	0	0	0	0	
26	SAFETY / CIVIL OFFICE	6	1	0	1	0	0	0	0	0	0	0	0	0	0	0	8	0	0	0	0	0	0	0	
27	BOILER I TO 4 & TG 1 TO 3	1	24	1	26	22	0	20	0	1	0	3	1	0	0	0	99	23	113	10	2	6	8	10	
28	BOILER 5 / TG 4 & 5	0	7	0	16	5	0	9	0	0	0	0	3	0	1	0	41	9	29	4	2	2	0	4	
29	BOILER VI & VII / TG VI	4	11	1	17	11	0	19	0	0	2	0	2	0	0	0	67	5	22	11	5	4	0	9	
30	NEW SRP III	1	12	1	4	14	0	9	0	0	0	0	1	1	3	0	46	6	27	8	1	6	6	8	
31	LIME KILN 1 & 2 / FURNACE OIL	0	4	1	4	2	0	4	0	0	0	0	0	0	0	0	15	3	13	2	0	2	0	2	
32	O2 GENERATION PLANT	0	0	0	16	1	1	4	0	0	0	0	0	0	0	0	22	6	24	1	1	0	0	1	
33	AUTO SECTION	1	3	0	5	1	0	3	0	0	0	0	0	0	1	0	14	4	18	0	0	0	0	0	
34	DIESEL BUNK	0	2	1	0	3	0	0	0	0	0	0	1	0	0	0	7	2	8	1	1	0	0	1	
35	ETP / MULTI PURPOSE GODOWN	1	3	0	11	5	1	8	0	0	0	0	0	0	0	0	29	4	17	2	0	4	0	2	
36	SCRAP YARD	0	2	0	2	0	0	0	0	0	0	0	0	0	0	0	4	4	30	3	0	3	1	3	
37	COAL YARD WEIGH BRIDGE	1	1	0	8	1	0	6	0	0	0	1	0	0	0	0	18	1	4	4	1	3	4	4	
38	WASTE PAPER GODOWN / S/GATE	11	1	0	5	2	0	5	0	0	0	0	0	0	0	0	24	6	28	5	4	1	4	5	
39	SRP I & II - CAUSTICIZER PLANT	0	5	0	12	7	2	11	0	0	0	1	1	0	0	0	39	8	35	1	1	0	0	1	
40	OLD PULP MILL	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	5	1	1	0	0	1	
41	CBP II	1	5	0	7	6	0	6	0	1	0	1	0	0	0	0	27	2	8	2	1	1	1	2	
42	CBP III / ECF	0	5	0	13	7	0	11	1	0	0	1	1	0	1	0	40	4	17	6	1	5	3	6	
43	CLO2 PLANT	0	3	0	9	4	0	7	0	0	0	1	0	0	1	0	25	4	17	4	0	4	0	4	
44	WET LAP II & III	5	0	0	1	2	0	3	0	0	0	1	0	0	0	0	12	0	0	1	1	0	0	1	
45	DE INKING PLANT	3	6	0	9	5	0	8	0	2	0	0	1	0	1	0	35	3	15	6	0	6	6	6	
46	DIP SLUDGE SCREW PRESS	1	0	0	1	0	0	0	0	0	0	0	0	0	0	0	2	0	0	0	0	0	0	0	
47	DIP PULPER GODOWN	10	0	0	2	1	0	2	0	0	0	0	0	0	0	0	15	1	5	5	1	4	2	5	
48	BACK WATER PLANT	1	1	0	5	1	0	5	0	0	0	1	0	0	0	0	14	1	5	0	0	0	0	0	
49	BAGGASE YARD OLD / NEW	20	4	0	6	9	0	9	0	0	0	0	0	0	0	0	48	3	12	13	8	9	5	13	
50	BIO GAS PLANT / WEIGH BRIDGE	0	0	0	6	0	0	3	0	0	0	0	0	0	1	0	10	1	5	0	0	0	0	0	
51	BAGASSE GATE	0	0	0	0	1	0	0	0	0	0	0	0	0	1	0	2	1	5	0	0	0	0	0	
TOTAL		269	182	9	346	175	12	318	2	6	8	7	25	16	52	0	1427	194	890	199	78	160	78	193	

6. COLONY AREA / OUT POST FIRE EXTINGUISHERS PLACEMENT DETAILS AS ON 30.09.2024

SL. NO	DEPARTMENTS	W/ CO ₂	FOAM			DCP		CO ₂						CLEAN AGENT		ABC 02 KG	TOTAL	FIRE BUCKETS		Hose Box	HOSES			Nozzle
		09 LTR	09 LTR	160L TR	06KG	09 KG	02 KG	4.5 KG	06 KG	6.5 KG	6.8 KG	09 KG	22.5 KG	01 KG	02 KG			Stand	Buckets		30 MTR	15 MTR	7.5 MTR	

COLONY AREA

	BROUGHT FORWARD	269	182	9	346	175	12	318	2	6	8	7	25	16	52	0	1427	194	890	199	78	160	78	193
1	TNPL MATRIC SCHOOL / BUS	4	0	0	4	0	0	4	0	0	0	0	0	0	4	15	31	2	8	0	0	0	0	0
2	TNPL PUBLIC SCHOOL	3	0	0	2	0	0	3	0	0	0	0	0	1	1	0	10	2	8	0	0	0	0	0
3	TNPL PRIMARY SCHOOL	3	0	0	1	0	0	2	0	0	0	0	0	0	3	0	9	1	4	0	0	0	0	0
4	STADIUM / SHOOTING RANGE	1	0	0	0	0	0	1	0	0	0	0	0	0	0	0	2	2	8	0	0	0	0	0
5	COLONY MAINTENANCE	0	1	0	0	1	0	1	0	0	0	0	0	0	0	0	3	1	4	0	0	0	0	0
6	FAMC	1	0	0	1	0	1	0	0	0	0	0	0	0	0	0	3	1	4	0	0	0	0	0
7	CAR SHED	0	0	0	4	0	0	0	0	0	0	0	0	0	0	0	4	2	8	0	0	0	0	0
8	RECREATION	2	0	0	1	0	0	1	0	0	0	0	0	0	0	0	4	1	4	0	0	0	0	0
9	STAFF CLUBS	2	0	0	1	0	0	1	0	0	0	0	0	0	0	0	4	2	8	0	0	0	0	0
10	COLONY GATE / TEMPLE	2	0	0	1	0	0	1	0	0	0	0	0	0	0	0	4	1	5	0	0	0	0	0
11	COMMUNITY HALL	2	1	0	2	0	0	2	0	0	0	0	0	0	0	0	7	2	8	0	0	0	0	0
12	HRD HALL / HORTICULTURE	2	0	0	2	0	0	2	0	0	0	0	0	0	0	0	6	2	8	0	0	0	0	0
13	CO-OP- STORE/ GAS GODOWN	0	0	0	0	2	0	2	0	0	0	0	0	0	0	0	4	2	8	0	0	0	0	0
14	MICRO LAB	2	0	0	1	0	3	0	0	0	0	0	0	0	0	0	6	0	0	0	0	0	0	0
15	GUEST HOUSE	0	1	0	1	1	0	2	0	0	0	0	0	0	0	0	5	0	0	0	0	0	0	0
16	INDUSTRIAL TRAINING INSTITUTE	6	2	0	6	1	0	6	0	0	0	0	0	0	2	0	23	8	32	0	0	0	0	0
	TOTAL	299	187	9	373	180	16	346	2	6	8	7	25	17	62	15	1552	223	1007	199	78	160	78	193

OUT POST

1	BR #3 (NEW RESERVOIR)	0	1	0	1	1	0	1	0	0	0	0	0	0	0	0	4	2	8	0	0	0	0	0
2	CPRC	1	0	0	1	0	1	0	0	0	0	0	0	0	0	0	3	3	13	0	0	0	0	0
3	INTAKE WELL	0	2	0	7	0	0	5	0	0	0	0	0	0	0	0	14	4	20	0	0	0	0	0
4	TEWLIS PUMP HOUSE	0	1	0	1	1	0	1	0	0	0	0	0	0	0	0	4	1	4	0	0	0	0	0
5	CEMENT PLANT	11	13	0	36	2	0	25	0	0	0	0	0	2	4	0	93	13	56	14	4	12	5	13
6	BLS GODOWN	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	TOTAL	12	17	0	46	4	1	32	0	0	0	0	0	2	4	0	118	23	101	14	4	12	5	13

ANNEXURE XII

**COMPLIANCE TO CREP
RECOMMENDATIONS**

STATUS OF IMPLEMENTATION OF CREP ACTION POINTS AS EVOLVED BY CPCB

RESPONSIBILITY	IMPLEMENTATION SCHEDULE	STATUS OF COMPLIANCE																																						
1. DISCHARGE OF AOX kg/tonne of paper	AOX 1.5 Kg/tonne of paper within 2 years AOX 1.0 Kg/tonne of paper within 5 years	<p>The unit is maintaining AOX level in the treated effluent is maintaining below 0.1kg/T of product during the review period.</p> <table border="1" style="margin-left: auto; margin-right: auto;"> <thead> <tr> <th colspan="4" style="text-align: center;">AOX LEVEL – APR'24 TO SEP'24</th> </tr> <tr> <th rowspan="2" style="text-align: center;">S.NO</th> <th rowspan="2" style="text-align: center;">MONTH</th> <th colspan="2" style="text-align: center;">AOX</th> </tr> <tr> <th style="text-align: center;">PPM</th> <th style="text-align: center;">KG/T</th> </tr> </thead> <tbody> <tr> <td style="text-align: center;">1</td> <td style="text-align: center;">Apr-24</td> <td style="text-align: center;">3.6</td> <td style="text-align: center;">0.09</td> </tr> <tr> <td style="text-align: center;">2</td> <td style="text-align: center;">May-24</td> <td style="text-align: center;">3.9</td> <td style="text-align: center;">0.09</td> </tr> <tr> <td style="text-align: center;">3</td> <td style="text-align: center;">Jun-24</td> <td style="text-align: center;">3.4</td> <td style="text-align: center;">0.07</td> </tr> <tr> <td style="text-align: center;">4</td> <td style="text-align: center;">Jul-24</td> <td style="text-align: center;">2.7</td> <td style="text-align: center;">0.07</td> </tr> <tr> <td style="text-align: center;">5</td> <td style="text-align: center;">Aug-24</td> <td style="text-align: center;">1.8</td> <td style="text-align: center;">0.05</td> </tr> <tr> <td style="text-align: center;">6</td> <td style="text-align: center;">Sep-24</td> <td style="text-align: center;">1.2</td> <td style="text-align: center;">0.02</td> </tr> <tr> <td colspan="2" style="text-align: center;">AVERAGE</td> <td style="text-align: center;">2.77</td> <td style="text-align: center;">0.07</td> </tr> </tbody> </table>	AOX LEVEL – APR'24 TO SEP'24				S.NO	MONTH	AOX		PPM	KG/T	1	Apr-24	3.6	0.09	2	May-24	3.9	0.09	3	Jun-24	3.4	0.07	4	Jul-24	2.7	0.07	5	Aug-24	1.8	0.05	6	Sep-24	1.2	0.02	AVERAGE		2.77	0.07
AOX LEVEL – APR'24 TO SEP'24																																								
S.NO	MONTH	AOX																																						
		PPM	KG/T																																					
1	Apr-24	3.6	0.09																																					
2	May-24	3.9	0.09																																					
3	Jun-24	3.4	0.07																																					
4	Jul-24	2.7	0.07																																					
5	Aug-24	1.8	0.05																																					
6	Sep-24	1.2	0.02																																					
AVERAGE		2.77	0.07																																					
2. Installation of lime kiln	Within 4 years	The unit has already installed lime kiln with Lime sludge reburning in 1996. Installation of additional limekiln was completed during 2008 as part of Mill Development Plant now both lime kilns are under operation.																																						
3. Waste water discharge cu. M / tonne of paper	Less than 140 Cu. M / tonne of paper within 2 years. Less than 120 Cu. M / tonne in 4 years for units installed before 1992. Less than 100 Cu. M / tonne of paper per units installed after 1992.	The average waste water discharge per ton of paper production is maintained around 19 M ³ /Mt of paper produced for the period Apr'2024 to Sep'2024.																																						
4. Odour control by burning the reduced sulfur emissions in the boiler/lime-kiln	Installation of odour control system within 4 years.	The unit has installed following systems to control odour: <ul style="list-style-type: none"> ➤ Non Condensable Gas (NCG) which is the source for odour is collected from hot black liquor accumulator tank and evaporators & incinerated in lime kilns. ➤ NCG collection and incineration system provided in both lime kilns. 																																						
5. Utilization of treated effluent for irrigation	Utilization of treated effluent for irrigation wherever possible	The entire treated effluent discharge from the TNPL unit is fully utilized to irrigate lands, covered under TEWLIS, Captive plantation and addition to Greenery development in and around mill premises.																																						
6. Color removal from the effluent	Indian Paper Manufacturers Association to take up project with Central Pulp & Paper Research Institute	Indian Paper Manufacturers Association has taken up this project with Central Pulp and Paper Research Institute. The unit has implemented tertiary treatment to reduce colour in the treated effluent by Ozonation at a capital outlay of Rs.400 lakhs (Rs.200 for Ozonation and Rs.200 of Oxygen feed plant). The unit was commissioned on 06 th August 2010 and is in service. The operating expenditure will be about Rs. 70 lakh per annum @ Rs.20,000 per day. In addition to colour reduction in the final treated effluent, the ozonation further improves dissolved oxygen level in the treated effluent.																																						

ANNEXURE XIII

COMMITMENTS MADE DURING PUBLIC HEARING

ACTION TAKEN ON PUBLIC HEARING MEETING /CONSULTATION MEETING COMMITMENTS

Public Hearing meeting was conducted for the De-inking Plant and Upgradation of Captive Co-generation plant on 18/05/2012. Public demanded various welfare measures such as provision of drinking water, dust control measures, infrastructure development, sanitation facilities. Subsequent to Public Hearing meeting, all the requests received from the eight Panchayats located around mill premises were prioritized based on the discussion with respective Panchayat President /Chairman and site inspection carried out by TNPL Officials during the Month of June '12.

Based on the above, necessary works were carried out as detailed below:

1. Drinking water supply:

SL NO	Name of Panchayat	Nature of Request	Details of work undertaken	Value of work in Lakh ₹	Current Status of work
01	Tamil Nadu Kagitha Aalai Panchayat	Provision of additional drinking water taps	11 Numbers of additional drinking water taps provided	2.10	Work completed
02	Punjai Pugalur Town Panchayat Area	Provision of drinking water pipelines	Laying of PVC pipelines for a length of 2.2 KMs	7.50	Work completed.
03	-do-	Overhead tank of drinking water supply	One Lakh Lt capacity drinking water tank has been constructed	17.00	Work completed.
04	-do-	GLR for drinking water supply from TNPL	Tank has been constructed	10.00	Work completed.
05	Athur Poolampalaya m Village Panchayat	Provision of drinking water to Thanasi goundanpudur, Thundu perumalpalayam & Ambethkar Colony	Laying of separate lines to existing three Overhead tanks located in the respective areas	20.00	Work completed.
06	Thirukaduthurai Panchayat	Replacement of damaged drinking water pipelines for a distance of 0.5 Kms & Provision of drinking water storage tank	A 5000 Lt Sintex tank has been provided and pipelines were replaced	2.5	Work completed.

SL NO	Name of Panchayat	Nature of Request	Details of work undertaken	Value of work in Lakh ₹	Current Status of work
07	Kombupalayam Panchayat	Repairing of OHT at Noyyal Village & replacement of Sintex tank at Nathamedupalayam	OHT repaired and sintex tank was replaced.	0.80	Work completed.
08	-do-	Repairing of drinking water tank at Panchayat Primary School, Noyyal	Repairing work completed.	0.10	Work completed.
09	Punnam Panchayat Area	Provision of RCC OHT at Punnam Adidravidar School	20,000 litres capacity tank was constructed.	5.00	Work completed.

2. Sanitation Arrangement:

SL NO	Name of Panchayat	Nature of Request	Details of work undertaken	Value of work in Lakh ₹	Current Status of work
01	Thottakuruchi Town Panchayat	Provision of Public Toilet at Thalavapalayam	Toilet constructed.	3.50	Work completed.
02	-do-	Provision of Public Toilet at Fishermen street at East Thavittupalayam	Toilet constructed.	3.50	Toilet constructed.
03	Kombupalayam Panchayat	Repairing of toilet at Panchayat Primary School, Noyyal	Toilet provided with new septic tank and pipelines	0.50	Work completed.
04	Nanjai Pugalur Panchayat Area	Provision of Public Toilet at Modhu Kaadu	Toilet constructed.	3.50	Toilet constructed.

3. Infrastructure and Drainage Development:

SL NO	Name of Panchayat	Nature of Request	Details of work undertaken	Value of work in Lakh ₹	Current Status of work
01	Tamil Nadu Kagitha Aalai Panchayat	Class room building for Panchayat union Elementary School, Pudu Kurukku palayam	Construction of three class rooms	8.00	Work completed.
02	Thirukaduthurai Panchayat	Front shed for Ration shop	Front shed for ration shop has been provided	0.5	Work completed.
03	Punnam Panchayat Area	Construction of Ration shop at Punnam chatram	Ration shop constructed.	5.0	Work completed.
04	-do-	Provision of drainage between Palamapuram & Ponniyagoundanpudur	Drainage provided	14.25	Work completed.
05	-do-	Provision of drainages and retaining walls at Moolimangalam and Thathampalayam	Drainage provided	22.50	Work completed.
06	Kombupalayam Panchayat	Construction of compound wall at Panchayat Primary School, Noyyal	Compound wall provided	1.9	Work completed.
07	-do-	Creation of burial ground and civil amenities at Muninathapuram	Work is being taken up	1.5	Work completed.

Total cost spent towards implementation of above schemes = Rs.144.82 lakhs.

ANNEXURE XIV

CSR ACTIVITES

STATUS OF CSR ACTIVITIES CARRIED OUT DURING APRIL 2024 TO SEPTEMBER 2024

Sl.No	CSR Activities Carried Out During Apr'2024 to Sep'2024	Cost incurred. Rs. in Lakhs
1	<p><u>SPONSORING OF STUDENTS TO UNDERGO DIPLOMA IN PAPER TECHNOLOGY AT SIT, TRICHY:</u> TNPL has sponsored to 5 students for the year 2024-2025 (Unit-I -3 students and Unit-II - 2 Students) belonging to surrounding villages of Unit-I & Unit-II to undergo 3 and 1/2 years Diploma course in Paper Technology at Shashesayee Institute of Technology (SIT),Trichy.</p>	8.06
2	<p><u>RUNNING INDUSTRIAL TRAINING INSTITUTE (ITI):</u> Industrial Training Institute in affiliation with National Council Vocational Training (NCVT) and the Quality Council of India (QCI) is being run through TNPL Arakkodai Trust, covering four trades Viz. Instrument Mechanic, Fitter, Electrician and Welder.</p>	23.18
3	<p>In order to promote reading habit among the school and college Students, TNPL has Sponsored to organize 3rd Book Fair-2024 at Prem Mahal, Karur.</p>	5.00
4	<p>To promote the Sports activities in Karur District, TNPL has Contributed to organize 64th All India Basketball tournament at Karur</p>	0.50
5	<p>To promote sports activities among the Girl students, TNPL has sponsored to organize Kabaddi Tournament at Arasu College of Arts & Science for Women, Panduthakaranpudur</p>	0.50
6	<p>TNPL has distributed Food, Tea, Snacks and infrastructure facilities to organize "Republic Day Athletic sports meet" by Govt Boys Hr.Sec. School, Nerur at TNPL Stadium.</p>	0.73
7	<p>TNPL has distributed Food, Tea, Snacks and infrastructure facilities to organize Zonal Level Athletic Event by Govt. Hr. Sec. School, Pavithram at TNPL Stadium.</p>	0.44
8	<p>In order to promote Yoga, TNPL has provided Financial assistance to organize 4th Tamilnadu State Level Yoga Competition at Karur.</p>	0.5
9	<p>TNPL has distributed Food, Tea, Snacks and infrastructure facilities to organize district level Athletic sports meet organized by Govt. Boys Hr. Sec. School, Vangal at TNPL Stadium.</p>	0.92
10	<p>1. Organized Blood Donation Camp in association with Govt Medical College Hospital, Karur on 15.06.2024 Totally 174 persons have donated blood. 2. Eye camp was conducted in association with Madurai Aravind Eye Hospital; around 820 people were benefited from this eye camp. Spectacle were distributed to 354 people and 118 patients were underwent cataract Eye surgery at free of cost. 3. General Medical Camp was organized on 22.09.2024 in association with M/s. Royal Care Hospital, Coimbatore. Totally, 656 patients were screened in this camp. Medicines were distributed at free of cost.</p>	4.71

Sl.No	CSR Activities Carried Out During Apr'2024 to Sep'2024	Cost incurred. Rs. in Lakhs
11	<p><u>ORGANIZING MONTHLY MOBILE CAMPS:</u> TNPL Monthly Mobile Medical camp was organized in the surrounding villages viz. Onavakkalmedu, Nalliyampalayam, Sottaiyur, Moolimangalam, Pazhamapuram, Masagoundapuram, Kurukkupalayam, Nanapparappu and Kandasampalayam. Totally 878 people were screened and medicines worth Rs.47,984/- were distributed at free of cost.</p>	0.48
12	Tailoring, Computer and Typewriting training has been given to unemployed youth in the neighbouring villages for enhancing employability skills / entrepreneurship skills.	1.86
13	<p><u>DISTRIBUTION OF DRINKING WATER:</u> Distributing Drinking water to the surrounding villages viz. 1)Palamapuram, 2)Pandipalayam, 3)Thathampalayam, 4)Moolimangalam, 5)Ponniagoundanapuram, 6)Narippalli Thottam, 7)Kariyampatti, 8)Kandasampalayam, 9)Velliyampalayam, 10)Sullikaradu, and Chatram road. 11) Nanaparappu 12)Thannasigoundanputhur 13) Thunduperumal Palayam and TEWLIS Ayacut areas etc.,</p>	15.84
14	TNPL has contributed for fixing of High Mast lights at various places of Punjai Thottakurichi Town Panchayat, Karur district.	11.81
15	TNPL has contributed flood relief efforts for the affected people of Thavittupalayam village.	0.57
16	TNPL has constructed a new library building at Thirukkaduthurai Village.	7.48
17	TNPL has contributed to N.Pugalur panchayat to provide drinking water to Kattipalayam village.	7.4
18	To reduce polythene bags usage and to save soil health, TNPL has installed Cloth bag vending machine at District Collector Office, Karur.	1.03
19	TNPL is providing JCB for clearing bushes and debris at Pazhamapuram, Thathampalayam, and from Natha Kinathu Vinayagar temple to Muniyappaswamy temple in Moorthipalayam.	0.6
20	Organising training to farmers for Coconut cultivation through Tamil Nadu Agriculture University (TNAU)	0.77
21	<p><u>Infrastructure works to preserve Heritage Buildings including Place of worship in Karur District.</u> TNPL has provided financial assistance for the construction, extension and kumbabisheham (Consecration ceremony) of 12 temples in and around factory premises.</p>	5.5
	GRAND TOTAL (Rs in lakhs)	97.88

Table No. 1

Enterprise Social Commitment

Sector	2013 -14	2014 -15	2015 -16	2016 -17	2017 -18	2018 -19	2019 -20	2020-21	2021-22	2022-23	2023-24
Education	69	47	120	110	92	88	103	17	68	81	52
Health Care and Medical Service	10	22	67	89	33	37	136	32	139	7	7
Infrastructure Development	94	-	-	-	54	84	44	49	5	22	52
Social Development	-	193	101	230	-	70	43	75	131	145	119
Livelihood / Economic Development	109	-	-	-	25	62	10	16	3	-	-
Environment & Sanitation	26	93	66	51	33	33	14	6	2	5	11
Culture & Heritage	20	18	16	26	19	21	35	16	0.4	2	3
Soil and Water Conservation	-	-	-	-	-	10	14	8	-	-	-
Total (Rs. in Lakhs)	327	373	369	505	255	406	399	219	349	262	243
Total (Rs. in Crores)	37.06										

Table No. 2

Cost Towards Pollution Control Facilities

Parameter	Capital cost (Rs. Lakhs since 2013 EC)	Operating Cost Rs. Lakhs/year
Air pollution control systems (ESP and Chimney for the power boiler#7 under capital)	800	325
DIP Sludge dewatering system and handling	1000	195
Water conservation and recycling for DIP	700	-
Cost incurred on Water conservation measures (118 projects)	157	-
Online monitoring and control equipment and instruments	123	10
Dust suppression system for coal handling area	130	23
Air cooled condenser for conservation of water	1000	193
Greenbelt and green cover development	64	125
Safety systems installations	100	
Safety and environmental staff costs		350
Total	4074	1221

Table No. 3

Status of Environment Protection Measures Proposed During MDP

Description	Investment (Rs In Crores)	Status
White liquor oxidation plant	4.0	Implementation completed as part of Mill Development Plan Commissioned in May 2008
Oxygen generation plant	11.0	
Bleach plant for chemical bagasse pulping lines	60.0	
Chlorine di oxide generation plant	47.6	
Lime mud reburning kiln	21.5	
Improvements in waste water treatment plant	4.9	
Electrostatic precipitators including online stack monitoring	10.0	
Total	159.0	

Table No. 4

Status of Environment Protection Measures Proposed During MEP

Description	Investment (Rs In Crores)	Status
Electrostatic Precipitator for proposed coal fired boiler	3	Commissioned in Jan 2011 as part of Mill Expansion Plan
Augmentation of wastewater treatment plant (WWTP)	3	Ozone treatment plant commissioned in May 2010
Oxygen delignification	36	Commissioned in Jan 2011 as part of Mill Expansion Plan
New brown stock washing	86	
Total	128	

ANNEXURE XV

TNPCB REPORT – AMBIENT AIR QUALITY MONITORING



Report No.DEL/DGL/31

TAMILNADU POLLUTION CONTROL BOARD
District Environmental Laboratory, Dindigul.
AMBIENT AIR QUALITY SURVEY - Report of Analysis.

Report No. F.No.70/TNPCB/DEL/DGL/AAQS/2024-2025, Dated: 10.10.2024

1. Name of the Industry : M/s. Tamilnadu Newsprint and Papers Ltd.,
 2. Address of the Industry : Pulp Plant & Paper Division,
 Kagithapuram - 639 136,
 Karur District.
 3. Date of Survey : 22.08.2024 and 23.08.2024
 4. Duration of Survey : 24 Hrs
 5. Category : Red - Large.
 6. Land use classification : Industrial
 7. Type of Industry : Pulp Plant & Paper

Meteorological Conditions

Ambient Temperature (°C)	Min	Max	Relative Humidity (%)	Min	Max
	24°C	36°C		38%	82%
Weather Condition	Clear sky		Rain Fall (mm)	---	
Predominant Wind Direction	SW → NE		Mean Wind Speed (Km/hr)	12.2 Km/hr.	

Ambient Air Quality Survey Average Results (24 Hrs)

Sl. No	Location	Direction *	Distance (m) *	Height from GL (m)	Pollutants Concentration (µg/m³)					
					PM _{2.5}	PM ₁₀	SO ₂	NO ₂	Cl ₂ *	H ₂ S *
1	On top of the Decant House Tewlis Pump House.	NE	400	5	43	84	26	28	<1.0	<0.2
2	On top of Thiru.Muthusamy House No.34, Nallipalayam.	E	1000	5	-	76	20	23	<1.0	<0.2
3	On top of Thiru.Ramasamy House No.16, Sottaiyur.	ESE	1500	6	-	72	18	26	<1.0	<0.2
4	On top of the scaffolding near TNPL Reservoir, R.C.-3.	SE	500	4	-	67	19	27	<1.0	<0.2
5	On top of Thiru. Gopal House, Door No.20/4, Kurukkupalayam.	S	1000	5	-	65	16	19	<1.0	<0.2
6	On top of Thiru. R.Chidambaram House, Door No.3, Kongu Nagar.	SSW	750	5	-	66	15	18	<1.0	<0.2
7	On top of EB Quarters 'Q' Block- IV.	SW	400	7	32	58	14	17	<1.0	<0.2
8	On top of Units Biotech Laboratory Building.	W	400	6	-	64	17	21	<1.0	<0.2
9	On top of Bio- Methanation Building near TNPL Guest House.	NW	700	6	-	68	19	24	<1.0	<0.2
Ambient Air- Quality Results for fugitive Emission.										
10	On top of the scaffolding near ETP area.	SW	05	2	-	142	28	34	<1.0	<0.2
11	On top of the scaffolding near Coal- Storage yard.	SE	20	2	-	170	26	37	<1.0	<0.2

Note: All the values are restricted to the sampling period of 08 Hours Average of 24 Hours.

*Indicate Minimum Detectable Limit

End of the report

10/10/24
 Environmental Scientist

S. M. A. Kam
 Deputy Chief Scientific Officer
 DEL, TNPCB, Dindigul. 10/10/24

**LATEST NABL ACCREDITED &
MoEF&CC RECOGNIZED THIRD
PARTY LAB– AMBIENT AIR
QUALITY MONITORING TEST
REPORT**

TEST REPORT

Test Report No & Date CTL/CH/N-30066/2024-25 & 04.10.2024
Sample Number N-30066/24-25
Name of the Customer M/S. TAMIL NADU NEWSRINT AND PAPERS LIMITED [MAIN PLANT],
Address Kagithapuram - 639 136,
Karur District, Tamil Nadu.

Sample Drawn by Laboratory
Sample Name Ambient Air
Sample Description Ambient Air Quality
Sampling Location TEWLIS BUILDING
GPS Reading 11°03'17.07"N & 78°00'19.584"E
Sample Drawn on 23.09.2024 & 08.00 to 24.09.2024 & 08.00
Sample Received on 26.09.2024
Sampling Plan & Procedure CTL/QSP/F-89 & IS 5182 (Part V) and (Part XIV)
Sample Quantity 1 No
Equipment used for Sampling RDS Sampler S.No:2245-DTK-2017
Analysis Started on 26.09.2024
Analysis Completed on 04.10.2024

Environmental Condition

Relative Humidity 64%
Ambient Temperature 32.3°C
Wind Direction SW
Weather Condition Clear Sky

Test Results:

The above sample tested as received, and results are as follows:

DISCIPLINE : CHEMICAL

GROUP : ATMOSPHERIC POLLUTION

SL.NO	PARAMETERS	METHODS	UNITS	RESULTS	NAAQS*
1	PARTICULATE MATTER (PM _{2.5})	IS 5182 (Part 24)	µg/m ³	27.4	60
2	PARTICULATE MATTER (PM ₁₀)	IS 5182 (Part 23)	µg/m ³	58.0	100
3	SULPHUR DIOXIDE (SO ₂)	IS 5182 (Part 2)	µg/m ³	13.4	80
4	OXIDES OF NITROGEN (NO ₂)	IS 5182 (Part 6)	µg/m ³	24.5	80
5	OZONE (O ₃)	CTL/SOP/AIR/08	µg/m ³	33.6	180
6	LEAD (Pb)	IS 5182 (Part 22)	µg/m ³	BLQ(LOQ:0.05)	1
7	CARBON MONOXIDE (CO)	CTL/SOP/AIR/23	mg/m ³	BLQ(LOQ:1.15)	4
8	AMMONIA (NH ₃)	IS 5182 (Part 25)	µg/m ³	31.2	400
9	ARSENIC (As)	CTL/SOP/AIR/06	ng/m ³	BLQ(LOQ:1.0)	6
10	NICKEL (Ni)	IS 5182 (Part 26)	ng/m ³	BLQ(LOQ:2.0)	20
11	BENZENE (C ₆ H ₆)	IS 5182 (Part 11)	µg/m ³	BLQ(LOQ:1.0)	5
12	BENZO(a)PYRENE	IS 5182 (Part 12)	ng/m ³	BLQ(LOQ:0.5)	1
13	HYDROGEN SULPHIDE(H ₂ S)	IS 5182 (Part 7)	µg/m ³	BLQ(LOQ:6.0)	-


Verified by



For Chennai Testing Laboratory Pvt Ltd


Authorised Signatory
G. MANIKANDAN
Head - Environment Division
(CHEMICAL)

TEST REPORT

Test Report No & Date	CTL/CH/N-30066/2024-25 & 04.10.2024
-----------------------	-------------------------------------

SL.NO	PARAMETERS	METHODS	UNITS	RESULTS	NAAQS*
14	MERCURY (Hg)	CTL/SOP/AIR/25	$\mu\text{g}/\text{m}^3$	BLQ(LOQ:0.01)	-

*National Ambient Air Quality Standards prescribed by Ministry of Environment and Forests, Government of India vide Gazette Notification G.S.R. 826(E) dated 18.11.2009.

BLQ - Below Limit of Quantification; LOQ - Limit of Quantification:

*****END OF REPORT*****



Verified by

For Chennai Testing Laboratory Pvt Ltd



Authorised Signatory

G. MANIKANDAN
Head - Environment Division
(CHEMICAL)

Page 2 of 2

TEST REPORT

Test Report No & Date	CTL/CH/N-30067/2024-25 & 04.10.2024
Sample Number	N-30067/24-25
Name of the Customer	M/S. TAMIL NADU NEWSPRINT AND PAPERS LIMITED [MAIN PLANT],
Address	Kagithapuram - 639 136, Karur District, Tamil Nadu.
Sample Drawn by	Laboratory
Sample Name	Ambient Air
Sample Description	Ambient Air Quality
Sampling Location	TNPL Balancing Reservoir -3
GPS Reading	11°02'36.943"N & 78°00'14.084"E
Sample Drawn on	23.09.2024 & 08.25 to 24.09.2024 & 08.25
Sample Received on	26.09.2024
Sampling Plan & Procedure	CTL/QSP/F-89 & IS 5182 (Part V) and (Part XIV)
Sample Quantity	1 No
Equipment used for Sampling	RDS Sampler S.No:2611-DTI-2019
Analysis Started on	26.09.2024
Analysis Completed on	04.10.2024
Environmental Condition	
Relative Humidity	64%
Ambient Temperature	32.3°C
Wind Direction	SW
Weather Condition	Clear sky

Test Results:

The above sample tested as received, and results are as follows:

DISCIPLINE : CHEMICAL

GROUP : ATMOSPHERIC POLLUTION

SL.NO	PARAMETERS	METHODS	UNITS	RESULTS	NAAQS*
1	PARTICULATE MATTER (PM _{2.5})	IS 5182 (Part 24)	µg/m ³	22.6	60
2	PARTICULATE MATTER (PM ₁₀)	IS 5182 (Part 23)	µg/m ³	55.8	100
3	SULPHUR DIOXIDE (SO ₂)	IS 5182 (Part 2)	µg/m ³	10.5	80
4	OXIDES OF NITROGEN (NO ₂)	IS 5182 (Part 6)	µg/m ³	21.7	80
5	OZONE (O ₃)	CTL/SOP/AIR/08	µg/m ³	24.3	180
6	LEAD (Pb)	IS 5182 (Part 22)	µg/m ³	BLQ(LOQ:0.05)	1
7	CARBON MONOXIDE (CO)	CTL/SOP/AIR/23	mg/m ³	BLQ(LOQ:1.15)	4
8	AMMONIA (NH ₃)	IS 5182 (Part 25)	µg/m ³	19.8	400
9	ARSENIC (As)	CTL/SOP/AIR/06	ng/m ³	BLQ(LOQ:1.0)	6
10	NICKEL (Ni)	IS 5182 (Part 26)	ng/m ³	BLQ(LOQ:2.0)	20
11	BENZENE (C ₆ H ₆)	IS 5182 (Part 11)	µg/m ³	BLQ(LOQ:1.0)	5
12	BENZO(a)PYRENE	IS 5182 (Part 12)	ng/m ³	BLQ(LOQ:0.5)	1
13	HYDROGEN SULPHIDE (H ₂ S)	IS 5182 (Part 7)	µg/m ³	BLQ(LOQ:6.0)	-


Verified by



For Chennai Testing Laboratory Pvt Ltd


Authorised Signatory
G. MANIKANDAN
Head - Environment Division
(CHEMICAL)

TEST REPORT

Test Report No & Date	CTL/CH/N-30067/2024-25 & 04.10.2024
-----------------------	-------------------------------------

SL.NO	PARAMETERS	METHODS	UNITS	RESULTS	NAAQS*
14	MERCURY (Hg)	CTL/SOP/AIR/25	$\mu\text{g}/\text{m}^3$	BLQ(LOQ:0.01)	-

*National Ambient Air Quality Standards prescribed by Ministry of Environment and Forests, Government of India vide Gazette Notification G.S.R. 826(E) dated 18.11.2009.

BLQ - Below Limit of Quantification; LOQ - Limit of Quantification:

*****END OF REPORT*****



Verified by

For Chennai Testing Laboratory Pvt Ltd



Authorised Signatory

G. MANIKANDAN
Head - Environment Division
(CHEMICAL)

Page 2 of 2

TEST REPORT

Test Report No & Date CTL/CH/N-30068/2024-25 & 04.10.2024
Sample Number N-30068/24-25
Name of the Customer M/S. TAMIL NADU NEWSPRINT AND PAPERS LIMITED [MAIN PLANT],
Address Kagithapuram - 639 136,
Karur District, Tamil Nadu.

Sample Drawn by Laboratory
Sample Name Ambient Air
Sample Description Ambient Air Quality
Sampling Location 230 KVA TNEB Station
GPS Reading 11°03'11.314"N & 77°59'22.186"E
Sample Drawn on 23.09.2024 & 09.00 to 24.09.2024 & 09.00
Sample Received on 26.09.2024
Sampling Plan & Procedure CTL/QSP/F-89 & IS 5182 (Part V) and (Part XIV)
Sample Quantity 1 No
Equipment used for Sampling RDS Sampler S.No:2025-DTD-2016
Analysis Started on 26.09.2024
Analysis Completed on 04.10.2024

Environmental Condition

Relative Humidity 64%
Ambient Temperature 32.3°C
Wind Direction SW
Weather Condition Clear sky

Test Results:

The above sample tested as received, and results are as follows:

DISCIPLINE : CHEMICAL

GROUP : ATMOSPHERIC POLLUTION

SL.NO	PARAMETERS	METHODS	UNITS	RESULTS	NAAQS*
1	PARTICULATE MATTER (PM _{2.5})	IS 5182 (Part 24)	µg/m ³	22.5	60
2	PARTICULATE MATTER (PM ₁₀)	IS 5182 (Part 23)	µg/m ³	57.8	100
3	SULPHUR DIOXIDE (SO ₂)	IS 5182 (Part 2)	µg/m ³	16.2	80
4	OXIDES OF NITROGEN (NO ₂)	IS 5182 (Part 6)	µg/m ³	33.7	80
5	OZONE (O ₃)	CTL/SOP/AIR/08	µg/m ³	42.5	180
6	LEAD (Pb)	IS 5182 (Part 22)	µg/m ³	BLQ(LOQ:0.05)	1
7	CARBON MONOXIDE (CO)	CTL/SOP/AIR/23	mg/m ³	BLQ(LOQ:1.15)	4
8	AMMONIA (NH ₃)	IS 5182 (Part 25)	µg/m ³	27.6	400
9	ARSENIC (As)	CTL/SOP/AIR/06	ng/m ³	BLQ(LOQ:1.0)	6
10	NICKEL (Ni)	IS 5182 (Part 26)	ng/m ³	BLQ(LOQ:2.0)	20
11	BENZENE (C ₆ H ₆)	IS 5182 (Part 11)	µg/m ³	BLQ(LOQ:1.0)	5
12	BENZO(a)PYRENE	IS 5182 (Part 12)	ng/m ³	BLQ(LOQ:0.5)	1
13	HYDROGEN SULPHIDE(H ₂ S)	IS 5182 (Part 7)	µg/m ³	BLQ(LOQ:6.0)	-


Verified by



For Chennai Testing Laboratory Pvt Ltd


Authorised Signatory
G. MANIKANDAN
Head - Environment Division
(CHEMICAL)

TEST REPORT

Test Report No & Date	CTL/CH/N-30068/2024-25 & 04.10.2024
-----------------------	-------------------------------------

SL.NO	PARAMETERS	METHODS	UNITS	RESULTS	NAAQS*
14	MERCURY (Hg)	CTL/SOP/AIR/25	$\mu\text{g}/\text{m}^3$	BLQ(LOQ:0.01)	-

*National Ambient Air Quality Standards prescribed by Ministry of Environment and Forests, Government of India vide Gazette Notification G.S.R. 826(E) dated 18.11.2009.

BLQ - Below Limit of Quantification; LOQ - Limit of Quantification:

*****END OF REPORT*****



Verified by

For Chennai Testing Laboratory Pvt Ltd



Authorised Signatory

G. MANIKANDAN
Head - Environment Division
(CHEMICAL)

Page 2 of 2

TEST REPORT

Test Report No & Date	CTL/CH/N-38296/2023-24 & 03.04.2024
Sample Number	N-38296/23-24
Name of the Customer	M/S. TAMIL NADU NEWSPRINT AND PAPERS LIMITED [MAIN PLANT],
Address	Kagithapuram - 639 136, Karur District, Tamil Nadu.
Sample Drawn by	Laboratory
Sample Name	Ambient Air
Sample Description	Ambient Air Quality
Sampling Location	230 KVA TNEB Station
GPS Reading	11°03'11.314"N & 77°59'22.186"E
Sample Drawn on	24.03.2024 & 09.10 to 25.03.2024 & 09.10
Sample Received on	29.03.2024
Sampling Plan & Procedure	CTL/QSP/F-89 & IS 5182 (Part V) and (Part XIV)
Sample Quantity	1 No
Equipment used for Sampling	RDS Sampler S.No:2025-DTD-2016
Analysis Started on	29.03.2024
Analysis Completed on	03.04.2024


Environmental Condition	
Relative Humidity	57%
Ambient Temperature	35°C
Wind Direction	SE
Weather Condition	Clear Sky

Test Results:

The above sample tested as received, and results are as follows:

SL.NO	PARAMETERS	METHODS	UNITS	RESULTS	NAAQS*
1	PARTICULATE MATTER (PM _{2.5})	IS 5182 Part 24 - 2019	µg/m ³	25.1	60
2	PARTICULATE MATTER (PM ₁₀)	IS 5182 Part 23 - 2006 (R.2017)	µg/m ³	56.5	100
3	SULPHUR DIOXIDE (SO ₂)	IS 5182 Part 2 - 2001 (R.2017)	µg/m ³	16.5	80
4	OXIDES OF NITROGEN (NO ₂)	IS 5182 Part 6 - 2006 (R.2017)	µg/m ³	28.0	80
5	OZONE (O ₃)	CTL/SOP/AIR/08 - 2016	µg/m ³	45.1	180
6	LEAD (Pb)	IS 5182 PART 22 - 2004 (R.2019)	µg/m ³	BDL(DL:0.1)	1
7	CARBON MONOXIDE (CO)	CTL/SOP/AIR/23 - 2016	mg/m ³	BDL(DL:1.15)	4
8	AMMONIA (NH ₃)	IS 5182 Part 25 - 2018	µg/m ³	27.0	400
9	ARSENIC (As)	CTL/SOP/AIR/06 - 2016	ng/m ³	BDL(DL:1.0)	6
10	NICKEL (Ni)	IS 5182 Part 26 - 2020	ng/m ³	BDL(DL:5.0)	20
11	BENZENE (C ₆ H ₆)	IS 5182 PART 11 - 2006 (R.2017)	µg/m ³	BDL(DL:1.0)	5
12	BENZO(a)PYRENE	IS 5182 PART 12 - 2004 (R.2019)	ng/m ³	BDL(DL:0.5)	1
13	HYDROGEN SULPHIDE(H ₂ S)	IS 5182 PART 07 - 2021	µg/m ³	BDL(DL:6.0)	-

Verified by

For Chennai Testing Laboratory Pvt Ltd

 Authorised Signatory
G. MANIKANDAN
 Head - Environment Division
 (CHEMICAL)



www.ctllabs.in

CIN: U93000TN2000PTC043869

TEST REPORT

Test Report No & Date	CTL/CH/N-38296/2023-24 & 03.04.2024
-----------------------	-------------------------------------


SL.NO	PARAMETERS	METHODS	UNITS	RESULTS	NAAQS*
14	MERCURY (Hg)	CTL/SOP/AIR/25-2016	$\mu\text{g}/\text{m}^3$	BDL(DL:0.01)	-

*National Ambient Air Quality Standards prescribed by Ministry of Environment and Forests, Government of India vide Gazette Notification G.S.R. 826(E) dated 18.11.2009.

BDL - Below Detection Limit(D.L - Detection Limit)

END OF REPORT


Verified by

For Chennai Testing Laboratory Pvt Ltd

Authorised Signatory
G. MANIKANDAN
Head - Environment Division
(CHEMICAL)

Page 2 of 2

TEST REPORT


Test Report No & Date	CTL/CH/N-38297/2023-24 & 03.04.2024
Sample Number	N-38297/23-24
Name of the Customer	M/S. TAMIL NADU NEWSPRINT AND PAPERS LIMITED [MAIN PLANT],
Address	Kagithapuram - 639 136, Karur District, Tamil Nadu.
Sample Drawn by	Laboratory
Sample Name	Ambient Air
Sample Description	Ambient Air Quality
Sampling Location	Mr. Chidambaram House, Kongu Nagar
GPS Reading	11°02'54.806"N & 77°59'15.73"E
Sample Drawn on	24.03.2024 & 09.30 to 25.03.2024 & 09.30
Sample Received on	29.03.2024
Sampling Plan & Procedure	CTL/QSP/F-89 & IS 5182 (Part V) and (Part XIV)
Sample Quantity	1 No
Equipment used for Sampling	RDS Sampler S.No:2023-DTD-2016
Analysis Started on	29.03.2024
Analysis Completed on	03.04.2024

Environmental Condition	
Relative Humidity	57%
Ambient Temperature	35°C
Wind Direction	SE
Weather Condition	Clear Sky

Test Results:
The above sample tested as received, and results are as follows:

SL.NO	PARAMETERS	METHODS	UNITS	RESULTS	NAAQS*
1	PARTICULATE MATTER (PM _{2.5})	IS 5182 Part 24 - 2019	µg/m ³	23.0	60
2	PARTICULATE MATTER (PM ₁₀)	IS 5182 Part 23 - 2006 (R.2017)	µg/m ³	51.0	100
3	SULPHUR DIOXIDE (SO ₂)	IS 5182 Part 2 - 2001 (R.2017)	µg/m ³	7.7	80
4	OXIDES OF NITROGEN (NO ₂)	IS 5182 Part 6 - 2006 (R.2017)	µg/m ³	15.1	80
5	OZONE (O ₃)	CTL/SOP/AIR/08 - 2016	µg/m ³	19.5	180
6	LEAD (Pb)	IS 5182 PART 22 - 2004 (R.2019)	µg/m ³	BDL(DL:0.1)	1
7	CARBON MONOXIDE (CO)	CTL/SOP/AIR/23 - 2016	mg/m ³	BDL(DL:1.15)	4
8	AMMONIA (NH ₃)	IS 5182 Part 25 - 2018	µg/m ³	9.6	400
9	ARSENIC (As)	CTL/SOP/AIR/06 - 2016	ng/m ³	BDL(DL:1.0)	6
10	NICKEL (Ni)	IS 5182 Part 26 - 2020	ng/m ³	BDL(DL:5.0)	20
11	BENZENE (C ₆ H ₆)	IS 5182 PART 11 - 2006 (R.2017)	µg/m ³	BDL(DL:1.0)	5
12	BENZO(a)PYRENE	IS 5182 PART 12 - 2004 (R.2019)	ng/m ³	BDL(DL:0.5)	1
13	HYDROGEN SULPHIDE(H ₂ S)	IS 5182 PART 07 - 2021	µg/m ³	BDL(DL:6.0)	-


Verified by

For Chennai Testing Laboratory Pvt Ltd

 Authorised Signatory
G. MANIKANDAN
 Head - Environment Division
 (CHEMICAL)

TEST REPORT

Test Report No & Date	CTL/CH/N-38297/2023-24 & 03.04.2024
-----------------------	-------------------------------------

SL.NO	PARAMETERS	METHODS	UNITS	RESULTS	NAAQS*
14	MERCURY (Hg)	CTL/SOP/AIR/25-2016	µg/m ³	BDL(DL:0.01)	-


*National Ambient Air Quality Standards prescribed by Ministry of Environment and Forests, Government of India vide Gazette Notification G.S.R. 826(E) dated 18.11.2009.

BDL - Below Detection Limit(D.L - Detection Limit)

*****END OF REPORT*****



Verified by

For Chennai Testing Laboratory Pvt Ltd

 Authorised Signatory
G. MANIKANDAN
 Head - Environment Division
 (CHEMICAL)

TEST REPORT

Test Report No & Date	CTL/CH/N-38298/2023-24 & 03.04.2024
Sample Number	N-38298/23-24
Name of the Customer	M/S. TAMIL NADU NEWSPRINT AND PAPERS LIMITED [MAIN PLANT],
Address	Kagithapuram - 639 136, Karur District, Tamil Nadu.
Sample Drawn by	Laboratory
Sample Name	Ambient Air
Sample Description	Ambient Air Quality
Sampling Location	Mr. Gopal House, New Kurukkupalayam
GPS Reading	11°02'53.686"N & 77°59'30.174"E
Sample Drawn on	24.03.2024 & 09.50 to 25.03.2024 & 09.50
Sample Received on	29.03.2024
Sampling Plan & Procedure	CTL/QSP/F-89 & IS 5182 (Part V) and (Part XIV)
Sample Quantity	1 No
Equipment used for Sampling	RDS Sampler S.No:2228-DTK-2017
Analysis Started on	29.03.2024
Analysis Completed on	03.04.2024


Environmental Condition	
Relative Humidity	57%
Ambient Temperature	35°C
Wind Direction	SE
Weather Condition	Clear Sky

Test Results:

The above sample tested as received, and results are as follows:

SL.NO	PARAMETERS	METHODS	UNITS	RESULTS	NAAQS*
1	PARTICULATE MATTER (PM _{2.5})	IS 5182 Part 24 - 2019	µg/m ³	20.1	60
2	PARTICULATE MATTER (PM ₁₀)	IS 5182 Part 23 - 2006 (R.2017)	µg/m ³	47.0	100
3	SULPHUR DIOXIDE (SO ₂)	IS 5182 Part 2 - 2001 (R.2017)	µg/m ³	6.4	80
4	OXIDES OF NITROGEN (NO ₂)	IS 5182 Part 6 - 2006 (R.2017)	µg/m ³	14.2	80
5	OZONE (O ₃)	CTL/SOP/AIR/08 - 2016	µg/m ³	BDL(DL:5.0)	180
6	LEAD (Pb)	IS 5182 PART 22 - 2004 (R.2019)	µg/m ³	BDL(DL:0.1)	1
7	CARBON MONOXIDE (CO)	CTL/SOP/AIR/23 - 2016	mg/m ³	BDL(DL:1.15)	4
8	AMMONIA (NH ₃)	IS 5182 Part 25 - 2018	µg/m ³	BDL(DL:5.0)	400
9	ARSENIC (As)	CTL/SOP/AIR/06 - 2016	ng/m ³	BDL(DL:1.0)	6
10	NICKEL (Ni)	IS 5182 Part 26 - 2020	ng/m ³	BDL(DL:5.0)	20
11	BENZENE (C ₆ H ₆)	IS 5182 PART 11 - 2006 (R.2017)	µg/m ³	BDL(DL:1.0)	5
12	BENZO(a)PYRENE	IS 5182 PART 12 - 2004 (R.2019)	ng/m ³	BDL(DL:0.5)	1
13	HYDROGEN SULPHIDE(H ₂ S)	IS 5182 PART 07 - 2021	µg/m ³	BDL(DL:6.0)	-

Verified by

For Chennai Testing Laboratory Pvt Ltd

 Authorised Signatory
G. MANIKANDAN
 Head - Environment Division
 (CHEMICAL)



www.ctllabs.in

CIN: U93000TN2000PTC043869

TEST REPORT

Test Report No & Date	CTL/CH/N-38298/2023-24 & 03.04.2024
-----------------------	-------------------------------------


SL.NO	PARAMETERS	METHODS	UNITS	RESULTS	NAAQS*
14	MERCURY (Hg)	CTL/SOP/AIR/25-2016	$\mu\text{g}/\text{m}^3$	BDL(DL:0.01)	-

*National Ambient Air Quality Standards prescribed by Ministry of Environment and Forests, Government of India vide Gazette Notification G.S.R. 826(E) dated 18.11.2009.

BDL - Below Detection Limit(D.L - Detection Limit)

END OF REPORT


Verified by

For Chennai Testing Laboratory Pvt Ltd

Authorised Signatory
G. MANIKANDAN
Head - Environment Division
(CHEMICAL)

Page 2 of 2

TEST REPORT

Test Report No & Date	CTL/CH/N-38299/2023-24 & 03.04.2024
Sample Number	N-38299/23-24
Name of the Customer	M/S. TAMIL NADU NEWSPRINT AND PAPERS LIMITED [MAIN PLANT],
Address	Kagithapuram - 639 136, Karur District, Tamil Nadu.
Sample Drawn by	Laboratory
Sample Name	Ambient Air
Sample Description	Ambient Air Quality
Sampling Location	Depither area (on the Terrace of BM Plant)
GPS Reading	11°03'22.665"N & 77°59'54.758"E
Sample Drawn on	25.03.2024 & 09.00 to 26.03.2024 & 09.00
Sample Received on	29.03.2024
Sampling Plan & Procedure	CTL/QSP/F-89 & IS 5182 (Part V) and (Part XIV)
Sample Quantity	1 No
Equipment used for Sampling	RDS Sampler S.No:2613-DTI-2019
Analysis Started on	29.03.2024
Analysis Completed on	03.04.2024

Environmental Condition

Relative Humidity	60%
Ambient Temperature	34°C
Wind Direction	SE
Weather Condition	Clear Sky


Test Results:

The above sample tested as received, and results are as follows:

SL.NO	PARAMETERS	METHODS	UNITS	RESULTS	NAAQS*
1	PARTICULATE MATTER (PM _{2.5})	IS 5182 Part 24 - 2019	µg/m ³	24.5	60
2	PARTICULATE MATTER (PM ₁₀)	IS 5182 Part 23 - 2006 (R.2017)	µg/m ³	55.0	100
3	SULPHUR DIOXIDE (SO ₂)	IS 5182 Part 2 - 2001 (R.2017)	µg/m ³	17.8	80
4	OXIDES OF NITROGEN (NO ₂)	IS 5182 Part 6 - 2006 (R.2017)	µg/m ³	30.0	80
5	OZONE (O ₃)	CTL/SOP/AIR/08 - 2016	µg/m ³	53.2	180
6	LEAD (Pb)	IS 5182 PART 22 - 2004 (R.2019)	µg/m ³	BDL(DL:0.1)	1
7	CARBON MONOXIDE (CO)	CTL/SOP/AIR/23 - 2016	mg/m ³	BDL(DL:1.15)	4
8	AMMONIA (NH ₃)	IS 5182 Part 25 - 2018	µg/m ³	44.6	400
9	ARSENIC (As)	CTL/SOP/AIR/06 - 2016	ng/m ³	BDL(DL:1.0)	6
10	NICKEL (Ni)	IS 5182 Part 26 - 2020	ng/m ³	BDL(DL:5.0)	20
11	BENZENE (C ₆ H ₆)	IS 5182 PART 11 - 2006 (R.2017)	µg/m ³	BDL(DL:1.0)	5
12	BENZO(a)PYRENE	IS 5182 PART 12 - 2004 (R.2019)	ng/m ³	BDL(DL:0.5)	1
13	HYDROGEN SULPHIDE(H ₂ S)	IS 5182 PART 07 - 2021	µg/m ³	BDL(DL:6.0)	-

Verified by

For Chennai Testing Laboratory Pvt Ltd



Authorised Signatory

G. MANIKANDAN

Head - Environment Division
(CHEMICAL)



www.ctllabs.in

CIN: U93000TN2000PTC043869

TEST REPORT

Test Report No & Date	CTL/CH/N-38299/2023-24 & 03.04.2024
-----------------------	-------------------------------------


SL.NO	PARAMETERS	METHODS	UNITS	RESULTS	NAAQS*
14	MERCURY (Hg)	CTL/SOP/AIR/25-2016	$\mu\text{g}/\text{m}^3$	BDL(DL:0.01)	-

*National Ambient Air Quality Standards prescribed by Ministry of Environment and Forests, Government of India vide Gazette Notification G.S.R. 826(E) dated 18.11.2009.

BDL - Below Detection Limit(D.L - Detection Limit)

END OF REPORT


Verified by

For Chennai Testing Laboratory Pvt Ltd

Authorised Signatory
G. MANIKANDAN
Head - Environment Division
(CHEMICAL)

Page 2 of 2

TEST REPORT

Test Report No & Date	CTL/CH/N-38300/2023-24 & 03.04.2024
Sample Number	N-38300/23-24
Name of the Customer	M/S. TAMIL NADU NEWSPRINT AND PAPERS LIMITED [MAIN PLANT],
Address	Kagithapuram - 639 136, Karur District, Tamil Nadu.
Sample Drawn by	Laboratory
Sample Name	Ambient Air
Sample Description	Ambient Air Quality
Sampling Location	TEWLIS BUILDING
GPS Reading	11°03'17.07"N & 78°00'19.584"E
Sample Drawn on	25.03.2024 & 08.30 to 26.03.2024 & 08.30
Sample Received on	29.03.2024
Sampling Plan & Procedure	CTL/QSP/F-89 & IS 5182 (Part V) and (Part XIV)
Sample Quantity	1 No
Equipment used for Sampling	RDS Sampler S.No:2245-DTK-2017
Analysis Started on	29.03.2024
Analysis Completed on	03.04.2024


Environmental Condition	
Relative Humidity	60%
Ambient Temperature	34°C
Wind Direction	SE
Weather Condition	Clear Sky

Test Results:

The above sample tested as received, and results are as follows:

SL.NO	PARAMETERS	METHODS	UNITS	RESULTS	NAAQS*
1	PARTICULATE MATTER (PM _{2.5})	IS 5182 Part 24 - 2019	µg/m ³	29.2	60
2	PARTICULATE MATTER (PM ₁₀)	IS 5182 Part 23 - 2006 (R.2017)	µg/m ³	57.3	100
3	SULPHUR DIOXIDE (SO ₂)	IS 5182 Part 2 - 2001 (R.2017)	µg/m ³	15.0	80
4	OXIDES OF NITROGEN (NO ₂)	IS 5182 Part 6 - 2006 (R.2017)	µg/m ³	28.5	80
5	OZONE (O ₃)	CTL/SOP/AIR/08 - 2016	µg/m ³	37.6	180
6	LEAD (Pb)	IS 5182 PART 22 - 2004 (R.2019)	µg/m ³	BDL(DL:0.1)	1
7	CARBON MONOXIDE (CO)	CTL/SOP/AIR/23 - 2016	mg/m ³	BDL(DL:1.15)	4
8	AMMONIA (NH ₃)	IS 5182 Part 25 - 2018	µg/m ³	21.6	400
9	ARSENIC (As)	CTL/SOP/AIR/06 - 2016	ng/m ³	BDL(DL:1.0)	6
10	NICKEL (Ni)	IS 5182 Part 26 - 2020	ng/m ³	BDL(DL:5.0)	20
11	BENZENE (C ₆ H ₆)	IS 5182 PART 11 - 2006 (R.2017)	µg/m ³	BDL(DL:1.0)	5
12	BENZO(a)PYRENE	IS 5182 PART 12 - 2004 (R.2019)	ng/m ³	BDL(DL:0.5)	1
13	HYDROGEN SULPHIDE(H ₂ S)	IS 5182 PART 07 - 2021	µg/m ³	BDL(DL:6.0)	-


Verified by

For Chennai Testing Laboratory Pvt Ltd

 Authorised Signatory
G. MANIKANDAN
 Head - Environment Division
 (CHEMICAL)



www.ctllabs.in

CIN: U93000TN2000PTC043869

TEST REPORT

Test Report No & Date	CTL/CH/N-38300/2023-24 & 03.04.2024
-----------------------	-------------------------------------


SL.NO	PARAMETERS	METHODS	UNITS	RESULTS	NAAQS*
14	MERCURY (Hg)	CTL/SOP/AIR/25-2016	$\mu\text{g}/\text{m}^3$	BDL(DL:0.01)	-

*National Ambient Air Quality Standards prescribed by Ministry of Environment and Forests, Government of India vide Gazette Notification G.S.R. 826(E) dated 18.11.2009.

BDL - Below Detection Limit(D.L - Detection Limit)

END OF REPORT


Verified by

For Chennai Testing Laboratory Pvt Ltd

Authorised Signatory
G. MANIKANDAN
Head - Environment Division
(CHEMICAL)

Page 2 of 2

ANNEXURE XVI

**TNPCB REPORT – NOISE
MONITORING**



Report No.DEL/DGL/31

TAMILNADU POLLUTION CONTROL BOARD

District Environmental Laboratory, Dindigul.

AMBIENT /SOURCE NOISE LEVEL SURVEY - Report of Analysis

Report No.TNPCB/DEL/DGL/F.No.70/NLS/2024-2025, Dated: 10.10.2024

1.	Name of the Industry	M/s.Tamilnadu Newsprint and Papers Ltd.,		
2.	Address of the Industry	Pulp Plant Division, Kagithapuram - 639 136, Karur District.		
3.	Date of Survey	2307238725381		
4.	Consent Order No.	23.08.2024		
Category	Red - Large.	Land use classification	Industrial	
Type of Survey	Ambient/Noise	Time of Survey	Day	
Meteorological conditions		Clear Sky		

Logging Parameters

Instrument Used	CESVA	Serial No.	T243080
Logging Interval	...Minutes each point	Measuring Range	40-120
Weighting "A"	Peak Weighting "C"	Time Weighting	A
Sound Incidence	Random / Frontal	Time in hrs	10.00 to 12.30 Hrs

Report of Noise Level Monitoring

Sl. No	Location	Duration (min)	Distance (m)	Direction	Sound Level dB(A)		
					L _{eq}	L _{min}	L _{max}
1.	<u>I.Boundary Line.</u> Near Community Hall Premises.	0.30	750	N	46.8	40.4	56.1
2.	Near Tewlis Pump House.	0.30	400	NE	43.4	39.5	55.3
3.	Near Sludge Gate Premises.	0.30	760	S	51.4	43.6	57.1
4.	Open Field Near Railway Station.	0.30	750	SW	47.7	40.8	56.4
5.	Behind TNPL Temple Premises.	0.30	750	W	50.5	44.2	58.6
6.	<u>AT SOURCE:</u> Near Paper Machine Area	0.30	-	-	84.5	80.4	90.2
7.	Near Power Boiler -VI	0.30	-	-	88.6	83.4	92.3

End of the report

J. S. 10/10/24
Environmental Scientist

S.M. A. Khan
Deputy Chief Scientific Officer
DEL, TNPCB, Dindigul. *10/10/24*

**LATEST NABL ACCREDITED &
MoEF&CC RECOGNIZED THIRD
PARTY LAB – NOISE
MONITORING TEST REPORT**

TEST REPORT

Test Report No & Date CTL/CH/N-30106/2024-25 & 04.10.2024
Sample Number N-30106/24-25
Name of the Customer M/S. TAMIL NADU NEWSPRINT AND PAPERS LIMITED [MAIN PLANT],
Address Kagithapuram - 639 136,
Karur District, Tamil Nadu.

Sample Drawn by Laboratory
Sample Name NOISE
Sample Description AMBIENT NOISE
Sample Drawn on 24.09.2024
Sampling Plan & Procedure CTL/QSP/F-89 & IS 9989
Equipment used for Sampling Sound Level Meter - S.No:395 DTH 23

Test Results:

The above sample tested as received, and results are as follows:

DISCIPLINE : CHEMICAL

GROUP : ATMOSPHERIC POLLUTION

SL.NO	LOCATION	GPS READING	NOISE LEVEL dB (A)Leq	LIMITS*	NOISE LEVEL dB (A) Leq	LIMITS*
			Day Noise		Night Noise	
1	Near Community Hall Premises	11°03'46.02"N & 77°59'47.418"E	45.1	75	38.9	70
2	Near TEWLIS Pump House	11°03'19.494"N & 78°00'24.214"E	44.3		37.0	
3	Near Kandasamy Palayam Baggase Road	11°03'6.109"N & 78°00'19.585"E	56.8		41.9	
4	Infront of Reservoir BR-3	11°02'37.785"N & 78°00'14.529"E	59.8		48.4	
5	Near Sludge Gate Premises	11°03'14.019"N & 78°00'20.738"E	57.6		42.4	
6	Open Field Near Railway Station	11°03'3.738"N & 77°59'32.198"E	57.8		47.6	
7	Behind TNPL Temple Premises	11°03'33.738"N & 77°59'30.33"E	44.8		37.0	
8	TNPL Staff Quarters (Staff Club Area)	11°03'48.42"N & 77°59'28.68"E	43.6		38.8	


* CPCB Limits (Day & Night Time)

END OF REPORT


Verified by



For Chennai Testing Laboratory Pvt Ltd


Authorised Signatory
G. HANIKANDAN
Head - Environment Division
(CHEMICAL)

TEST REPORT

Test Report No & Date CTL/CH/N-30107/2024-25 & 04.10.2024
Sample Number N-30107/24-25
Name of the Customer M/S. TAMIL NADU NEWSPRINT AND PAPERS LIMITED [MAIN PLANT],
Address Kagithapuram - 639 136,
Karur District, Tamil Nadu.

Sample Drawn by Laboratory
Sample Name NOISE
Sample Description WORKZONE NOISE
Sample Drawn on 24.09.2024
Sampling Plan & Procedure CTL/QSP/F-89 & IS 9989
Equipment used for Sampling Sound Level Meter - S.No:395 DTH 23

Test Results:

The above sample tested as received, and results are as follows:

DISCIPLINE : CHEMICAL

GROUP : ATMOSPHERIC POLLUTION

SL.NO	LOCATION	GPS READING	NOISE LEVEL dB (A)	LIMITS*
1	Lime Kiln Plant -2 Near Tier -3	11°03'17.232"N & 77°59'44.394"E	69.5	85 dB (A)
2	Chemical Baggase -3 Area Near Filtrate Tank -2 [21523-105-010]	11°03'20.909"N & 77°59'48.504"E	80.8	
3	Paper Machine -3 Area Near Master Reel 7mts Level	11°03'21.262"N & 77°59'31.848"E	78.6	
4	Power Boiler -V [Near Bottom Ash Collecting Area]	11°03'17.76"N & 77°59'45.018"E	79.7	

* As Per Factory Act Limit

END OF REPORT



Verified by



For Chennai Testing Laboratory Pvt Ltd



Authorised Signatory

G. MANIKANDAN
Head - Environment Division
(CHEMICAL)

Page 1 of 1

NOISE CONTROL MEASURES

MEASURES TAKEN TO CONTROL NOISE POLLUTION

- High noise generating Vapour Compression System has been replaced with low noise Vapour Absorption Machine in chilling plant operations.
- Reciprocating compressors are replaced with comparatively less noise generating centrifugal compressors
- Boiler start-up vent lines, Boiler safety valves, Steam line safety valves etc are provided with silencers to reduce noise pollution
- In order to minimise the exposure of high noise in compressor house, a separate room has been provided for the working personnel.
- Periodical maintenance and condition monitoring of equipments to minimize noise generation.
- Operators are not exposed near the machine for more period.
- Use of PPEs like Ear muffs and ear plugs by the working personnel in high noise zone is ensured.
- Awareness Boards on Noise Pollution have been displayed in all high noise zones.

ANNEXURE XVII

RAIN WATER HARVESTING FACILITIES AT TNPL

RAIN WATER HARVESTING STRUCTURES AT COLONY AREA





RAIN WATER COLLECTION POND AT COLONY



RAIN WATER HARVESTING AT BOREWELL POINTS







RAIN WATER HARVESTING STRUCTURES AT MILL





Water Reservoirs No : 1 & 2 in TNPL Colony



Substitution of process fresh water with harvested rain water from BR 5



RAIN WATER HARVESTING STRUCTURES AT ADMINSTRATIVE BUILDINGS



Rain water harvesting facilities at TNPL

Sl. No	Description	Roof Area	RWH pits	Collection	Effective area available for recharging
		(Sq.M)	(Nos)	%	(Sq.M)
Plant Area					
1	Admin Buliding	1,200.00	4	100%	1,200.00
2	Industrial Canteen	1,100.00	6	100%	1,100.00
3	Security Office	430.00	3	100%	430.00
4	Time Office	130.00	5	100%	130.00
5	Telephone Exchange	70.00	2	100%	70.00
6	Civil Office	216.00	4	100%	216.00
7	Safety & Instrumentation	276.00	3	100%	276.00
8	Paper Machine III	11,595.58	24	60%	6,957.35
9	A -Godown	4,900.94	8	50%	2,450.47
10	New Reel Storage Godown	7,181.88	12	50%	3,590.94
11	Multi prupose godown (old compressor house)	738.39	5	100%	738.39
12	Energy Maintance Office	233.20	1	100%	233.20
13	110 KV YARD - MCC	161.60	2	100%	161.60
14	TG # 6	834.15	5	60%	500.49
15	Boiler # 6 Control room	137.32	3	100%	137.32
16	Boiler # 6 - MCC	237.25	2	100%	237.25
17	Boiler # 7 - MCC	81.25	2	100%	81.25
18	RB # 3 Office/ MCC / I/O rack..	808.20	6	100%	808.20
19	Deinking Plant - Type	3,796.00	5	40%	1,518.40
20	Pulper Building	4,551.00	14	80%	3,640.80
21	DIP waste paper Godown	2,135.00	7	75%	1,601.25
Cement Plant					
22	Admin Buliding	324.82	3	100%	324.82
23	Canteen and Time Office	15.60	3	100%	15.60
24	Marketing Office	100.00	3	100%	100.00
25	Weigh Bridge	14.61	1	100%	14.61
26	CCR Building	358.09	5	100%	358.09
Housing Colony					
27	Director Bungalow	162.64	2	100%	162.64
28	G.M Bungalow	177.97	4	100%	177.97
29	T.A- Type	514.87	4	100%	514.87
30	A - Type	1,313.01	8	100%	1,313.01
31	B - Type	1,692.94	12	100%	1,692.94
32	C - Type	4,595.72	46	100%	4,595.72

33	D - Type	4,111.52	56	100%	4,111.52
34	E - Type	3,557.62	66	100%	3,557.62
35	F - Type	8,840.15	164	100%	8,840.15
36	Guest House Rooms	194.33	3	100%	194.33
37	Guest House Suits	269.89	3	100%	269.89
38	Officer's Hostel	325.28	2	100%	325.28
39	Guest house Dinning/Kitchen	348.51	4	100%	348.51
40	A - Hostel	548.33	6	100%	548.33
41	B - Hostel	548.33	6	100%	548.33
42	A,B Hostel Dining	443.03	2	100%	443.03
43	Co-operative store	401.02	1	100%	401.02
44	Staff club	627.32	2	100%	627.32
45	Recreation club	318.31	1	100%	318.31
46	Colony maintenance office	103.72	2	100%	103.72
47	Dispensary	168.96	1	100%	168.96
48	OAT	121.75	1	100%	121.75
49	Post office	47.40	1	100%	47.40
50	Post master - Residence	47.86	1	100%	47.86
51	Matriculation School MAIN BLO C	1,486.99	30	100%	1,486.99
52	Matriculation School PRIMARY B	1,208.18	28	100%	1,208.18
53	CBSE School	1,951.67	10	100%	1,951.67
54	ITI Building	690.52	12	100%	690.52
55	Bio-Tech Lab	290.06	2	100%	290.06
	Balancing Reservoir Area				
1	Balancing Reservoir Area # 1	32,000.00	1	100%	32,000.00
2	Balancing Reservoir Area # 2	95,000.00	1	100%	95,000.00
3	Balancing Reservoir Area # 3	100,000.00	1	100%	100,000.00
4	Balancing Reservoir Area # 4	112,500.00	1	100%	112,500.00
5	Balancing Reservoir Area # 5	30,000.00	1	100%	30,000.00
6	Rainwater collection bond # 6	5,000.00	1	100%	5,000.00
7	Rainwater collection bond # 7	5,000.00	1	100%	5,000.00
8	Rainwater collection bond # 8	7,450.00	1	100%	7,450.00
9	Rainwater collection bond # 9	2,850.00	1	100%	2,850.00
	Total	466,534.78	627		451,799.93

ANNEXURE XVIII

**EC LETTER SUBMITTED TO
TOWN PANCHAYAT**



TAMIL NADU NEWSPRINT AND PAPERS LIMITED

EMS/112/13
March 21, 2013

The Executive Officer,
Kagithapuram Town Panchayat,
Kagithapuram,
Kannur Dist.

Sir,

Sub: Implementation of De-inking plant and up-gradation of Captive Co-generation plant by
TNPL- Intimation on receipt of Environmental Clearance- Reg.

Ref: F-No.J-11011/710/2007-IA-11(f) dated 11th February 2013.

With reference to subject matter, it is hereby informed that Ministry of Environment and Forests, New Delhi has accorded "Environmental Clearance" for installation of 300 TPD Deinked Pulp Line and up-gradation of Captive Co-generation plant by TNPL vide reference cited above.


A copy of Environmental Clearance letter is enclosed for your information.

Thanking you,

Yours faithfully,
for TAMIL NADU NEWSPRINT AND PAPERS LIMITED,

RMA → 21.3.13
(R. MANI)
DIRECTOR (OPERATIONS)

Name-Stamp of office of posting



Date-Stamp

Sender's Address: DIRECTOR (OPERATIONS)
Tamil Nadu Newsprint and Papers Ltd.,
KAGITHAPURAM
Karur Dist. Tamil Nadu.

PIN. 639136

BMS/12/13

ACKNOWLEDGEMENT RECEIPT

No.

Received a ^{Registered}/_{Insured} Letter / Post Card / Packet / Parcel

Addressed to (Name) The Executive Officer
Tamil Nadu Kagitha Aikayi
Town Panchayat,
Kagithapuram, Karur Dist.
639 136

Insured for Rupees

Date of Delivery.....20

Score out the matter not required

For insured articles only.

Tamil Nadu Post Office
Special Grade Town Panchayat
Kagithapuram, Puzalur-639136



[Handwritten signature]
7/3/13

ANNEXURE XIX

SUBMISSION OF SIX MONTHLY REPORT DETAILS

SUBMITTING DETAILS OF SIX MONTHLY COMPLIANCE REPORT

SI No	Description	Submitted on
01	First Report	17/04/2013
02	Second Report	30/11/2013
03	Third Report	29/05/2014
04	Fourth Report	10/12/2014
05	Fifth Report	19/06/2015
06	Sixth Report	26/11/2015
07	Seventh Report	25/06/2016
08	Eighth Report	27/10/2016
09	Ninth Report	27/04/2017
10	Tenth Report	13/11/2017
11	Eleventh Report	12/05/2018
12	Twelfth Report	24/11/2018
13	Thirteen Report	08/05/2019
14	Fourteen Report	11/12/2019
15	Fifteenth Report	29/05/2020
16	Sixteenth Report	25/11/2020
17	Seventeenth Report	14/05/2021
18	Eighteenth Report	29/11/2021
19	Nineteenth Report	30/05/2022
20	Twentieth Report	29/11/2022
21	Twenty First Report	13/05/2023
22	Twenty Second Report	22/11/2023
23	Twenty Third Report	21/05/2024
24	Twenty Fourth Report	Current Report

ANNEXURE XX

ENVIRONMENTAL STATEMENT
(FORM V)



Tamil Nadu Newsprint and Papers Limited

(A Government of Tamil Nadu Enterprise)

Kagithapuram - 639 136, Pugalur Taluk, Karur Dist. Tamil Nadu, India.

Phone: (0091) 04324-277001 to 10 - (10 Lines) Cell : 94860 41341 to 41343

ENV/15/2024

September 4, 2024

The District Environmental Engineer,
Tamilnadu Pollution Control Board,
S.F.No. 654 Part, 655 Part - L.N.S Village,
L.G.B Nagar, Arivuthirukkovi Road,
Karur - 639 002

Dear Sir,

Sub: Furnishing of Environmental Statement (Form V) - TNPL Main Plant (Pulp and Paper) & TNPL Power Plant - reg.


We are enclosing the environmental statement pertaining to both TNPL Main Plant (Pulp and Paper Manufacturing Unit) and TNPL Captive Power Plant for the financial year ending 31st March 2024, in Form V duly filled in with all relevant details as per Environment (Protection) Act, 1986 and Rules 1986.

This is for your kind information and records.

Thanking you,

Yours truly,

For **TAMIL NADU NEWSPRINT AND PAPERS LIMITED,**


Deputy General Manager (R&D) 919124

cc:

The Joint Chief Environmental Engineer
Tamilnadu Pollution Control Board (TNPCCB),
No: 25, SIDCO Industrial Estate,
Thuvakudi,
Trichy - 620 015



TNPL Corporate Office

67, Mount Road, Guindy, Chennai, TN, India - 600 032.
Phone: 044-22354415, 16, 18 22301094 to 97
E-mail: response@tnpl.co.in, Web: www.tnpl.com
Corporate ID No : L 22121 TN 1979 PL C 007799

TNPL Unit - II - Board Plant

Kagitha Nagar, Mondipatti, K.Periyapatti Post,
Manapparai Taluk, Tiruchirappalli District,
Tamil Nadu, India - 621 306.
Phone: 04332-261600 Cell: 94890 12793



TNPL - MAKER OF BAGASSE BASED ECO - FRIENDLY PAPER



ENVIRONMENTAL STATEMENT FOR THE FINANCIAL YEAR 2023-2024

FORM - V
(See Rule: 14)

Environmental Audit Report for the financial year ending the 31st March 2024.

PART - A

- | | | |
|--|---|---|
| (i) Name and address of the owner/occupier of the Industry, operation or process | : | TAMIL NADU NEWSPRINT AND PAPERS LIMITED |
| (ii) Industry category
Primary:- (STC code)
Secondary:- (SIC code) | : | RED |
| (iii) Production capacity - Units | | |
| Newsprint & Printing and Writing Papers | : | 4,80,000 MT/Annum |
| Power Generation Capacity | : | 103.62 MW |
| (iv) Year of establishment | : | 1979 |
| (v) Date of the last environmental Statement submitted | : | 16/09/2023 |

ENVIRONMENTAL STATEMENT FOR THE FINANCIAL YEAR 2023-2024
PART - B
Water and Raw material consumption

Sl No	Description	UOM	Quantity
01	Overall Water Consumption	KL/day	35111
02	Process Water Consumption		
02 a)	Pulp Mill	KL/day	7955
02 b)	Paper Machine, DIP & CAP	KL/day	10794
02 c)	Soda Recovery Plant	KL/day	1510
02 d)	Soft water for process	KL/day	1619
02 e)	Others	KL/day	3540
Total Quantity for Process use		KL/day	25418
03	Cooling Water consumption		
03 a)	Water used for boiler feed	KL/day	2789
03 b)	Water used for Cooling purpose	KL/day	3927
Total quantity for cooling purpose		KL/day	6716
04	Domestic Water	KL/day	2977

Name of products

Process Water consumption (except Domestic) Per unit (MT) of products

During the Previous financial year (2022-2023)	During the current financial year (2023-2024)
--	---

(1)

(2)

Writing and Printing papers

 29 M³/t

 28 M³/t

ENVIRONMENTAL STATEMENT FOR THE FINANCIAL YEAR 2023-2024

(ii) RAW MATERIAL CONSUMPTION FOR PAPER PRODUCTION

SL NO	Name of the raw material	Name of Products	Consumption of raw material per unit of output	
			During the previous Financial year (2022-2023)	During the current Financial year (2023-2024)
Unit of measurement			ADMT/MT of Paper Produced	
01	Bagasse	Newsprint	-	-
02	Wood		-	-
01	Bagasse(Depithed)	Writing and Printing papers	1.83	1.66
02	Wood		1.03	0.87
03	Waste Paper		0.205	0.24
04	Imported Pulp		0.030	0.04

PRODUCTS MANUFACTURED

Writing and Printing papers	:	422742	MT
News Print	:	Nil	MT
Overall daily average Power production	:	58.17	MW
Equivalent Paper Production/Day	:	1155	MT

RAW MATERIAL CONSUMPTION

Bagasse (Depithed)	:	715245	MT
Wood	:	368124	MT
Waste Paper	:	101741	MT
Imported Pulp	:	17217	ADMT

ENVIRONMENTAL STATEMENT FOR THE FINANCIAL YEAR 2323-2024
PART - C
POLLUTION DISCHARGED TO ENVIRONMENT / UNIT OF OUTPUT
 (Parameter as specified in the consent issued)

(a) WATER

(i)	Pollutants	Quantity of pollutants discharged (Kgs/day)	Quantity of pollutants discharged in (Kgs/T of paper)	Concentration of pollutants discharged in (mg/l) except sodium**	Percentage variation from prescribed in discharges standards with reasons
Water	TSS	0.78	0.0006	32	Nil
	TDS at 180°c	31.61	0.0273	1292	Nil
	COD	4.21	0.0036	172	Nil
	BOD	0.63	0.0005	26	Nil
	Chloride	10.11	0.0087	414	Nil
	Sulphates	4.83	0.0041	197	Nil
	Na (%)	-	-	22	Nil

**** As per TNPCB lab results**
Section wise average Effluent Water Quantity generation

Sl No	Description	UOM	Quantity
01	Pulp Mill	KL/day	26916
02	Paper Machine	KL/day	11063
03	Deinking pulp Plant	KL/day	2400
04	Soda Recovery Plant	KL/day	2400
05	Others (Energy, WTP, Sewage, canteen, ETP etc.)	KL/day	4500
Avg. Effluent quantity generated		KL/day	47279
Avg. treated effluent quantity discharged for irrigation		KL/day	24459

(h) AIR
Main Plant (Pulp and Paper manufacturing facility)

 Name of pollutant : PM (mg/NM³)

 Prescribed norms : 150 mg/NM³

Stack No.	Stack attached to	Average Quantity of pollutants emitted (Kgs per day)	Average Quantity of pollutants emitted in (Kg per ton of paper)	Average Concentration of pollutants emitted in (mg/NM ³ **)	Percentage variation from prescribed discharges standards with reasons
3	SRP-LIME KILN I	12.15	0.011	23.5	NIL
35	SRP- Boiler 3	267.78	0.232	38.0	NIL
36	SRP-LIME KILN II	10.04	0.009	21.5	NIL

**** As per TNPCB lab results**

ENVIRONMENTAL STATEMENT FOR THE FINANCIAL YEAR 2023-2024

Name of pollutant : H₂S (mg/NM³)
 Prescribed norms : 10 mg/NM³

Stack No.	Stack attached to	Quantity of pollutants emitted (Kgs per day)	Quantity of pollutants emitted in Kg per ton of paper	Concentration of pollutants emitted in mg/NM ³ **	Percentage variation from prescribed in discharges standards with reasons
3	SRP-LIME KILN I	0.08	0.0001	0.16	NIL
35	SRP- Boiler 3	1.19	0.0010	0.17	NIL
36	SRP-LIME KILN II	0.08	0.0001	0.16	NIL

** As per TNPCB lab results

Name of pollutant : SO₂ (mg/NM³)
 Prescribed norms : 400 mg/NM³

Stack No.	Stack attached to	Quantity of pollutants emitted (Kgs per day)	Quantity of pollutants emitted in Kg per ton of paper	Concentration of pollutants emitted in mg/NM ³ **	Percentage variation from prescribed in discharges standards with reasons
3	SRP-LIME KILN I	13.46	0.012	26.0	NIL
35	SRP- Boiler 3	172.65	0.149	24.5	NIL
36	SRP-LIME KILN II	13.31	0.012	28.5	NIL

** As per TNPCB lab results

Name of pollutant : NO_x (mg/NM³)
 Prescribed norms : 500 mg/NM³

Stack No.	Stack attached to	Quantity of pollutants emitted (Kgs per day)	Quantity of pollutants emitted in Kg per ton of paper	Concentration of pollutants emitted in mg/NM ³ **	Percentage variation from prescribed in discharges standards with reasons
3	SRP-LIME KILN I	34.10	0.030	66.0	NIL
35	SRP- Boiler 3	620.12	0.537	88.0	NIL
36	SRP-LIME KILN II	30.36	0.026	65.0	NIL

** As per TNPCB lab results

RECOVERY BOILERS:

No of Boilers : One
 Type of Fuel : Black Liquor Dry Solids & Furnace Oil
 Type of firing : Spray thro' nozzles

Average Quantity of Fuel Fired in boilers

Description	Type of fuel used	
	Black Liquor Dry Solids	Furnace Oil
UOM	MT/hr	KL/hr
Recovery Boiler 3	49.29	0.12

ENVIRONMENTAL STATEMENT FOR THE FINANCIAL YEAR 2023-2024
LIME KILN:

No of units : Two
 Type of fuel : Furnace Oil & Bio Gas
 Type of firing : Spray thro' nozzles

Average Quantity of Fuel Fired in Lime Kilo

Description	Type of fuel used	
	Furnace Oil	Bio Gas
UOM	Kl/hr	M ³ /hr
Lime Kiln 1	0.80	617.35
Lime Kiln 2	0.75	475.62

CAPTIVE POWER PLANT

Name of pollutant : PM (mg/NM³)
 Prescribed norms : Power Boiler 4 & 5 - 100mg/NM³
 Power Boiler 6 & 7 - 50mg/NM³

Serial No.	Stack attached to	Quantity of pollutants emitted (Kgs per day)	Quantity of pollutants emitted in (Kg per ton of paper)	Concentration of pollutants emitted in mg/NM ³ **	Percentage variation from prescribed in discharges standards with reasons
1	Power Boiler 4	Under Maintenance			
2	Power Boiler 5	138.69	0.120	26.0	NIL
3	Power Boiler 6	178.81	0.155	24.5	NIL
4	Power Boiler 7	141.82	0.123	22.5	NIL

** As per TNPCB lab results

Name of pollutant : SO₂ (mg/NM³)
 Prescribed norms : Power Boiler 4 to 7 - 600mg/NM³

Serial No.	Stack attached to	Quantity of pollutants emitted (Kgs per day)	Quantity of pollutants emitted in (Kg per ton of paper)	Concentration of pollutants emitted in mg/NM ³ **	Percentage variation from prescribed in discharges standards with reasons
1	Power Boiler 4	Under Maintenance			
2	Power Boiler 5	64.01	0.055	12.0	NIL
3	Power Boiler 6	256.42	0.222	33.0	NIL
4	Power Boiler 7	243.27	0.211	37.4	NIL

** As per TNPCB lab results

ENVIRONMENTAL STATEMENT FOR THE FINANCIAL YEAR 2023-2024

Name of pollutant : NOx (mg/NM³)
 Prescribed norms : Power Boiler 4 & 5 -600 mg/NM³
 Power Boiler 6 & 7 -450 mg/NM³ (As per MoEF Notification dated
 19.10.2020)

Serial No.	Stack attached to	Quantity of pollutants emitted (Kgs per day)	Quantity of pollutants emitted in (Kg per ton of paper)	Concentration of pollutants emitted in mg/NM ³ **	Percentage variation from prescribed in discharges standards with reasons	
1	Power Boiler 4	Under Maintenance				
2	Power Boiler 5	352.06	0.305	66.0	NIL	
3	Power Boiler 6	573.81	0.497	77.3	NIL	
4	Power Boiler 7	552.97	0.479	86.7	NIL	

** As per TNPCB lab results

POWER BOILERS:

No of Boilers : 4 operating + 3 standby (from 26/12/2013)

Type of fuel : Multifuel

Type of firing : Fluidised bed

Average Quantity of Fuel Fired in boilers

Description	Indigenous Coal	Imported Coal	Bagasse Pith	Wood Dust
UOM	Kg/hr	Kg/hr	Kg/hr	Kg/hr
Boiler 4	613	9368	0	0
Boiler 5	1512	12039	6012	41
Boiler 6	953	16253	8434	0
Boiler 7	1145	16750	7084	0

ENVIRONMENTAL STATEMENT FOR THE FINANCIAL YEAR 2023-2024
PART - D
Hazardous Wastes

(in accordance with Hazardous Wastes (Management and Transboundary Movement) Rules, 2016)

	Unit of measurement	TOTAL QUANTITY in MT	
		During the previous financial year 2022-2023	During the current financial year 2023-2024
(1) From Process section			
(a) Spent chemical - Lime sludge (Moisture: 45-50%)	MT	123100	106540
(b) Spent chemical - Lime Grits (Moisture: 20-25%)	MT	3894.58	4313.7
(2) From Pollution Control Facilities			
(a) ETP Primary Sludge (Moisture:75-80%)	MT	37727.71	32677.61
(3) From Maintenance section			
(a) Condemned lead acid Batteries generated during replacement at Automobile and Electrical departments	MT	5.53	8.58
(b) Waste containing copper and copper alloys	MT	8.26	32.88
(c) Discarded asbestos generated during demolition of redundant buildings and structures	MT	0	17.68
(d) Used Glass wool generated during steam line insulation replacement	MT	8.89	56.15
(e) Spent ion exchange resins generated in Water Treatment Plant	MT	0	0
(f) Used oil/spent oil generated from Industrial operations as lubricant in hydraulic systems or other operations	MT	71.31	94.7
(g) Exhausted Lithium Molecular Sieves generated from Oxygen Plant	MT	2.98	2.85

ENVIRONMENTAL STATEMENT FOR THE FINANCIAL YEAR 2023-2024
PART – E
Solid Wastes Generation Quantity

	During the previous financial year 2022-2023	During the current financial year: 2023-2024
(a) From Process		
DEINKING PLANT		
Plastic generated from Waste Paper Process (Moisture: 30%)	3819.33	5946
Sludge generation from Deinking Plant	34006.62	43471.52
PULP MILL		
Wood bark / dust from wood handling (Moisture: 45-50%)	14258.94	10859.48
Pith from Pulp Mill (Moisture: 45-50%)	155077	116378
Hardwood Screen fine rejects (Moisture: 60-65%)	1342.48	985.7
(b) From Pollution Control facility		
EFFLUENT TREATMENT PLANT		
MLSS – ETP secondary sludge (on dry basis)	3935	3244
POWER BOILER		
Wet ash generated	3674.64	12308
Fly ash generated	33756.08	33364

Solid Wastes Recycle/Sold/ Disposal/ Quantity

(c.1) Solid waste recycled or re-utilized		
Wood bark / dust (Moisture:25-30%) as fuel in Power Boilers	0	0
Wood bark / dust (Moisture:25-30%) as fuel in TNPL Mini Cement Plant	11451	10859.48
Pith from Pulp Mill (Moisture:45-50%) as fuel in Power Boilers	169663	153309
Fly ash used for TNPL Cement production.	33756.08	32977.96
Wet ash used for TNPL Cement	714.67	3059.27
Sludge from Deinking Plant used in TNPL Cement for production. (Moisture: 45-50%)	1570.69	9259
(c.2) Solid Waste Sold		
Pith (Moisture: 45-50%)	15.63	4136.55
Fly ash	0	0
Bottom ash	0	1943.72
Wet Fly ash	10546.66	6537.32
Wood bark	1844.85	4176.72
Hardwood Screen fine rejects (Moisture: 60-65%)	933.77	985.7
(c.3) Solid Waste Disposed		
Sludge from Deinking Plant (Moisture: 45-50%)	32435.93	36431.96

ENVIRONMENTAL STATEMENT FOR THE FINANCIAL YEAR 2023-2024

Plastic generated from Waste Paper Process (Moisture: 30%)	3819.33	5946
--	---------	------

PART - F

The characteristics of solid as well as Hazardous wastes and disposal practice adopted are given below.

HAZARDOUS WASTES

Sl No	Description	Major Constituents	Mode of disposal
From Process section			
01	Spent chemical - Lime sludge (Moisture: 45 to 50%)	Acid insolubles:6-7% Silica as SiO ₂ : 6% Mixed Oxides (R ₂ O ₃): 1.6% Calcium as CaCO ₃ : 87.8% Magnesium as MgCO ₃ :1.54% Free CaO: 0.76% Sodium as Na ₂ O: 1.67%	FY 2023-24 disposal details: Reused in TNPL Cement Plant- 109740 MT
02	Spent chemical - Lime grits (Moisture: 20 to 25%)	Acid insolubles:10% Silica as SiO ₂ : 10% Mixed Oxides (R ₂ O ₃): 3.1% Calcium as CaCO ₃ : 81.2% Magnesium as MgCO ₃ :2.76% Free CaO: 2.04% Sodium as Na ₂ O: 1.09%	Lime Grit is being consumed as raw material in TNPL Cement Mill.
(2) From Pollution Control Facilities			
03	ETP Primary Sludge (Moisture:75-80%)	Gross Calorific value: 2300-2700 Kcal/kg (OU basis) Organics:60-70% Inorganics:30-40%	Entire quantity sold as raw material to small cardboard Industries.
(3) From Maintenance section			
04	Condemned lead acid Batteries	Wastes mainly contains Lead	Disposed to PCB authorized recyclers.
05	Waste containing copper and copper alloys	Wastes mainly contains copper and its alloy such as brass, bronze etc.	Disposed to PCB authorized recyclers.
06	Discarded asbestos	Lead (Total): 53.7mg/Kg Chromium (Total): 28.64mg/kg Nickel (Total): 90.87mg/Kg Zinc (Total): 21.28mg/Kg Copper (Total): 60.3 mg/Kg	Disposed to M/s. Re sustainability IWM solutions limited, Bargur for direct land filling.
07	Used Glass wool	Lead (Total): 43.29mg/Kg Chromium (Total): 41.07mg/kg Nickel (Total): 32.81mg/Kg Zinc (Total): 20.05mg/Kg Copper (Total): 49.89 mg/Kg	Disposed to M/s. Re sustainability IWM solutions limited, Bargur for direct land filling.
08	Spent ion exchange resins	Calorific Value: 5777 Cal/g Lead (Total): 65.49mg/Kg Chromium (Total): 20.62mg/kg Nickel (Total): 33.58mg/Kg	No disposal during FY 2023-24.

ENVIRONMENTAL STATEMENT FOR THE FINANCIAL YEAR 2023-2024

Sl No	Description	Major Constituents	Mode of disposal
		Zinc (Total): 24.64mg/Kg Copper (Total): 30.32 mg/Kg	
09	Waste Oil	Chromium: 0.15ppm Total Halogens: 3805 ppm Lead: 3.85 ppm Nickel: 0.18 ppm	Disposed to PCB authorized recyclers
10	Exhausted Lithium Molecular Sieves	Lead (Total): 171.51mg/Kg Chromium (Total): 6.3mg/kg Nickel (Total): 29.31mg/Kg Zinc (Total): 25.88mg/Kg Copper (Total): 9.2 mg/Kg	Disposed to M/s. Re sustainability IWM solutions limited, Bangur for direct land filling.

SOLID WASTE

Sl No	Description	Major constituents: (all values are on OD basis)	Mode of disposal
01	Wood bark/ dust from Chipper house (Moisture:25-30%)	Ash:2.4% Volatile matter:71.5% Fixed carbon:18.9% Gross calorific value:4000-4600 Kcal/kg	Wood dust is used as fuel in Power Boiler. Wood bark is sold as fuel to agencies generating power through bio mass.
02	Wet Ash	Ash : 90-95 % LOI : 3 to 5%	Used as raw material for TNPL Cement mill and disposed to brick manufacturing units.
03	Fly Ash	Ash: 88 to 92% LOI: 8 to 12%	Used as raw material for TNPL Cement mill and other cement mills. Balance disposed for brick manufacturing units and trapers possessing TNPCB consent orders.
04	MLSS - ETP secondary sludge	Absorbable Organic Halide-BDL	Composted and Used as manure
05	Pith (Moisture:45-50%)	Ash: 9% Volatile matter:72% Fixed carbon:13% Gross calorific value:4000-4200 Kcal/kg	Used as fuel in power boilers. A small quantity is disposed to cardboard manufactures as raw material.
06	Dip Sludge (Moisture @ 40-50 %)	Gross Calorific value: 1400-1700 Kcal/kg (OD basis) Organics :30% Inorganics: 70%	Part of waste is being used as raw material in TNPL Mini Cement Plant and balance disposed to small cardboard industries.
07	Plastic Generated from waste paper	Received various types of plastic wastes along with waste paper consignment	Disposed to Cement Plant for co - Processing.

ENVIRONMENTAL STATEMENT FOR THE FINANCIAL YEAR 2023-2024

PART - G

Impact of the Pollution Control Measures on conservation of natural resources and its consequence on the cost of production.

➤ The bio-gas generated in Bio-methanation plant using high COD bagasse wash effluent is being used in the lime kilns to replace furnace oil leading to reduce Carbon footprint. During 2023-24, TNPL utilised 83.05 Lakh m³ of biogas in Lime Kiln and 3.96 Lakh m³ of biogas in Power Boilers resulted in savings of 4464.20 KL of Furnace oil and 707 MT of imported coal respectively. Further, by utilizing about 153309 MT of internally generated agro fuels such as Pith, Wood dust as fuel in Power Boilers has resulted in conservation of about 50325 MT of imported coal.



- TNPL is playing a significant role in the non-conventional energy. The company has generated 375.46 lakh units of wind power during FY 2023-24 through wind turbines thereby reducing 34946 tCO₂ GHG emissions.
- TNPL has implemented various water conservation projects and has attained overall water consumption of about 28 KL Per ton of paper during FY 2023-24 which is one of the lowest in paper industry.

➤ To improve the pulpwood availability, TNPL has developed two plantation schemes, viz., Farm Forestry and Captive Plantation during 2004-05 with a view to develop the vacant and degraded lands belonging to farmers and Government sources respectively. During 2023-24, plantations were raised in 22982 acres of barren lands involving 5938 farmers in various parts of Tamil Nadu under Farm Forestry scheme. So far, pulp wood has been raised in 256756 acres involving 51676 farmers under Farm Forestry & captive Scheme. This scheme helps the dry land farmers to improve their livelihood. Further, the efforts put in by TNPL for raising pulpwood plantation started yielding benefits from 2009-10.





ENVIRONMENTAL STATEMENT FOR THE FINANCIAL YEAR 2023-2024


- During 2023-2024, TNPL has procured 537486 MT of pulpwood from the plantation sources in which about 536607 MT from Farm forestry and balance 879 MT from Captive Plantation sources. Further, so far, 31.77 lakhs MT of pulpwood have been procured from the above plantation sources during last seventeen years.
- TNPL has established a state of the art clonal production centre with a capacity to produce 55 million plants per annum to supply quality clones to farmers at subsidized rates. TNPL has produced 568 Lakh plants and supplied 528 lakh plants to the farmers field at subsidized rates during 2023-2024 to cover an extent of 22982 acres under plantation activity.
- TNPL has established a Biodiversity park by assembling more than 176 species of tree/shrubs comprising of flowering, fruit bearing, medicinal, ornamental, timber etc., in about 6.07 hectares of land at TNPL housing colony area under the concept of biodiversity enrichment to sustain the green environment.
- The ecosystem maintained in the Biodiversity Park is assessed periodically for effective monitoring of flora and fauna in the park. As the trees are started flowering/fruitletting, resulted in attracting fauna which includes



BIODIVERSITY PARK


butterflies, birds, reptiles, insects which are being evidenced at site. This facilitates the improvement of Biodiversity by introduction of new species by pollination, seeds transfer through migratory birds. In future, it is planned to undertake a detailed study on the flora and fauna in the Biodiversity Park.

- About 30% of the pulpwood used in the process is certified by FSC which guarantees that the pulp wood plantations are managed in a socially and environmentally responsible way.



ENVIRONMENTAL STATEMENT FOR THE FINANCIAL YEAR 2023-2024

- TNPL has been awarded Forest Stewardship Council (FSC) certification for Forest Management and Chain of Custody. This certificate confirms the linkage between forest and end user, ensuring that products with FSC label uphold principle and criteria which bring the highest social and environmental benefits. Further, FSC label will ensure the customers that the input material has been produced from scientifically managed, environmentally responsible forest plantation.
- Post consumer reclaimed material and pre consumer reclaimed material (Waste fibre consumed in De-inking plant) is also included in the scope of Forest Stewardship Council certification from the year 2014.



Recognition for Environmental Protection:

- TNPL has been declared as "Winner" of Environmental Excellence for the year 2023 conducted by M/s Green Tech Foundation, New Delhi



ENVIRONMENTAL STATEMENT FOR THE FINANCIAL YEAR 2023-2024

PART - H

Additional measures / Investment proposals for Environmental Protection including Abatement of Pollution, Prevention of Pollution

- During the Past, TNPL Implemented various expansion/modernization programmes mainly focusing on the Environmental benefits as explained below:

Sl No	Name of the Project	Completion Period and Investment	Environmental Benefit	Improvement on Production
01	Mill Development Plan (MDP)	May '08 & Rs.612 Crores	Switching over from conventional bleaching to Elemental Chlorine Free bleaching (ClO ₂) in both Hardwood and Chemical baggase bleaching section.	Paper Production from 2.05Lakh to 2.45Lakh per annum Pulp increased from 530TPD to 800 TPO
02	Mill Expansion Plan (MEP)	Jan '2011 & Rs.230 Crores	Introduced Environment friendly technologies such as Oxygen delignification and twin roll washers & Hot stock screening technologies in the chemical baggase pulping line along with a new paper Machine	Paper Production from 2.45Lakh to 4.0 Lakh per annum. Further, Total pulp production increased to 880 TPD.
03	Deinked Pulp (DIP) plant & Upgradation of Power Plant	Nov'2013 & Rs.310 Crores	Implemented 300TPD Deinked pulp plant by utilizing waste paper as raw material to replace high cost imported pulp possessing environment friendly operations and no bleaching chemicals such as ClO ₂ is utilized.	No increase in paper production. With 300TPD of DIP, Total Pulp Production increased to 1180TPD. Power generation increased from 81.12 to 103.62MW.

- Towards manufacture of Deinked pulp, mostly imported Sorted Office Waste Paper were used. This waste paper is made up of soft wood fibre which is having higher fibre length. This high quality is having superior strength properties (tear factor) when compared with home made Hard wood and Chemical Bagasse Pulp. This property of soft wood fibre helps to improve the machine runnability and pave way to reduce paper breaks on the machine.
- The principle of Paper Making is formation of fiber mat (Pulp) and filling the gaps with chemicals (filler materials). Based on the R&D studies and subsequent implementation of strategy in production activities in the past, it was inferred that the enhancement of filler in paper results in increase the weight of the paper without pulp requirement.
- During FY 2023-24, the average ash content in paper was varying from 13.25 to 19.05 % subject to quality of Paper Production, the higher percentage of Ash in Paper resulted in increasing the Paper Production at lower cost.
- During FY 2023-2024, TNPL utilized about 17217 MT of purchased pulp. Usage of purchased pulp for production have not contribute to pollution load of the mill.

ENVIRONMENTAL STATEMENT FOR THE FINANCIAL YEAR 2023-2024**PART - I****Other particulars for Improving quality of Environment**

- The effluent treatment plant is operated with activated sludge process to maintain the quality of treated effluent within the norms prescribed by Tamil Nadu Pollution Control Board.
- The following process modifications were carried out as part of fresh water conservation and subsequently achieved 29 KL/MT of Paper produced, the lowest water consumption unit in India.
 - ◆ Polishing excess clear filtrate of PM#1 using Algas filter.
 - ◆ Recycling of around 9000 M3/day Paper Machine Effluent after clarification in raw material preparation
 - ◆ Recycling of around 1800 M3/day EOP alkaline filtrate in post Oxygen washer in hardwood fiber line operations by close looping Extraction stage effluent from hardwood into the brown loop
 - ◆ Return of pump seal water and hydraulic oil cooling water in Hardwood Street to water treatment plant.
 - ◆ Replacement of fresh water with Machine backwater for water lap usage
 - ◆ Collection of all plug screw feeders gear box cooling water and all seal water outlet and pump to LC tank for process usage in Chemical Bagasse street.
 - ◆ Return of hydraulic oil pump cooling water to WTP in Chemical Bagasse street.
 - ◆ Diversion of SRP Foul condensate water to hot water system in Chemical Bagasse street.
 - ◆ Replacement of fresh water in Mud filter vacuum pump with process condensate.
 - ◆ Return of ID, FD cooler water and feed pump cooler water of RB#2 to water treatment plant.
 - ◆ Return of lime kiln support roller bearing cooler water to water treatment plant.
 - ◆ Plugging of all water pumps sealing outlet.
 - ◆ Replacement of fresh water with backwater for cleaning.
 - ◆ Providing On-off valve in Deculator vacuum pump to avoid overflow in PM#1 Deculator seal pit.
 - ◆ Diversion of vacuum pump gear box cooling water in PM#1 to warm water tank.
 - ◆ Diversion of excess cooling water collection tank to sweat dryer tank.
 - ◆ Diversion of steam and condensate pump sealing water of PM#2 to warm water tank from culver pit.
 - ◆ Replacement of fresh water with clear water for acceleration dilution of filler/starch in PM#3.
 - ◆ Diversion of Deculator seal pit tank over flow to cooling back water tank in PM#3.
 - ◆ Recovery of Metso refiber heat exchanger cooling water.
 - ◆ Recovery of refiners, screen and pumps seal water in PM#3.
 - ◆ Recycling and uses of press Felt Uhle box water through Algas filter in PM #1

ENVIRONMENTAL STATEMENT FOR THE FINANCIAL YEAR 2023-2024

MEASURES TAKEN TOWARDS TDS REDUCTION

- Oxygen delignification and twin roll presses were introduced in both Hardwood and Bagasse pulping street. The twin roll presses are more efficient in washing, and COD carryover in pulp into bleach plant is reduced and so also the TDS. The O₂ delignification reduces the lignin carryover to bleach plant by 30-40%, resulting in corresponding reduction in bleach chemical and thus equivalent reduction in TDS into effluent from bleach plant.
- Paper machine effluent is being segregated and clarified separately to remove the suspended solids and the clarified water is being used in backwater clarifications replacing treated effluent as a measure to reduce TDS in the treated effluent.
- Recycling of EOP alkaline filtrate in post Oxygen washer in both Hardwood & Chemical Bagasse Pulping operations. Introduction of organic peroxide stabilizer in Deinking Pulp bleaching operation resulted in 50% Sodium silicate reduction to achieve equivalent reduction of TDS in the respective effluent stream.
- Usage of ferrous chloride has been stopped for the treatment of anaerobic effluent in ETP.
- The soft water supplied to Chlorine Di Oxide plant and VAM has been replaced with R.O. water. Similarly, Soft water has been replaced with process water in cooling towers and pulp mills. Further, Filtered water is being used in place of soft water for NIPCO hydraulic system. This resulted in stoppage of soft water generation and thus paved way for reduction of TDS from the WTP effluent stream.

A report on the "World Environment Day" celebrations carried out by TNPL during 2024 is enclosed herewith as Annexure f.

ENVIRONMENTAL STATEMENT FOR THE FINANCIAL YEAR 2023-2024

ANNEXURE I

REPORT ON WORLD ENVIRONMENT DAY- 2024 CELEBRATIONS CONDUCTED AT TNPL

- ◆ On behalf of Tamilnadu Newsprint and papers limited, on Wednesday 5th of June, Environment Day was celebrated at Paper Manufacturing industry and Cement Manufacturing industry, Kagithapuram, Pugalur. Banners were also displayed near the plant entrances and time office to create awareness on various environmental issues including the environmental theme of the year 2024, "Land Restoration, desertification and drought resilience" the Slogan for the event will be "Our land, Our Future".
- ◆ This year's environment theme is "Land Restoration, desertification and drought resilience" and to emphasize environment friendly lifestyle as proposed by Tamilnadu Pollution Control Board, the officers, Staffs, workmen, contract workmen and Apprentice in the Paper plant premises and cement plant premises have taken environmental pledge.



ANNEXURE XXI

DIP- ENVIRONMENTAL CLEARANCE - NEWSPAPER ADVERTISEMENT

TNPL/27/301

March 4, 2013

The Chief Conservator of Forests (Central),
Ministry of Environment & Forests
Regional office (South Zone),
4th Floor E & F Wings,
Kendriya Sadan,
II Block, Koramangala,
Bangalore -34

Dear Sir:

Sub: Installation of 300 TPD DeInked Pulp Line (DPL) and up-gradation of Captive Cogeneration Plant (CCP) at Kagithapuram, District Karur in Tamil Nadu by M/s Tamil Nadu Newsprint and Papers Limited

Ref: Environmental Clearance vide F.No.J-11011/710/2007-IA-II (I) dated 11th February 2013

We would like to acknowledge with thanks the receipt of the Environment Clearance for the subject project vide the orders referred above.

As stipulated in the Clause # xiv of General Conditions of the Order, we have issued a Public Notice on 27th February 2013, in two local newspapers, one in English and the other in Tamil.

A copy of the advertisement is attached for your kind reference and records.

Thanking you,

Yours faithfully
for **TAMIL NADU NEWSPRINT AND PAPERS LIMITED**

ASST. GENERAL MANAGER (PROJECTS)

Encl: a.a

ole

தினமணி 27 பிப்ரவரி, 2013

TNPL தமிழ்நாடு செய்தித்தாள் மற்றும் காத்த நிறுவனம்

செய்தித்தாள் - புகளூர், கர்நாடகம், தமிழ்நாடு, இந்தியா
புதுச்சேரி - தமிழ்நாடு, இந்தியா
தலை அலுவலகம் - புதுச்சேரி, தமிழ்நாடு, இந்தியா

வாது அறிவிப்பு

தமிழ்நாடு செய்தித்தாள் காத்த நிறுவனத்தின் நாளிதழைக்கு 300டன் சுமந்தகிய காத்தகவுழி பிரிவு மற்றும் மின் உற்பத்தி மேம்படுத்தும் திட்டம் ஆகியவற்றைச் செயல்படுத்துவதற்கு மத்திய அரசின் சுற்றுச்சூழல் மற்றும் வன அமைச்சகம், புதுச்சேரி தினம் 11 பிப்ரவரி 2013 தேதியிட்ட ஆணையின் மூலம் சுற்றுச்சூழல் அனுமதி வழங்கியுள்ளது என இதன் மூலம் அறிவிக்கப்படுகிறது.

மேலும் அனுமதி நூலை தமிழ்நாடு மாசுக்கட்டுப்பாட்டு வாரிய அலுவலகத்திலும் மற்றும் சுற்றுச்சூழல் மற்றும் வன அமைச்சகத்தின் இணையத்தளமான <http://www.envfor.nic.in> -ஓம் பார்க்கு தெரிந்து கொள்ளலாம்.

தகவல்: வாது அலுவலர் (ஆயக்கம்)

04324 27700

04324 27700

THE NEW INDIAN EXPRESS
CHENNAI WEDNESDAY 27 FEBRUARY 2013 *

TNPL TAMILNADU NEWSPRINT AND PAPERS LIMITED

CAGITHIAPURAM - 639 136, KARUR DIST., TAMIL NADU, INDIA
PHONE: 04324-27700 • FAX: 04324-27700
E-mail: pnid@pnid.co.in

PUBLIC NOTICE

This is to inform that Ministry of Environment & Forests, New Delhi has accorded Environmental clearance for implementation of the projects for Installation of 300 tpd Deinked Pulp line and upgradation of Captive Co-generation Plant (CCP) of Tamil Nadu Newsprint and Papers Limited, vide its Order dated 11th February 2013.

Copies of the clearance letter are available with the Tamil Nadu State Pollution Control Board and may also be seen at the Website of the Ministry of Environment and Forests at <http://www.envfor.nic.in>.

CHIEF GENERAL MANAGER (OPERATIONS)

09/219/Envtm/2013

TNPL, Ministry of Environment and Forests, New Delhi

ANNEXURE XXII

LATEST NABL ACCREDITED & MoEF&CC RECOGNIZED THIRD PARTY LAB - H₂S AND MERCAPTANS REPORT

TEST REPORT

Test Report No & Date CTL/CH/N-30094/2024-25 & 04.10.2024
Sample Number N-30094/24-25
Name of the Customer M/S. TAMIL NADU NEWSPRINT AND PAPERS LIMITED [MAIN PLANT],
Address Kagithapuram - 639 136,
Karur District, Tamil Nadu.

Sample Drawn by Laboratory
Sample Name Indoor Air Quality
Sample Description Non Condensable Gas Emission
Sampling Location Soda Recovery Plant
GPS Reading 11°03'16.558"N & 77°59'45.078"E
Sample Drawn on 24.09.2024
Sample Received on 26.09.2024
Sampling Plan & Procedure CTL/QSP/F-89 & CTL/SOP/AIR/024
Sample Quantity 1 No
Equipment used for Sampling Handy Sampler 890 -DTD-2018
Analysis Started on 26.09.2024
Analysis Completed on 04.10.2024

Test Results:

The above sample tested as received, and results are as follows:

DISCIPLINE : CHEMICAL

GROUP : ATMOSPHERIC POLLUTION

SL.NO	PARAMETER	METHOD	UNIT	RESULT	LIMIT
1	HYDROGEN SULPHIDE	IS 5182 PART 07	mg/m ³	1.25	Max. 14*
2	MERCAPTANS [#]	James P.Lodge Method No.118	µg/m ³	BLQ(LOQ:4.0)	-

*As per Factory Act 1948, #Not in NABL Scope

BLQ - Below Limit of Quantification; LOQ - Limit of Quantification:

*****END OF REPORT*****

Verified by



For Chennai Testing Laboratory Pvt Ltd

Authorised Signatory

G. MAHAKANDAN

Head - Environment Division
(CHEMICAL)

Page 1 of 1

TEST REPORT

Test Report No & Date CTL/CH/N-30095/2024-25 & 04.10.2024
Sample Number N-30095/24-25
Name of the Customer M/S. TAMIL NADU NEWSPRINT AND PAPERS LIMITED [MAIN PLANT],
Address Kagithapuram - 639 136,
Karur District, Tamil Nadu.

Sample Drawn by Laboratory
Sample Name Indoor Air Quality
Sample Description Non Condensable Gas Emission
Sampling Location Hardwood
GPS Reading 11°03'25.626"N & 77°59'35.871"E
Sample Drawn on 24.09.2024
Sample Received on 26.09.2024
Sampling Plan & Procedure CTL/QSP/F-89 & CTL/SOP/AIR/024
Sample Quantity 1 No
Equipment used for Sampling Handy Sampler 826 -DTL-2016
Analysis Started on 26.09.2024
Analysis Completed on 04.10.2024

Test Results:

The above sample tested as received, and results are as follows:

DISCIPLINE : CHEMICAL

GROUP : ATMOSPHERIC POLLUTION

SL.NO	PARAMETER	METHOD	UNIT	RESULT	LIMIT
1	HYDROGEN SULPHIDE	IS 5182 PART 07	mg/m ³	2.78	Max. 14*
2	MERCAPTANS [#]	James P.Lodge Method No.118	µg/m ³	BLQ(LOQ:4.0)	-

*As per Factory Act 1948, [#]Not in NABL Scope

BLQ - Below Limit of Quantification; LOQ - Limit of Quantification:


END OF REPORT



Verified by



For Chennai Testing Laboratory Pvt Ltd


Authorised Signatory
G. MANIKANDAN
Head - Environment Division
(CHEMICAL)

Page 1 of 1

The Report shall not be used to malign, defame or for any malicious purpose
The Report is meant only for sole use of the addressee to promote his/her own business.

A - Super 19, T.V.K. Industrial Estate, Guindy, Chennai - 600 032, Tamil Nadu - India

Phone : +91-44-2250 1757 | E-mail : chennaiesting@chennaiestinglab.com www.ctllabs.in

TEST REPORT

Test Report No & Date CTL/CH/N-30096/2024-25 & 04.10.2024
Sample Number N-30096/24-25
Name of the Customer M/S. TAMIL NADU NEWSPRINT AND PAPERS LIMITED [MAIN PLANT],
Address Kagithapuram - 639 136,
Karur District, Tamil Nadu.

Sample Drawn by Laboratory
Sample Name Indoor Air Quality
Sample Description Non Condensable Gas Emission
Sampling Location Chemical Bagasse
GPS Reading 11°03'20.042"N & 77°59'47.993"E
Sample Drawn on 24.09.2024
Sample Received on 26.09.2024
Sampling Plan & Procedure CTL/QSP/F-89 & CTL/SOP/AIR/024
Sample Quantity 1 No
Equipment used for Sampling Handy Sampler 897 -DTI-2018
Analysis Started on 26.09.2024
Analysis Completed on 04.10.2024

Test Results:

The above sample tested as received, and results are as follows:

DISCIPLINE : CHEMICAL

GROUP : ATMOSPHERIC POLLUTION

SL.NO	PARAMETER	METHOD	UNIT	RESULT	LIMIT
1	HYDROGEN SULPHIDE	IS 5182 PART 07	mg/m ³	2.22	Max. 14*
2	MERCAPTANS [#]	James P.Lodge Method No.118	µg/m ³	BLQ(LOQ:4.0)	-

*As per Factory Act 1948, #Not in NABL Scope

BLQ - Below Limit of Quantification; LOQ - Limit of Quantification:

END OF REPORT



Verified by



For Chennai Testing Laboratory Pvt Ltd

Authorised Signatory
G. RAMKARAN
Head - Environment Division
(CHEMICAL)

Page 1 of 1

ANNEXURE XXIII

MEASURES TAKEN TOWARDS

REDUCE TDS

MEASURES TAKEN TOWARDS TDS REDUCTION

- Oxygen delignification and twin roll presses were introduced in both Hardwood and Bagasse pulping street. The twin roll presses are more efficient in washing, and COD carryover in pulp into bleach plant is reduced and so also the TDS. The O₂ delignification reduces the lignin carryover to bleach plant by 30-40%, resulting in corresponding reduction in bleach chemicals and thus equivalent reduction in TDS into effluent from bleach plant.
- Paper machine effluent is being segregated and clarified separately to remove the suspended solids and the clarified water is being used in backwater clarifications replacing treated effluent as a measure to reduce TDS in the treated effluent.
- Recycling of EOP alkaline filtrate in post Oxygen washer in both Hardwood & Chemical Bagasse Pulping operations.
- Introduction of organic peroxide stabilizer in Deinking Pulp bleaching operation resulted in 50% Sodium silicate reduction to achieve equivalent reduction of TDS in the respective effluent stream.
- Usage of ferrous chloride has been stopped for the treatment of anaerobic effluent in ETP.
- The soft water supplied to Chlorine Di Oxide plant and VAM has been replaced with R.O. water. Similarly, Soft water has been replaced with process water in cooling towers and pulp mills. Further, Filtered water is being used in place of soft water for NIPCO hydraulic system. This has resulted in reduction of soft water generation and regeneration cycle thus paved way for reduction of TDS from the WTP effluent stream.

ANNEXURE XXIV

WATER DRAWAL PERMISSION

FROM PWD

For information pl. *etc*
21/10/2001



D.F.

C.M.O.

ABSTRACT

Drawal of Water - Karur District - To reduce the drawal of water from 24 Mgd to 20 Mgd with effect from 1.4.97 and 20 Mgd to 16 Mgd with effect from 1.4.99 from River Cauvery by Tamil Nadu Newsprint and Papers Limited - Orders - Issued.

PUBLIC WORKS (N2) DEPARTMENT

G.O. (MS) No. 455

DATED: 29.10.2001.

READ:

1. G.O. Ms. No. 600, PWD, dated 21.10.98
2. G.O. Ms. No. 328, PWD, dated 6.7.2001.
3. From the Chairman and Managing Director, Tamil Nadu Newsprint and Papers Ltd., D.O. Lr. No. Water Royalty/00-01, dated 27.7.2001.
4. From the Chief Engineer, W.R.O., Trichy Region Lr. No. B3/11445/99, dated 3.9.2001.

ORDER:

In supersession of the orders issued in the G.O. first and second read above, the Government direct that the drawal of water limit of the Tamil Nadu Newsprint and Papers Limited from the River Cauvery be reduced from 24 Mgd. to 20 Mgd. with effect from 1.4.97; and from 20 Mgd. to 16 Mgd. with effect from 1.4.99.

2. The Government also direct that all the penalty claims for not paying higher demand charges for the enhanced quantity which was not drawn by Tamil Nadu Newsprint and Papers Limited with effect from 1.4.97 and 1.4.99 be dropped, as a special case.

3. The Government also direct that the above order should not be quoted as precedent in similar cases.

(BY ORDER OF THE GOVERNOR)

M. KUTRALINGAM
SECRETARY TO GOVERNMENT.

To

- ✓ The Chairman and Managing Director, Tamil Nadu NewsPrint and Papers Limited, Guindy, Chennai-32.
- The Chief Engineer, Water Resources Organisation, Public Works Department, Trichy Region, Trichy-20.
- The District Collector, Karur District.

Copy to:

- The Finance Department, Chennai-9.
- The Industries Department, Chennai-9.

/Forwarded/By Order/

[Handwritten Signature]
12/10/2001
SECTION OFFICER

ANNEXURE XXV

**COMPLIANCE TO MEP PUBLIC
HEARING**

PUBLIC HEARING UPDATE (HELD ON 10TH JULY 2008)

The environmental public hearing meeting was held on 10-07-2008 at meeting hall, District Collectors Office, Karur, in connection with the Mill expansion Plan of M/s. Tamil Nadu Newsprint And Papers Limited for increasing the production of printing and writing paper. An updated of the Public hearing and compliance to the Public consultation is furnished below:

Compliance to Public Consultation

The representations made by the public can be classified into the following groups:

- i. Airborne Emissions
- ii. Climate Change
- iii. Community Welfare
- iv. Drinking Water Supply
- v. Dust Emission
- vi. Employment in TNPL for Land givers
- vii. Free Project Work for Students
- viii. Groundwater Quality
- ix. Soil Sampling to be taken in land owner's presence
- x. Road Improvements
- xi. Discharge of seepage water into Pugalur Canal
- xii. Land of 2.5 Acres in Moorthipalayam
- xiii. Effluent Sludge Incineration
- xiv. Compliance of Swamy Committee Recommendations

The following explanation addresses these representations.

1 Airborne Emissions

In the EIA, model simulations have been carried using the hourly Joint Frequency data viz. stability, wind speed, mixing height and temperature. For the short-term simulations, the Ground Level Concentrations (GLCs) were estimated

around 1200 receptors to obtain an optimum description of variations in GLCs over the site within 10-km radius covering 16 directions.

The GLCs due to the emission from the proposed stacks have been estimated through dispersion modelling by using the seasonal meteorological data monitored at site. The concentrations for SPM, SO₂ and NO_x thus obtained are presented in Table 1. For each time scale, i.e. for 24 hr (short term), the model computes the highest concentrations observed during the period over all the measurement points.

TABLE 1
PREDICTED 24-HOURLY SHORT TERM CONCENTRATIONS

Scenario of Operation	Net Incremental concentrations (µg/m ³)			Distance (km)	Direction
	SPM	SO ₂	NO _x		
Scenario-1 (Post MDP)	(-) 0.9	4.0	(-)1.4	2.8	NW
Scenario-2 (Post MEP)	0.9	11.0	3.2	1.4	NW

Comments on Predicted Concentrations

A perusal of Table 1 reveals that the maximum short-term 24 hourly ground level incremental concentrations for SPM, SO₂ and NO_x are observed as 0.9 µg/m³, 11.0 µg/m³ and 3.2 µg/m³ occurring at a distance of about 1.4 km in the NW direction due to implementation of MEP Project.

Resultant Concentrations after Implementation of the Project

The maximum net incremental GLCs due to the MEP for SO₂ and SPM are superimposed on the baseline SO₂ and SPM concentrations recorded during the study to arrive at the realistic baseline concentrations for the proposed MEP project. The modelling predictions are tabulated below in Table 2.

TABLE 2
RESULTANT CONCENTRATIONS DUE TO INCREMENTAL GLC's – PROPOSED MEP

Pollutant	Realistic baseline concentrations (µg/m ³)	Net incremental concentrations due to MEP (µg/m ³)	Final Resultant Concentrations (µg/m ³)
Industrial Zone			
SPM	189.9	0.9	190.8
SO ₂	30.8	11.0	41.8
NO _x	27.7	3.2	30.9
Residential Zone			
SPM	179.2	0.3	179.5
SO ₂	25.8	3.1	28.7
NO _x	26.4	0.7	31.0

A perusal of the above table clearly reveals that SPM, SO₂ and NO_x are expected to be within the prescribed limits specified by CPCB for industrial zone and residential zone.

2 Climate Change

Concerns expressed about climate changes (rise in temperature and decrease in rainfall) are not related to the operations of TNPL.

3 Community Welfare

The company has been implementing several community welfare measures for the benefit of the people in the neighbourhood. Community welfare measures implemented include:

- Setting up a Centre for Career Development,
- Establishing training centres for imparting training in Typewriting, Computers and Tailoring to unemployed educated youth in the neighbourhood,
- Providing infrastructure facilities in the government schools in the neighbouring villages,
- Providing infrastructure facilities in the surrounding Primary Health Centers, Government Hospital and Constructing Community Hall, Library, Toilet, etc.,
- Distributing books, note books including providing financial assistance for poor children pursuing studies,
- Organizing monthly medical camps and special medical camps financial assistance for developing roads,
- Providing drinking water facilities and streetlights in the near by villages, conducting veterinary camps, etc.

The company is committed to provide welfare measures to the local community under its Corporate Social Responsibility programme. The community welfare measures will continue to be carried out in tune with the emerging, and genuine, needs of the community.

4 Drinking Water Supply

TNPL is regularly supplying the drinking water to the surrounding villages to the tune of 2000KLD. TNPL has so far provided about 200 common taps in the nearby villages for drinking water. The number will be increased further depending on the actual requirement. Protected water is supplied from the factory through pipelines to the respective overhead tanks. Further, 16 water

tubs are provided for feeding cattles. Pumping of drinking water is done twice a day.

Further, based on the requirement by the nearby hamlets, drinking water is also being supplied through water tankers during festivals etc. in addition to the regular water supply.

5 *Dust Emission*

In order to control dust emission, wind barriers were provided for a length of 2254 meters along the compound wall of Main Plant including recently installed wind barriers adjacent to compound wall on southern side of the mill for a length of 100 meters to avoid emanation of dust from lime storage. Further, wind barricades for a total length of 1260 meters were already embedded along the compound wall of Cement plant.

6 *Employment in TNPL for Land givers*

During 1982-83, TNPL acquired 786 acres of land from 362 families for setting up the plant. The company evolved the following criteria for considering the requests received for employment under Land Given Category:

- The land should have been the only or major source of sustenance on the date of passing the Award.
- One employment for one family. Patta in the name of husband and wife to be considered as one family and only one employment to be given to the family.
- Minimum land acquired to be not less than 20 cents.
- Eligible persons will be owner of the land (husband / wife), son daughter, legally adopted son prior to the issue of 4(1) Notification, grandson, grand daughter, son-in-law / grand son-in-law, if there are no male issues.
- Age Limit: 18 to 35 years; Age limit will be relaxed by 5 years for SC/ST candidates.
- Educational Qualification: Minimum 10th Standard / SSLC Pass

Till 2008, the company had provided employment to 193 persons. Conditions 5 & 6 above were relaxed during 2009 and employment was provided to 25 persons including 6 persons relaxing the condition on age and educational qualifications.

With this, 218 persons had been provided employment under land given category.

The Board resolved to close the scheme on 30/11/2009.

However, there are continuous representations to consider employment for the legal heirs of the land owners. In the Public Hearing Meeting, the issue of providing employment under land given category was raised. Hence, it was

decided to provide employment to eligible persons from the applications received from the legal heirs of land owners.

Based on their requests, it was proposed to relax the minimum requirement of 20 cents to 10 cents and to provide employment for daughters-in-laws / grand daughters-in-laws subject to the condition that no one from the family has been provided employment so far in the respective families.

The subject was placed before the Board of Directors of the company in the 220th Meeting held on 29th May 2012. The Board approved the proposal for providing employment to the eligible legal heirs and it was also resolved to close the scheme forthwith.

Out of the representations, 29 persons were found eligible to be provided employment and after conducting interviews, 19 persons have been provided employment. Few persons have declined the proposal of accepting the offer and few persons are yet to produce relevant documents in respect of land acquired, educational qualifications, no objection certificates from other legal heirs etc. Once the compliance is fulfilled, interview process in respect of the remaining persons will be completed shortly and those persons will be inducted.

The above action also fulfils the representation of Mr K Murugan, Velayuthampalayam, during the Public hearing. As requested by Mr Murugan, his legal heir (son), a qualified engineer has been inducted in TNPL service from August 2009.

So far, the total employment given for land given category is summarized below:

SI No	Description	Total Nos. of employment given
1	Employment given in Unit - I	240
2	Employment given in Unit - II (as on 23.11.2019)	98
Total		338

7 Free Project Work for Students

The system of charging a nominal fee was introduced, to regulate the number of students doing the project work within the factory complex and ensure safe factory operations. However, in response to the public hearing, project work is being allocated to students on free of cost. The details of the in plant training/ Project work undertaken by the students in TNPL between Apr'19 and Sep'19 is given below:

**INPLANT TRAINING / PROJECT WORK DETAILS
FOR THE PERIOD FROM APRIL 2019 TO NOVEMBER 2019**

Sl. No.	Subject Field	In-plant Training	Internship / Project Work	Total Students benefited
1	MBA	12	35	47
2	Electrical and Electronics Engineering	64	46	110
3	Electronics and Instrumentation Engineering	34	40	74
4	Mechanical Engineering	70	150	220
5	Information Tech./ Computer Science and Engg.	9	0	9
6	Chemical Engineering	20	16	36
7	Electronics and Communication Engineering	10	35	45
8	Civil Engg.	7	0	7
9	Chemistry	28	16	44
10	Others	13	21	34
Total		267	359	626

8 Ground Water Quality

Most of the villages in the project area have bore wells and tube wells for agricultural purposes.

The results of the water analysis, from three randomly selected bore wells, indicate that the pH and fluorides are well within the permissible limits. The bacterial studies also confirm that, no coliform bacteria have been present in the samples. The heavy metal is, either very low or, below detectable limits.

With the implementation of MDP and MEP, the treated wastewater quality has improved in terms of TDS, AOx, sodium and chlorides due to implementation of systems such as oxygen delignification, elemental chlorine free bleaching etc. and also tighter spillage control.

9 *Soil Sampling to be taken in land owner's presence*

Tamil Nadu Agricultural University is carrying out periodical sampling in twenty benchmark sites. This sampling is carried out once in six months by an Assistant Professor and research associates from Department of Environmental Science of Tamil Nadu Agricultural University, Coimbatore (TNAU), in the presence of concerned land owners.

10 *Road Improvements*

Against the demand for the widening of Moolimangalam Road during public hear for easy movement of trucks carrying Baggasse , TNPL had completed the work with the support of Highways department. Now the road has sufficient width for free movement vehicles.

11 *Discharge of Seepage-water into Pugalur Canal*

Presently, treated effluent is used for irrigating an area of 1600 Acres of land through M/s TNPL Effluent Water Lift Irrigation Society (TEWLIS), formed and run by the farmers. The seepage water quantity has been reduced to minimum level, consequent to reduction in the waste water being discharged and utilised for irrigation. In the recent Public hearing for the DIP project also, there was no point raised by the Public, on the seepage water.

12 *Land of 2.5 Acres in Moorthipalayam*

With reference to Point 17 of the Public hearing, as of date, TNPL has cleared the site and planted Eucalyptus trees during 2009-10, after preparation of the surface and filling with earth. This matter was communicated to the District Collector by TNPL, vide letter dated 5th April 2010.

13 *Compliance to Justice Swamy Committee Recommendations*

The latest status of compliance to the recommendations is follows:

**STATUS OF COMPLIANCE AGAINST THE JUSTICE SWAMY COMMITTEE
RECOMMENDATIONS**

SI.No	RECOMMENDATION	STATUS OF COMPLIANCE
1	<p>By adopting Biomethanation technology in place of anaerobic lagoon, not only the parameters of the polluted contents are reduced substantially but also the bioenergy produced will repay the cost of Biomethanation plant in a course of 5 to 6 years. Therefore, the Committee strongly recommends the adoption of the Biomethanation technology within a period of two years for high BOD stream.</p>	<p>TNPL has commissioned the Bio Methanation Plant for high BOD/COD stream of Effluent Treatment Plant at a cost of Rs.430 lakh during June 2003 and is successfully operating the plant. The biogas produced is utilized in lime kiln regularly since June 2003.</p> <p>The Bio Plants installed generates a about 25000 CU.M/day of Bio gas resulting in 15000 Liters/day saving of furnace oil consumption in Lime Kilns.</p>
2	<p>Colour is one parameter of major concern. The Committee recommends the following measures for reduction of colour in the effluent which are to be adopted and implemented within a period of six (6) months:</p> <p>(a) Chemical precipitation technique using Alum.</p> <p>(b) Introduction of peroxide in extraction stage of bleaching process for chemical pulp.</p> <p>(c) Improvement in efficiency of the pulp washing system reduces colour, sodium and dissolved solids in the effluent. TNPL must assess the techno-economic feasibility of the new generation of pulp washing systems discussed in Chapter-VI for washing of bagasse pulps.</p>	<p>The unit has implemented tertiary treatment to reduce colour in the treated effluent by Ozonization at a capital outlay of Rs.400 lakhs (Rs.200 for Ozonization and Rs. 200 of Oxygen feed plant). The unit was commissioned on 06 th August 2010 and is in service.</p> <p>The operating expenditure of ozonation plant is about Rs.70 lakh per annum. In addition to colour reduction in the final treated effluent, the ozonation will further improve dissolved oxygen in the treated effluent.</p> <p>Peroxide is used on a regular basis in extraction stage of bleaching process for chemical pulp.</p> <p>Under MDP, this hardwood pulping line has been replaced by a new ECF hardwood pulp mill, which includes modern twin roll press for efficient washing. In Chemical Bagasse Pulp Line, the brown stock washers were replaced with 'ripple deck washers' which gives improved consistency and efficient washing. This Chemical Bagasse Washing line was also replaced by a modern twin roll press for efficient washing with oxygen delignification Mill Expansion Plan.</p>
3	<p>The Committee directed TNPL to install a Pilot Plant for removal of colour by employing Membrane Filtration Technology. The results of the Membrane Filtration Pilot Plant installed on lease from the Central Pulp &</p>	<p>TNPL has carried out trials with membrane filtration technology in June 2000 for effluent stream like Decker filter, Extraction Filtrates & Foul condensate. It was found that the technology is not viable for Paper and Pulp</p>

Sl.No	RECOMMENDATION	STATUS OF COMPLIANCE
	<p>Paper Research Institute, Saharanpur (U.P.) being encouraging, the Committee recommends that the feasibility of this technology on a commercial scale should established within a period of one year. Based on such assessment further steps should be taken for adoption or otherwise of the Membrane Filtration Plant as a time bound programme.</p>	<p>industry and there was no guarantee for the life of membrane from the supplier.</p> <p>TNPL has installed Oxygen Delignification and ECF bleaching for hardwood pulping line and ECF bleaching for Chemical Bagasse pulping line to reduce the colour level at source.</p> <p>The unit has implemented tertiary treatment to reduce colour in the treated effluent by Ozonation at a capital outlay of Rs.400 lakhs (Rs.200 for Ozonation and Rs.200 of Oxygen feed plant). The unit was commissioned on 06th August 2010 and is in service.</p> <p>The operating expenditure is about Rs.70 lakh per annum. In addition to colour reduction in the final treated effluent, the ozonation will further improve dissolved oxygen in the treated effluent.</p>
4	<p>Present fresh water consumption is 125 cubic meter per tonne of paper. There is a scope for further reduction by 10% in the intake of present quantity of the fresh water.</p>	<p>TNPL has implemented various conservation measures, as a continuous process, to reduce water consumption.</p> <p>The present average fresh water consumption is 23 m³/tonne of paper production for the period Apr'24 to Sep'24.</p>
5	<p>There is an urgent need to take all the measures to stop the leakage of Oil & Grease from the process equipments and to prevent entering into effluent streams. Steps in this regard should be taken within a period of six months.</p>	<p>The average Oil & grease concentration in TNPL's final treated effluent outlet is below 2.0 mg/l as against 10 mg/l prescribed by TNPCB. TNPL has installed a separate treatment plant for separation of oil & grease in the automobiles servicing section.</p>
6	<p>Effluent quality should be improved to such an extent that it is not only suitable for irrigation but also for any non-process application. Attempts should be made to reduce the level of sodium and dissolved solids particularly the inorganic chlorides. This should be taken up on priority basis as one of the R&D programmes.</p>	<p>TNPL is treating its effluent through Activated sludge process for effective reduction of pollutants. The total operating cost of treatment of effluent including power and chemicals is about Rs.900 lakh per annum.</p> <p>The present average fresh water consumption is 23 m³/tonne of paper production for the period Apr'24 to Sep'24.</p> <p>Average TDS (Inorganic): 1535 mg/l. (As per TNPCB Report from Apr'24 to July'24).</p>
7	<p>The modern trend in bleaching of chemical pulp in Pulp & Paper Industry is towards Elemental Chlorine Free Bleaching (ECF) and</p>	<p>Under the Mill Development Plan, TNPL has commissioned a 300 tpd ECF chemical hard wood pulp line and a 500 tpd ECF chemical</p>

Sl.No	RECOMMENDATION	STATUS OF COMPLIANCE
	<p>Total Chlorine Free Bleaching (TCF). However since company had adopted CEHH bleaching while expanding the plant capacity fully only in 1996, as far as the adoption of ECF technology is concerned, the Committee recommends that it should be adopted by the year 2010. The Committee also would like to add that an ideal situation would be, adoption of TCF bleaching, even though, it is costlier compared to ECF. But in the course of 10 to 11 years, if TCF technology or any other technology becomes viable and is better than ECF, the same should be adopted.</p>	<p>bagasse bleach plant by May 2008. The company has complied with this recommendation, two years ahead of the target date of March 2010 in replacement of the chlorine based bleach plants. ECF is recognized as Best Available Technology worldwide.</p>
8	<p>One of the major consequences of land application of the effluent is seepage and contamination of sub soil water. One possible solution is by way of more efficient transport of the effluent through channel or pipelines and pumping off water from water logged areas. TNPL should have a separate establishment to take care of the same.</p>	<p>TNPL treated effluent water is transported to the irrigated lands through pipelines. The seepage water from the TEWLIS ayacut is also collected into a separate channel and the same is diverted to the existing TEWLIS sump and used for irrigation along with treated effluent. The operation of TEWLIS system is being monitored by CGM (Operations) assisted by a team of operational and maintenance Engineers.</p>
9	<p>One more problem connected with the land application of treated effluent is the supply of drinking water. TNPL at present supplies drinking water to the surrounding areas. The supply of drinking water should be augmented within a period of six months so as to adequately meet the requirement of the residents in the neighborhood of the paper mill.</p>	<p>TNPL has increased the drinking water supply to the surrounding villages from 2000 m³/day. TNPL has provided common taps in the nearby villages for drinking water and steadily increased to 235 nos as on date. Number of taps will be increased further depending on the actual requirement. Further, protected water is supplied from the factory through pipelines to the overhead tanks of the nearby villages.</p>
10	<p>Discharging of treated effluent water and seepage water into Pugalur Canal should be stopped at any rate within a period of two years. Steps taken for enlarging TEWLIS area and development of additional area for utilization of treated effluent and seepage water should be accomplished within a year.</p>	<p>Discharge of treated effluent water and seepage water into Pugalur Canal has been stopped completely. The quality of treated effluent is within the norms prescribed by the TNPC Board.</p>
11	<p>TNPL should have a continuing programme to modernize the operations and to remove obsolescence and adopt the best available technology.</p>	<p>TNPL has taken steps to implement the following measures:</p> <p>1) There are three No of Biogas plant are under operations which are generated about 25000 CU.M/day resulting in 15000 Liters saving of furnace oil consumption in Lime Kilns.</p>

Sl.No	RECOMMENDATION	STATUS OF COMPLIANCE
		<p>2) Fresh water reduction by recycling treated effluent water.</p> <p>3) Best available technology for both Hardwood Pulp line and Chemical Bagasse Pulp Bleaching has been adopted for energy efficient and environmental friendly operations.</p> <p>4) In order to control odour, the unit has installed Non Condensable Gas (NCG) collection and incineration system in the lime-kiln at a cost of Rs.500 Lakhs.</p>
12	<p>Research and Development Programmes: TNPL should have an exclusive Research and Development (R&D) Wing with upgraded Laboratory facilities to enable the mill to develop, assess and adopt state-of art technology.</p> <p>The R&D wing should also evaluate and recommend for adoption of any readymade technologies available in Research institutions. The standard analytical procedures for analysis and measurement of pollution parameters as recommended by competent agencies such as BIS to be followed.</p>	<p>TNPL has an exclusive R&D Wing and also has a well equipped Laboratory facility.</p> <p>Based on the R&D trials, TNPL has installed bio-methanation plant, Oxygen delignification, ECF bleaching, Alkaline sizing, use of environmental friendly pigment dyes etc.</p> <p>TNPL maintains association with Research Institutes like CPPRI, CLRI etc and utilizes their resources, whenever necessary.</p> <p>Standard analytical procedures as per BIS for pollution parameters are adopted and international standards like TAPPI ISO Scan etc are used for pulp and paper properties.</p>
13	<p>It is necessary to have periodic environmental impact assessment (EIA) atleast once in five years and the same should be got done by expert body like NEERI or any other such Institution. The findings should be given due publicity. In the first half of the year 2001, EIA should be got done by NEERI.</p>	<p>EIA study was carried out for TNPL in the following years.</p> <p>(i) In the year 2001-02 by NEERI, Nagpur.</p> <p>(ii) In the year 2004-05 by Vimta labs Hyderabad & SPB-PC, Chennai.</p> <p>(iii) In the year 2008 by Vimta labs Hyderabad & SPB-PC, Chennai.</p> <p>(iv) In the year 2012 by Vimta labs Hyderabad & SPB-PC, Chennai.</p> <p>(v) In the year 2015 by Environmental System Consultants & Ambient Lab Solutions Pvt. Chennai.</p> <p>TNPCB, have accorded CTO towards enhancement of production from 4.0 LakhMTPA to 4.8 Lakh MTPA under No Increase Pollution Load Scenario in the year 2023.</p> <p>Currently, the plant is being operated, less than this capacity, due to low market demand.</p> <p>In view of the above, the EIA study at this load would not reflect the actual environment</p>

Sl.No	RECOMMENDATION	STATUS OF COMPLIANCE
		<p>impact. Hence, it is proposed to conduct EIA study on stipulated production as per the latest CTO to evaluate Environmental impact.</p>
14	<p>It is also necessary to direct Tamil Nadu Agricultural University (TNAU) to continue to monitor the impact of treated effluent on land and crops. Monitoring must be done once in two years. Steps necessary in accordance with findings recorded by TNAU should be taken up by TNPL.</p>	<p>TNAU is monitoring the TEWLIS area and soil samples are analysed with the help of Agricultural Department.</p> <p>Various steps like application of Gypsum and cultivation of green manure being taken by TNPL as per TNAU's findings. Gypsum was supplied by the company at free of cost to the concerned farmers. Further, Study of land use pattern and agricultural activities including collection of data are being collected.</p> <p>The recommendation of TNAU is being implemented in the treated effluent irrigated area.</p>

ANNEXURE XXVI

ENVIRONMENTAL MANAGEMENT

CELL



Tamilnadu Newsprint and Papers Limited.

October 19, 2024

ENVIRONMENTAL MANAGEMENT CELL

SL.NO	NAME OF THE EXECUTIVE	DESIGNATION	QUALIFICATION	RESPONSIBILITY
01	Mr. S. Nagarajan	Chief General Manager (Operations)	AMIE, BOE, DBF	Responsible for over all mill wide operations and coordinator for Environment compliance.
02	Mr. R. Rajalingam	General Manager (E&I, Safety & Wind farm)	B.Tech., MBA.,	Responsible for over all Mill wide Electrical & Instrumentation and Online Pollution Control Monitoring Stack Instruments.
03	Mr. Shamim Ahmed	Deputy General Manager (R&D)	M.Tech.,	Responsible for R&D
04	Mr. N. Navaneethakrishnan	Deputy General Manager (Environment)	M.Sc.,	Responsible for operation of WTP, ETP, Biogas Plant, Treated Effluent Water Lift Irrigation System (TEWLIS) and Environment compliance.
05	Mr. S.M.Sundaram	Chief Manager (Environment)	M.Sc.,	Evaluation of Environmental Compliance and Coordination with PCB officials and coordinator of ISO 14001.
PLANTATION ACTIVITES				
06	Dr. K. Jayakumar	Deputy General Manager (Forestry)	Doctorate in Agronomy	Responsible for overall pulpwood raw material procurement and Plantation establishment activities.
07	Dr. P. Chezhan	Chief Manager (Plantation)	Doctorate in tree building and forest genetics	Development of new superior clones in exotic and indigenous pulp wood species for captive and farm forestry of TNPL.
08	Dr. V. Prasath	Senior Manager (Plantation)	Doctorate in soil science and agricultural chemistry	Monitoring of ground water & soil in TEWLIS in association with TNAU scientists.

Chief General Manager (Operations)

ANNEXURE XXVII


**MEP – ENVIRONMENTAL
CLEARANCE – NEWSPAPER
ADVERTISEMENT**

Global meltdown

es sector, particularly those dependent on foreign institutional investment have fared badly. Non-availability of funds for preparing locally relevant, viable and business-sensitized content are specified as reasons for underperformance in the IT and BPO sector that registered a poor

performance of 15% growth as against 33% in the concerned period last year.

The feedback gathered from industry shows that during the first half of current fiscal, that is (April-Sept 2008), there was a moderation in the growth of several segments of the service industry.



**TNPL**

PUBLIC NOTICE

This is to inform that Ministry of Environment & Forests, New Delhi has accorded Environmental clearance for implementation of the project for Expansion of Pulp and Paper Mill (2,46,000 to 4,00,000 TPA) by installation of new Paper Machine (1,66,000 TPA) and balancing of Hard Wood Pulp Mill (300 to 330 TPD) and bagasse based Pulp Mill (500 to 550 TPD) of Tamil Nadu Newsprint and Papers Limited, vide its Order dated 11th December 2008.

Copies of the clearance letter are available with the Tamil Nadu State Pollution Control Board and may also be seen at the website of the Ministry of Environment and Forests at <http://www.separat.his.in>

(Signature) **CHIEF GENERAL MANAGER (Operations)**

**IndianOil**

(ASSAM OIL DIVISION)
DISBOL REFINERY, DISBOL, ASSAM
CORRESPONDENCE
TO

સાચી, 4 ગોટલો. 31 માર્ચ, 2008

ભારત સંચાર નિગમ

ભારત સંચાર નિગમ લિમિટેડ, સરકારી સંસ્થા, નવચંદ્ર, મુંબઈ 400 001.

સંચાર નિગમ દ્વારા આજીવન સંચાર સેવાઓની માહિતી આપવામાં આવી છે. આ સેવાઓની કિંમતો અને શરતો નીચેના ક્રમમાં આપવામાં આવી છે.

સંચાર નિગમ દ્વારા આજીવન સંચાર સેવાઓની માહિતી આપવામાં આવી છે. આ સેવાઓની કિંમતો અને શરતો નીચેના ક્રમમાં આપવામાં આવી છે.

Bharat Sanchar Nigam Ltd.

સંચાર નિગમ લિમિટેડ, સરકારી સંસ્થા, નવચંદ્ર, મુંબઈ 400 001.

સંચાર નિગમ દ્વારા આજીવન સંચાર સેવાઓની માહિતી આપવામાં આવી છે. આ સેવાઓની કિંમતો અને શરતો નીચેના ક્રમમાં આપવામાં આવી છે.